

Schema documentation for impex-1_0_3.xsd

april 2, 2015

Table of Contents

Namespace: "http://impex-fp7.oeaw.ac.at"	6
Schema(s)	6
Main schema impex-1_0_3.xsd	6
Element(s)	6
Element Spase	6
Element Version	7
Element ResourceEntity	7
Element Catalog	9
Element ResourceID	10
Element ResourceHeader	10
Element resourceName	12
Element AlternateName	12
Element ReleaseDate	12
Element ExpirationDate	13
Element Description	13
Element Acknowledgement	14
Element Contact	14
Element PersonID	14
Element Role	15
Element InformationURL	16
Element Name	16
Element URL	17
Element Language	17
Element Association	17
Element AssociationID	18
Element AssociationType	18
Element Note	19
Element PriorID	19
Element AccessInformation	19
Element RepositoryID	20
Element Availability	21
Element AccessRights	21
Element AccessURL	21
Element ProductKey	22
Element Format	23
Element Encoding	25
Element DataExtent	26
Element Quantity	26
Element Units	27
Element Per	27
Element ProviderResourceName	28
Element ProviderVersion	28
Element InstrumentID	28
Element PhenomenonType	29
Element TimeSpan	30
Element StartDate	31
Element StopDateEntity	31
Element Caveats	32
Element Keyword	32
Element InputResourceID	32
Element Parameter	33
Element Set	35
Element ParameterKey	35
Element Cadence	35
Element UnitsConversion	36
Element CoordinateSystem	36
Element CoordinateRepresentation	37
Element CoordinateSystemName	37
Element RenderingHints	42
Element DisplayType	43
Element AxisLabel	43
Element RenderingAxis	44
Element Index	44

Element ValueFormat	45
Element ScaleMin	45
Element ScaleMax	45
Element ScaleType	46
Element Structure	46
Element Size	47
Element Element	47
Element Qualifier	49
Element ValidMin	52
Element ValidMax	52
Element FillValue	52
Element ParameterEntity	53
Element Property	53
Element PropertyQuantity	55
Element PropertyLabel	55
Element PropertyValue	55
Element PropertyTableURL	56
Element PropertyModel	56
Element ModelURL	56
Element Extension	57
Element Field	57
Element FieldQuantity	57
Element FrequencyRange	58
Element SpectralRange	59
Element Low	60
Element High	60
Element Bin	60
Element BandName	61
Element EnergyRange	61
Element AzimuthalAngleRange	62
Element PolarAngleRange	62
Element Wave	63
Element WaveType	64
Element WaveQuantity	65
Element WavelengthRange	66
Element Mixed	67
Element MixedQuantity	67
Element ParticleType	68
Element Support	69
Element SupportQuantity	69
Element DisplayData	70
Element ProcessingLevel	72
Element ProviderProcessingLevel	72
Element MeasurementType	73
Element TemporalDescription	74
Element Exposure	75
Element DisplayCadence	75
Element ObservedRegion	76
Element NumericalData	79
Element Document	81
Element DocumentType	82
Element MIMEType	83
Element Source	84
Element SourceType	84
Element MirrorURL	85
Element Checksum	85
Element HashValue	86
Element HashFunction	86
Element Instrument	86
Element InstrumentType	87
Element InvestigationName	90
Element OperatingSpan	91
Element StopDate	91
Element ObservatoryID	92
Element Observatory	92
Element ObservatoryGroupID	93
Element Location	93
Element ObservatoryRegion	94
Element Latitude	97
Element Longitude	97
Element Elevation	97
Element Person	98

Element PersonName	99
Element OrganizationName	99
Element Address	99
Element Email	100
Element PhoneNumber	100
Element FaxNumber	101
Element Registry	101
Element Repository	101
Element Service	102
Element Annotation	103
Element ImageURL	104
Element AnnotationType	104
Element ClassificationMethod	104
Element ConfidenceRating	105
Element ObservationExtent	105
Element StartLocation	106
Element StopLocation	106
Element AtomicNumber	107
Element ParentID	107
Element ParticleQuantity	107
Element RelativeStopDate	109
Element Granule	109
Element RegionBegin	111
Element RegionEnd	111
Element NumericalOutput	111
Element SimulatedInstrumentID	113
Element SpatialDescription	113
Element Dimension	114
Element CoordinatesLabel	115
Element PlaneNormalVector	115
Element PlanePoint	115
Element Step	116
Element SimulatedRegion	116
Element SimulationProduct	116
Element DisplayOutput	117
Element SimulationModel	119
Element SimulationModel / Versions	121
Element Versions / ModelVersion	121
Element ModelVersion / VersionID	121
Element SimulationType	122
Element CodeLanguage	122
Element TemporalDependence	122
Element InputProperties	123
Element OutputParameters	123
Element SimulationRun	123
Element Model	125
Element ModelID	125
Element VersionID	126
Element LikelihoodRating	126
Element SimulationTime	126
Element Duration	127
Element TimeStart	128
Element TimeStop	128
Element TimeStep	128
Element DiagnosisTimeStep	128
Element SavedQuantity	129
Element SimulationDomain	129
Element SpatialDimension	131
Element VelocityDimension	131
Element FieldDimension	132
Element GridStructure	132
Element GridCellSize	132
Element Symmetry	132
Element BoundaryConditions	133
Element ParticleBoundary	133
Element FrontWall	134
Element BackWall	134
Element SideWall	135
Element Obstacle	135
Element FieldBoundary	135
Element InputEntity	136
Element RegionParameter	137

Element Radius	138
Element SubLongitude	139
Element Period	140
Element ObjectMass	141
Element InputTableURL	142
Element InputParameter	142
Element ParameterQuantity	143
Element InputPopulation	143
Element ChemicalFormula	145
Element PopulationMassNumber	145
Element PopulationChargeState	146
Element PopulationDensity	146
Element PopulationTemperature	147
Element PopulationFlowSpeed	148
Element Distribution	149
Element ProductionRate	150
Element TotalProductionRate	150
Element Profile	151
Element InputField	152
ElementInputLabel	154
ElementFieldValue	154
ElementFieldModel	155
ElementInputProcess	155
ElementProcessType	157
ElementProcessCoefficient	157
ElementProcessCoeffType	158
ElementProcessModel	158
ElementParticle	158
ElementParticle / PopulationID	160
ElementPopulationID	160
Complex Type(s)	160
Complex Type Spase	160
Complex Type Catalog	161
Complex Type ResourceHeader	162
Complex Type Contact	163
Complex Type InformationURL	164
Complex Type Association	165
Complex Type AccessInformation	165
Complex Type AccessURL	166
Complex Type DataExtent	167
Complex Type TimeSpan	168
Complex Type Parameter	168
Complex Type CoordinateSystem	170
Complex Type RenderingHints	170
Complex Type Structure	171
Complex Type Element	172
Complex Type Property	173
Complex Type Extension	175
Complex Type Field	175
Complex Type FrequencyRange	176
Complex Type Bin	176
Complex Type EnergyRange	177
Complex Type AzimuthalAngleRange	177
Complex Type PolarAngleRange	178
Complex Type Wave	179
Complex Type WavelengthRange	179
Complex Type Mixed	180
Complex Type Support	181
Complex Type DisplayData	181
Complex Type TemporalDescription	183
Complex Type NumericalData	184
Complex Type Document	186
Complex Type Source	187
Complex Type Checksum	187
Complex Type Instrument	188
Complex Type OperatingSpan	189
Complex Type Observatory	189
Complex Type Location	190
Complex Type Person	191
Complex Type Registry	192
Complex Type Repository	192
Complex Type Service	193

Complex Type Annotation	193
Complex Type ObservationExtent	194
Complex Type Granule	195
Complex Type NumericalOutput	197
Complex Type SpatialDescription	199
Complex Type DisplayOutput	200
Complex Type SimulationModel	203
Complex Type Versions	204
Complex Type ModelVersion	205
Complex Type InputProperties	205
Complex Type OutputParameters	205
Complex Type SimulationRun	206
Complex Type Model	208
Complex Type SimulationTime	208
Complex Type DiagnosisTimeStep	209
Complex Type SimulationDomain	210
Complex Type BoundaryConditions	212
Complex Type ElementBoundary	212
Complex Type RegionParameter	213
Complex Type InputValue	215
Complex Type InputParameter	216
Complex Type InputPopulation	217
Complex Type InputField	219
Complex Type InputProcess	221
Complex Type Particle	223
Simple Type(s)	224
Simple Type enumVersion	224
Simple Type ResourceID	224
Simple Type enumRole	225
Simple Type enumAssociationType	227
Simple Type enumAvailability	227
Simple Type enumAccessRights	228
Simple Type enumFormat	229
Simple Type enumEncoding	234
Simple Type enumPhenomenonType	235
Simple Type ParameterKey	239
Simple Type enumCoordinateRepresentation	239
Simple Type enumCoordinateSystemName	240
Simple Type enumDisplayType	248
Simple Type enumRenderingAxis	249
Simple Type typeSequence	250
Simple Type enumScaleType	250
Simple Type enumQualifier	251
Simple Type ImpexLargeListQuantities	258
Simple Type StringSequence	260
Simple Type enumFieldQuantity	260
Simple Type enumSpectralRange	261
Simple Type enumWaveType	264
Simple Type enumWaveQuantity	265
Simple Type enumMixedQuantity	268
Simple Type enumParticleType	269
Simple Type enumSupportQuantity	270
Simple Type enumProcessingLevel	271
Simple Type enumMeasurementType	272
Simple Type enumRegion	276
Simple Type enumDocumentType	283
Simple Type enumSourceType	284
Simple Type enumHashFunction	285
Simple Type enumInstrumentType	286
Simple Type enumAnnotationType	292
Simple Type enumClassificationMethod	293
Simple Type enumConfidenceRating	293
Simple Type BandName	294
Simple Type enumParticleQuantity	294
Simple Type enumComponent	298
Simple Type enumDirectionAngle	299
Simple Type enumEarth	299
Simple Type enumHardcopy	303
Simple Type enumHeliosphere	304
Simple Type enumIntegral	305
Simple Type enumIonosphere	305
Simple Type enumMagnetosphere	306

Simple Type enumNearSurface	307
Simple Type enumProjection	310
Simple Type enumImpexSpecialRegion	310
Simple Type enumSun	311
Simple Type enumText	312
Simple Type enumWaves	312
Simple Type FloatSequence	313
Simple Type PlaneNormalVector	313
Simple Type PlanePoint	313
Simple Type enumImpexRegion	314
Simple Type enumProduct	314
Simple Type enumSimulationType	315
Simple Type enumYN	315
Simple Type ImpexSavedQuantities	316
Simple Type enumSymmetry	316
Simple Type ChemicalFormula	317
Simple Type enumProcessType	317
Simple Type enumProcCoeffType	318
Simple Type enumImpexQuantity	319
Simple Type PopulationID	319
Element Group(s)	319
Element Group CutsDescription	319
Element Group CubesDescription	320
Namespace: ""	320
Attribute(s)	320
Attribute Spase / @lang	320
Attribute DiagnosisTimeStep / @TimeStart	320
Attribute DiagnosisTimeStep / @Duration	320
Attribute InputValue / @Units	321
Attribute InputValue / @UnitsConversion	321

Namespace: "http://impex-fp7.oeaw.ac.at"

Schema(s)

Main schema impex-1_0_3.xsd

Namespace	http://impex-fp7.oeaw.ac.at
Properties	attribute form default: unqualified element form default: qualified

Element(s)

Element Spase

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>Space Physics Archive Search and Extract (SPASE). The outermost container or envelope for SPASE metadata. This...</p>
Type	Spase
Properties	content: complex

Model	Version , ResourceEntity+			
Children	ResourceEntity, Version			
Instance	<Spase lang="en" xmlns="http://impex-fp7.oeaw.ac.at"> <Version>{1,1}</Version> <ResourceEntity>{1,unbounded}</ResourceEntity> </Spase>			
Attributes	QName	Type	Default	Use
	lang	xsd:string	en	optional
Source	<xsd:element name="Spase" type="Spase"/>			


Element Version

Namespace	http://impex-fp7.oeaw.ac.at			
Annotations	<p>Indicates the release identifier. When used to indicate the release of the SPASE data model, it is a in the form Major.Minor.Fix where Major: A significant change in the architecture of the model or rewrite of the implementation. This includes major changes in design or implementation language. This number starts at 0 (zero). Minor: An addition of terms or features that require changes in documentation/external API. This number starts at 0 (zero). Fix: Any change that doesn't require documentation/external API changes. This number starts at 0 (zero).</p>			
Diagram	<pre> classDiagram class Version { <<Type enumVersion>> } class enumVersion { <<Version number.>> } Version "0..1" -- "1..1" enumVersion </pre> <p>The diagram shows a UML class named 'Version' which is annotated with 'Type enumVersion'. It has a single association named 'enumVersion' with multiplicity '1..1' at the 'Version' end and '0..1' at the 'enumVersion' end. A note below the association states: 'Indicates the release identifier. When used to indicate the release of the SPASE data model, it is a in the form...'. Another note next to the 'enumVersion' class states: 'Version number.'</p>			
Type	enumVersion			
Properties	content:	simple		
Facets	enumeration	2.2.2		
Used by	Complex Type	Spase		
Source	<pre> <xsd:element name="Version" type="enumVersion"> <xsd:annotation> <xsd:documentation xml:lang="en">Indicates the release identifier. When used to indicate the release of the SPASE data model, it is a in the form Major.Minor.Fix where Major: A significant change in the architecture of the model or rewrite of the implementation. This includes major changes in design or implementation language. This number starts at 0 (zero). Minor: An addition of terms or features that require changes in documentation/external API. This number starts at 0 (zero). Fix: Any change that doesn't require documentation/external API changes. This number starts at 0 (zero).</xsd:documentation> </xsd:annotation> </xsd:element> </pre>			

Element ResourceEntity

Namespace	http://impex-fp7.oeaw.ac.at			
-----------	-----------------------------	--	--	--

Diagram



Properties	abstract: true
Substitution Group	<ul style="list-style-type: none"> • Catalog • DisplayData • NumericalData • Document • Instrument • Observatory • Person • Registry • Repository • Service • Annotation • Granule • NumericalOutput

	<ul style="list-style-type: none"> • DisplayOutput • SimulationModel • SimulationRun
Used by	Complex Type Spase
Source	<xsd:element name="ResourceEntity" abstract="true" />

Element Catalog

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>The diagram illustrates the structure of the <code>ResourceEntity</code> element. It starts with a <code>Catalog</code> class (Type: Catalog) which has a self-referencing association named <code>Substitution Group</code>. This group contains a single class: <code>ResourceEntity</code> (Abstract: true). The <code>ResourceEntity</code> class has the following attributes:</p> <ul style="list-style-type: none"> <code>ResourceId</code>: Type <code>ResourceId</code> <code>ResourceHeader</code>: Type <code>ResourceHeader</code> <code>AccessInformation</code>: Type <code>AccessInformation</code> (multiplicity 1..oo) <code>ProviderResourceName</code>: Type <code>xsd:string</code> <code>ProviderVersion</code>: Type <code>xsd:string</code> <code>InstrumentID</code>: Type <code>xsd:string</code> (multiplicity 0..oo) <code>PhenomenonType</code>: Type <code>enumPhenomenonType</code> (multiplicity 1..oo) <code>TimeSpan</code>: Type <code>TimeSpan</code> <code>Caveats</code>: Type <code>xsd:string</code> <code>Keyword</code>: Type <code>xsd:string</code> (multiplicity 0..oo) <code>InputResourceID</code>: Type <code>xsd:string</code> (multiplicity 0..oo) <code>Parameter</code>: Type <code>Parameter</code> (multiplicity 0..oo) <code>Extension</code>: Type <code>Extension</code> (multiplicity 0..oo) <p>Each attribute is accompanied by a detailed description in a callout box.</p>

Type	Catalog
Properties	content: complex
Substitution Group Affiliation	• ResourceEntity
Model	ResourceID , ResourceHeader , AccessInformation+ , ProviderResourceName{0,1} , ProviderVersion{0,1} , InstrumentID* , PhenomenonType+ , TimeSpan{0,1} , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , Extension*
Children	AccessInformation, Caveats, Extension, InputResourceID, InstrumentID, Keyword, Parameter, PhenomenonType, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, TimeSpan
Instance	<pre><Catalog xmlns="http://impepx-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessInformation>{1,unbounded}</AccessInformation> <ProviderResourceName>{0,1}</ProviderResourceName> <ProviderVersion>{0,1}</ProviderVersion> <InstrumentID>{0,unbounded}</InstrumentID> <PhenomenonType>{1,unbounded}</PhenomenonType> <TimeSpan>{0,1}</TimeSpan> <Caveats>{0,1}</Caveats> <Keyword>{0,unbounded}</Keyword> <InputResourceID>{0,unbounded}</InputResourceID> <Parameter>{0,unbounded}</Parameter> <Extension>{0,unbounded}</Extension> </Catalog></pre>
Source	<code><xsd:element name="Catalog" type="Catalog" substitutionGroup="ResourceEntity" /></code>


Element ResourceID

Namespace	http://impepx-fp7.oeaw.ac.at
Diagram	<p>A Resource ID is a URI that has the form "scheme://authority/path" where "scheme" is "spase" for those resources...</p>
Type	ResourceID
Properties	content: simple
Used by	Complex Types Annotation, Catalog, DisplayData, DisplayOutput, Document, Granule, Instrument, NumericalData, NumericalOutput, Observatory, Person, Registry, Repository, Service, SimulationModel, SimulationRun
Source	<code><xsd:element name="ResourceID" type="ResourceID" /></code>

Element ResourceHeader

Namespace	http://impepx-fp7.oeaw.ac.at
-----------	------------------------------

Diagram



Type	ResourceHeader
Properties	content: complex
Used by	Complex Types Annotation, Catalog, DisplayData, DisplayOutput, Document, Instrument, NumericalData, NumericalOutput, Observatory, Registry, Repository, Service, SimulationModel, SimulationRun
Model	ResourceName , AlternateName* , ReleaseDate , ExpirationDate{0,1} , Description , Acknowledgement{0,1} , Contact+ , InformationURL* , Association* , PriorID*
Children	Acknowledgement, AlternateName, Association, Contact, Description, ExpirationDate, InformationURL, PriorID, ReleaseDate, ResourceName
Instance	<pre> <ResourceHeader xmlns="http://impex-fp7.oewa.ac.at"> <ResourceName>{1,1}</ResourceName> <AlternateName>{0,unbounded}</AlternateName> <ReleaseDate>{1,1}</ReleaseDate> <ExpirationDate>{0,1}</ExpirationDate> <Description>{1,1}</Description> <Acknowledgement>{0,1}</Acknowledgement> <Contact>{1,unbounded}</Contact> <InformationURL>{0,unbounded}</InformationURL> <Association>{0,unbounded}</Association> <PriorID>{0,unbounded}</PriorID> </ResourceHeader> </pre>
Source	<code><xsd:element name="ResourceHeader" type="ResourceHeader" /></code>

Element ResourceName

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A short textual description of a resource which may be useful when read by a person.
Diagram	<pre> graph LR RN[ResourceName Type xsd:string] --> XSDString[xsd:string] </pre> <p>A short textual description of a resource which may be useful when read by a person.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type ResourceHeader
Source	<pre> <xsd:element name="ResourceName" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A short textual description of a resource which may be useful when read by a person.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element AlternateName

Namespace	http://impexfp7.oeaw.ac.at
Annotations	An alternative or shortened name used to refer to a resource. This includes acronyms, expanded names or a synonym for a resource.
Diagram	<pre> graph LR AN[AlternateName Type xsd:string] --> XSDString[xsd:string] </pre> <p>An alternative or shortened name used to refer to a resource. This includes acronyms, expanded names or a synonym for a...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type ResourceHeader
Source	<pre> <xsd:element name="AlternateName" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">An alternative or shortened name used to refer to a resource. This includes acronyms, expanded names or a synonym for a resource.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element ReleaseDate

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The date and time when a resource is made available. The availability of a resource coincides with the release of a resource description. If the Release Date is specified as a future date then it indicates that resource should not be made available until that time. However, this is only advisory and in practice the Release Date should be the actual date the resource description was published.
Diagram	<pre> graph LR RD[ReleaseDate Type xsd:dateTime] --> XSDDateTime[xsd:dateTime] </pre> <p>The date and time when a resource is made available. The availability of a resource coincides with the release of a...</p> <p>Built-in primitive type. The dateTime datatype represents a specific instant of time.</p>
Type	xsd:dateTime
Properties	content: simple

Used by	Complex Types	Granule, ModelVersion, Person, ResourceHeader
Source		<pre><xsd:element name="ReleaseDate" type="xsd:dateTime"> <xsd:annotation> <xsd:documentation xml:lang="en">The date and time when a resource is made available. The availability of a resource coincides with the release of a resource description. If the Release Date is specified as a future date then it indicates that resource should not be made available until that time. However, this is only advisory and in practice the Release Date should be the actual date the resource description was published.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element ExpirationDate

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	<p>The date and time when a resource is no longer available. If the Expiration Date is specified then it indicates that resource should not be made available after that time. However, this is only advisory and in practice a resource description should be unpublished to eliminate access to a resource.</p>	
Diagram	<pre> classDiagram class ExpirationDate { <<xsd:dateTime>> } class xsd(dateTime) ExpirationDate < -- xsd(dateTime) </pre> <p>The diagram shows a class named 'ExpirationDate' with a note below it: 'The date and time when a resource is no longer available. If the Expiration Date is specified then it indicates that...'. A relationship line connects 'ExpirationDate' to a class named 'xsd:dateTime' with a note: 'Built-in primitive type. The dateTime datatype represents a specific instant of time.'</p>	
Type	xsd:dateTime	
Properties	content: simple	
Used by	Complex Types	
Source	<pre><xsd:element name="ExpirationDate" type="xsd:dateTime"> <xsd:annotation> <xsd:documentation xml:lang="en">The date and time when a resource is no longer available. If the Expiration Date is specified then it indicates that resource should not be made available after that time. However, this is only advisory and in practice a resource description should be unpublished to eliminate access to a resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Description

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	<p>A narrative explanation with detail appropriate for the item it describes. For example a description of data resource should include discussions of the main quantities in the resource, possible uses and search terms. A description should also include whether any corrections (i.e., geometry, inertial) have been applied to the resource.</p>	
Diagram	<pre> classDiagram class Description { <<xsd:string>> } class xsd(string) Description < -- xsd(string) </pre> <p>The diagram shows a class named 'Description' with a note below it: 'A narrative explanation with detail appropriate for the item it describes. For example a description of data resource...'. A relationship line connects 'Description' to a class named 'xsd:string' with a note: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Types	
Source	<pre><xsd:element name="Description" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A narrative explanation with detail appropriate for the item it describes. For example a description of data resource should include discussions of the main quantities in the resource, possible uses and search terms. A description should also</pre>	

```

    include whether any corrections (i.e., geometry, inertial) have been applied to the resource.</
  xsd:documentation>
  </xsd:annotation>
</xsd:element>
```

Element Acknowledgement

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The individual, group or organization which should be acknowledged when the data is used in or contributes to a presentation or publication.
Diagram	<p>Acknowledgement Type xsd:string</p> <p>The individual, group or organization which should be acknowledged when the data is used in or contributes to a...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Types AccessInformation, ResourceHeader
Source	<pre> <xsd:element name="Acknowledgement" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The individual, group or organization which should be acknowledged when the data is used in or contributes to a presentation or publication.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Contact

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>Contact Type Contact</p> <p>PersonID Type xsd:string</p> <p>The identifier assigned to a Person description.</p> <p>Role Type enumRole</p> <p>1..∞</p> <p>The assigned or assumed function or position of an individual.</p> <p>The person or organization who may be able to provide special assistance or serve as a channel for communication for...</p>
Type	Contact
Properties	content: complex
Used by	Complex Type ResourceHeader
Model	PersonID , Role+
Children	PersonID, Role
Instance	<pre> <Contact xmlns="http://impex-fp7.oeaw.ac.at"> <PersonID>{1,1}</PersonID> <Role>{1,unbounded}</Role> </Contact></pre>
Source	<pre><xsd:element name="Contact" type="Contact" /></pre>

Element PersonID

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The identifier assigned to a Person description.
Diagram	<p>PersonID Type xsd:string</p> <p>The identifier assigned to a Person description.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>

Type	xsd:string
Properties	content: simple
Used by	Complex Type Contact
Source	<pre><xsd:element name="PersonID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The identifier assigned to a Person description.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Role

Namespace	http://impex-fp7.oeaw.ac.at																																														
Annotations	The assigned or assumed function or position of an individual.																																														
Diagram	<pre> classDiagram class Role { <<Role>> <<Type>> <<enumRole>> } class enumRole { <<enumRole>> } Role "1" -- "1" enumRole </pre> <p>The assigned or assumed function or position of an individual.</p> <p>Identifiers for the assigned or assumed function or position of an individual.</p>																																														
Type	enumRole																																														
Properties	content: simple																																														
Facets	<table border="1"> <tr> <td>enumeration</td> <td>ArchiveSpecialist</td> <td>An individual who is an expert on a collection of resources and may also be knowledgeable of the phenomenon and related physics represented by the resources. This includes librarians, curators, archive scientists and other experts.</td> </tr> <tr> <td>enumeration</td> <td>CoInvestigator</td> <td>An individual who is a scientific peer and major participant in an investigation.</td> </tr> <tr> <td>enumeration</td> <td>Contributor</td> <td>An entity responsible for making contributions to the content of the resource.</td> </tr> <tr> <td>enumeration</td> <td>DataProducer</td> <td>An individual who generated the resource and is familiar with its provenance.</td> </tr> <tr> <td>enumeration</td> <td>DeputyPI</td> <td>An individual who is an administrative or scientific leader for an investigation operating under the supervision of a Principal Investigator.</td> </tr> <tr> <td>enumeration</td> <td>FormerPI</td> <td>An individual who had served as the administrative and scientific lead for an investigation, but no longer assumes that role.</td> </tr> <tr> <td>enumeration</td> <td>GeneralContact</td> <td>An individual who can provide information on a range of subjects or who can direct you to a domain expert.</td> </tr> <tr> <td>enumeration</td> <td>MetadataContact</td> <td>An individual who can affect a change in the metadata describing a resource.</td> </tr> <tr> <td>enumeration</td> <td>PrincipalInvestigator</td> <td>An individual who is the administrative and scientific lead for an investigation.</td> </tr> <tr> <td>enumeration</td> <td>ProjectScientist</td> <td>An individual who is an expert in the phenomenon and related physics explored by the project. A project scientist may also have a managerial role within the project.</td> </tr> <tr> <td>enumeration</td> <td>Publisher</td> <td>An individual, organization, institution or government department responsible for the production and dissemination of a document.</td> </tr> <tr> <td>enumeration</td> <td>Scientist</td> <td>An individual who is an expert in the phenomenon and related physics represented by the resource.</td> </tr> <tr> <td>enumeration</td> <td>TeamLeader</td> <td>An individual who is the designated leader of an investigation.</td> </tr> <tr> <td>enumeration</td> <td>TeamMember</td> <td>An individual who is a major participant in an investigation.</td> </tr> <tr> <td>enumeration</td> <td>TechnicalContact</td> <td>An individual who can provide specific information with regard to the resource or supporting software</td> </tr> </table>		enumeration	ArchiveSpecialist	An individual who is an expert on a collection of resources and may also be knowledgeable of the phenomenon and related physics represented by the resources. This includes librarians, curators, archive scientists and other experts.	enumeration	CoInvestigator	An individual who is a scientific peer and major participant in an investigation.	enumeration	Contributor	An entity responsible for making contributions to the content of the resource.	enumeration	DataProducer	An individual who generated the resource and is familiar with its provenance.	enumeration	DeputyPI	An individual who is an administrative or scientific leader for an investigation operating under the supervision of a Principal Investigator.	enumeration	FormerPI	An individual who had served as the administrative and scientific lead for an investigation, but no longer assumes that role.	enumeration	GeneralContact	An individual who can provide information on a range of subjects or who can direct you to a domain expert.	enumeration	MetadataContact	An individual who can affect a change in the metadata describing a resource.	enumeration	PrincipalInvestigator	An individual who is the administrative and scientific lead for an investigation.	enumeration	ProjectScientist	An individual who is an expert in the phenomenon and related physics explored by the project. A project scientist may also have a managerial role within the project.	enumeration	Publisher	An individual, organization, institution or government department responsible for the production and dissemination of a document.	enumeration	Scientist	An individual who is an expert in the phenomenon and related physics represented by the resource.	enumeration	TeamLeader	An individual who is the designated leader of an investigation.	enumeration	TeamMember	An individual who is a major participant in an investigation.	enumeration	TechnicalContact	An individual who can provide specific information with regard to the resource or supporting software
enumeration	ArchiveSpecialist	An individual who is an expert on a collection of resources and may also be knowledgeable of the phenomenon and related physics represented by the resources. This includes librarians, curators, archive scientists and other experts.																																													
enumeration	CoInvestigator	An individual who is a scientific peer and major participant in an investigation.																																													
enumeration	Contributor	An entity responsible for making contributions to the content of the resource.																																													
enumeration	DataProducer	An individual who generated the resource and is familiar with its provenance.																																													
enumeration	DeputyPI	An individual who is an administrative or scientific leader for an investigation operating under the supervision of a Principal Investigator.																																													
enumeration	FormerPI	An individual who had served as the administrative and scientific lead for an investigation, but no longer assumes that role.																																													
enumeration	GeneralContact	An individual who can provide information on a range of subjects or who can direct you to a domain expert.																																													
enumeration	MetadataContact	An individual who can affect a change in the metadata describing a resource.																																													
enumeration	PrincipalInvestigator	An individual who is the administrative and scientific lead for an investigation.																																													
enumeration	ProjectScientist	An individual who is an expert in the phenomenon and related physics explored by the project. A project scientist may also have a managerial role within the project.																																													
enumeration	Publisher	An individual, organization, institution or government department responsible for the production and dissemination of a document.																																													
enumeration	Scientist	An individual who is an expert in the phenomenon and related physics represented by the resource.																																													
enumeration	TeamLeader	An individual who is the designated leader of an investigation.																																													
enumeration	TeamMember	An individual who is a major participant in an investigation.																																													
enumeration	TechnicalContact	An individual who can provide specific information with regard to the resource or supporting software																																													

Used by	Complex Type	Contact
Source	<pre><xsd:element name="Role" type="enumRole"> <xsd:annotation> <xsd:documentation xml:lang="en">The assigned or assumed function or position of an individual.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element InformationURL

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>The diagram shows the <code>InformationURL</code> element with four attributes:</p> <ul style="list-style-type: none"> Name: Type <code>xsd:string</code>. Description: A language unit by which a person or thing is known. URL: Type <code>xsd:string</code>. Description: Uniform Resource Locator (URL) is the global address of documents and other resources on the World Wide Web. The first... Description: Type <code>xsd:string</code>. Description: A narrative explanation with detail appropriate for the item it describes. For example a description of data resource... Language: Type <code>xsd:string</code>. Description: The two character indicator of language selected from the ISO 639-1 codes for the representation of names of languages. <p>Attributes of the method of acquiring additional information.</p>
Type	InformationURL
Properties	content: complex
Used by	Complex Type ResourceHeader
Model	Name{0,1} , URL , Description{0,1} , Language{0,1}
Children	Description, Language, Name, URL
Instance	<pre><InformationURL xmlns="http://impex-fp7.oeaw.ac.at"> <Name>{0,1}</Name> <URL>{1,1}</URL> <Description>{0,1}</Description> <Language>{0,1}</Language> </InformationURL></pre>
Source	<pre><xsd:element name="InformationURL" type="InformationURL" /></pre>

Element Name

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A language unit by which a person or thing is known.
Diagram	<p>The diagram shows the <code>Name</code> element with one attribute:</p> <ul style="list-style-type: none"> Name: Type <code>xsd:string</code>. Description: Built-in primitive type. The string datatype represents character strings in XML. <p>A language unit by which a person or thing is known.</p>
Type	<code>xsd:string</code>
Properties	content: simple
Used by	Complex Types AccessURL, Element, InformationURL, InputField, InputParameter, InputPopulation, InputProcess, Parameter, Property
Source	<pre><xsd:element name="Name" type="xsd:string" /></pre>

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">A language unit by which a person or thing is known.</
  xsd:documentation>
</xsd:annotation>
</xsd:element>

```

Element URL

Namespace	http://impexfp7.oeaw.ac.at
Annotations	<p>Uniform Resource Locator (URL) is the global address of documents and other resources on the World Wide Web. The first part of the address indicates what protocol to use, and the second part specifies the IP address or the domain name where the resource is located followed by the pathname of the resource.</p> <p>A URL is specified in the form protocol://server.domain.name:port/pathname. Example protocols are HTTP or FTP, server domain name is the Internet name.</p>
Diagram	<pre> classDiagram class URL { <<Uniform Resource Locator (URL) is the global address of documents and other resources on the World Wide Web. The first...>> } class xsd:string URL "1" -- "0..1" xsd:string </pre> <p>The diagram shows a UML class named 'URL' with a multiplicity of 1 at its end of a directed association, and a multiplicity of 0..1 at the opposite end, pointing to a class named 'xsd:string'. A note below the association states: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Types AccessURL, InformationURL, Source
Source	<pre> <xsd:element name="URL" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Uniform Resource Locator (URL) is the global address of documents and other resources on the World Wide Web. The first part of the address indicates what protocol to use, and the second part specifies the IP address or the domain name where the resource is located followed by the pathname of the resource. A URL is specified in the form protocol://server.domain.name:port/pathname. Example protocols are HTTP or FTP, server domain name is the Internet name.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>


Element Language

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The two character indicator of language selected from the ISO 630-1 codes for the representation of names of languages.
Diagram	<pre> classDiagram class Language { <<The two character indicator of language selected from the ISO 630-1 codes for the representation of names of languages.>> } class xsd:string Language "1" -- "0..1" xsd:string </pre> <p>The diagram shows a UML class named 'Language' with a multiplicity of 1 at its end of a directed association, and a multiplicity of 0..1 at the opposite end, pointing to a class named 'xsd:string'. A note below the association states: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Types AccessURL, InformationURL
Source	<pre> <xsd:element name="Language" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The two character indicator of language selected from the ISO 630-1 codes for the representation of names of languages.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element Association

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram



Type	Association
Properties	content: complex
Used by	Complex Type ResourceHeader
Model	AssociationID , AssociationType , Note{0,1}
Children	AssociationID, AssociationType, Note
Instance	<pre><Association xmlns="http://impex-fp7.oeaw.ac.at"> <AssociationID>{1,1}</AssociationID> <AssociationType>{1,1}</AssociationType> <Note>{0,1}</Note> </Association></pre>
Source	<code><xsd:element name="Association" type="Association"/></code>

Element AssociationID

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The resource identifier for a resource with which this resource is closely associated.
Diagram	<p>The resource identifier for a resource with which this resource is closely associated.</p>
Type	<code>xsd:string</code>
Properties	content: simple
Used by	Complex Type Association
Source	<pre><xsd:element name="AssociationID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The resource identifier for a resource with which this resource is closely associated.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element AssociationType

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A characterization of the role or purpose of an associated resource.
Diagram	<p>A characterization of the role or purpose of an associated resource.</p>
Type	<code>enumAssociationType</code>
Properties	content: simple

Facets	enumeration	ChildEventOf	A descendant or caused by another resource.
	enumeration	DerivedFrom	A transformed or altered version of a resource instance.
	enumeration	ObservedBy	Detected or originating from another resource.
	enumeration	Other	Not classified with more specific terms. The context of its usage may be described in related text.
	enumeration	PartOf	A portion of a larger resource.
	enumeration	RevisionOf	A modified version of a resource instance.
Used by	Complex Type	Association	
Source	<pre><xsd:element name="AssociationType" type="enumAssociationType"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the role or purpose of an associated resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element Note

Namespace	http://impexfp7.oeaw.ac.at		
Annotations	Information which is useful or important for the understanding of a value or parameter.		
Diagram	<pre> classDiagram class Note { <<Note>> <<Type xsd:string>> } Note "0..1" -- "1" xsd:string </pre> <p>Information which is useful or important for the understanding of a value or parameter.</p>		<p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string		
Properties	content: simple		
Used by	Complex Types Association, ObservationExtent, OperatingSpan, Person, TimeSpan		
Source	<pre><xsd:element name="Note" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Information which is useful or important for the understanding of a value or parameter.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element PriorID

Namespace	http://impexfp7.oeaw.ac.at		
Annotations	The resource identifier for a resource that is superseded or replaced by a resource.		
Diagram	<pre> classDiagram class PriorID { <<PriorID>> <<Type xsd:string>> } PriorID "0..1" -- "1" xsd:string </pre> <p>The resource identifier for a resource that is superseded or replaced by a resource.</p>		<p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string		
Properties	content: simple		
Used by	Complex Types Granule, ResourceHeader		
Source	<pre><xsd:element name="PriorID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The resource identifier for a resource that is superseded or replaced by a resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element AccessInformation

Namespace	http://impexfp7.oeaw.ac.at		
-----------	----------------------------	--	--

Diagram	<pre> classDiagram class AccessInformation { RepositoryID : xsd:string Availability : enumAvailability AccessRights : enumAccessRights AccessURL : AccessURL Format : enumFormat Encoding : enumEncoding DataExtent : DataExtent Acknowledgement : xsd:string } AccessInformation "1..oo" --> AccessURL </pre> <p>Attributes of the resource which pertain to how to accessing the resource, availability and storage format.</p>
Type	AccessInformation
Properties	content: complex
Used by	Complex Types Catalog, DisplayData, DisplayOutput, Document, NumericalData, NumericalOutput, SimulationRun
Model	RepositoryID , Availability{0,1} , AccessRights{0,1} , AccessURL+ , Format , Encoding{0,1} , DataExtent{0,1} , Acknowledgement{0,1}
Children	AccessRights, AccessURL, Acknowledgement, Availability, DataExtent, Encoding, Format, RepositoryID
Instance	<pre> <AccessInformation xmlns="http://impex-fp7.oeaw.ac.at"> <RepositoryID>{1,1}</RepositoryID> <Availability>{0,1}</Availability> <AccessRights>{0,1}</AccessRights> <AccessURL>{1,unbounded}</AccessURL> <Format>{1,1}</Format> <Encoding>{0,1}</Encoding> <DataExtent>{0,1}</DataExtent> <Acknowledgement>{0,1}</Acknowledgement> </AccessInformation> </pre>
Source	<xsd:element name="AccessInformation" type="AccessInformation" />

Element RepositoryID

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The identifier of an Repository resource.
Diagram	<pre> association RepositoryID : xsd:string xsd:string </pre> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string

Properties	content:	simple
Used by	Complex Type	AccessInformation
Source	<pre><xsd:element name="RepositoryID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The identifier of an Repository resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Availability

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	An indication of the method or service which may be used to access the resource.	
Diagram	<p>The diagram shows a UML class named 'Availability' with a note below it: 'An indication of the method or service which may be used to access the resource.' A directed association line connects 'Availability' to a class named 'enumAvailability' with a note: 'Identifiers for indicating the method or service which may be used to access the resource.'</p>	
Type	enumAvailability	
Properties	content: simple	
Facets	enumeration Offline enumeration Online	Not directly accessible electronically. This includes resources which may be moved to an on-line status in response to a given request. Directly accessible electronically.
Used by	Complex Type AccessInformation	
Source	<pre><xsd:element name="Availability" type="enumAvailability"> <xsd:annotation> <xsd:documentation xml:lang="en">An indication of the method or service which may be used to access the resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element AccessRights

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Permissions granted or denied by the host of a product to allow other users to access and use the resource.	
Diagram	<p>The diagram shows a UML class named 'AccessRights' with a note below it: 'Permissions granted or denied by the host of a product to allow other users to access and use the resource.' A directed association line connects 'AccessRights' to a class named 'enumAccessRights' with a note: 'Identifiers for permissions granted or denied by the host of a product to allow other users to access and use the...'</p>	
Type	enumAccessRights	
Properties	content: simple	
Facets	enumeration Open enumeration Restricted	Access is granted to everyone. Access to the product is regulated and requires some form of identification.
Used by	Complex Type AccessInformation	
Source	<pre><xsd:element name="AccessRights" type="enumAccessRights"> <xsd:annotation> <xsd:documentation xml:lang="en">Permissions granted or denied by the host of a product to allow other users to access and use the resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element AccessURL

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram	<p>The diagram shows the <code>AccessURL</code> class with five attributes:</p> <ul style="list-style-type: none"> Name: Type <code>xsd:string</code>. Description: A language unit by which a person or thing is known. URL: Type <code>xsd:string</code>. Description: Uniform Resource Locator (URL) is the global address of documents and other resources on the World Wide Web. The first... ProductKey: Type <code>xsd:string</code>. Description: The key (identifier) of the resource within a Repository. This is a local identifier which can be used to retrieve or... Description: Type <code>xsd:string</code>. Description: A narrative explanation with detail appropriate for the item it describes. For example a description of data resource... Language: Type <code>xsd:string</code>. Description: The two character indicator of language selected from the ISO 639-1 codes for the representation of names of languages. <p>Attributes of the method for accessing a resource including a URL, name and description.</p>
Type	AccessURL
Properties	content: complex
Used by	Complex Types AccessInformation, Registry, Repository, Service
Model	Name{0,1} , URL , ProductKey* , Description{0,1} , Language{0,1}
Children	Description, Language, Name, ProductKey, URL
Instance	<pre><AccessURL xmlns="http://impex-fp7.oeaw.ac.at"> <Name>{0,1}</Name> <URL>{1,1}</URL> <ProductKey>{0,unbounded}</ProductKey> <Description>{0,1}</Description> <Language>{0,1}</Language> </AccessURL></pre>
Source	<code><xsd:element name="AccessURL" type="AccessURL" /></code>

Element ProductKey

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The key (identifier) of the resource within a Repository. This is a local identifier which can be used to retrieve or locate the resource.
Diagram	<p>The diagram shows the <code>ProductKey</code> class with one attribute:</p> <ul style="list-style-type: none"> xsd:string. Description: Built-in primitive type. The string datatype represents character strings in XML. <p>The key (identifier) of the resource within a Repository. This is a local identifier which can be used to retrieve or...</p>
Type	<code>xsd:string</code>
Properties	content: simple
Used by	Complex Type AccessURL
Source	<pre><xsd:element name="ProductKey" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The key (identifier) of the resource within a Repository. This is a local identifier which can be used to retrieve or locate the resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Format

Namespace	http://impexfp7.oeaw.ac.at																																																	
Annotations	The organization of data according to preset specifications. The value is selected from a list of accepted names for known, well documented formats.																																																	
Diagram	<pre> classDiagram class Format { <<Format>> <<Type enumFormat>> } class enumFormat { <<enumFormat>> } Format "1" -- "1" enumFormat : <<The organization of data according to preset specifications. The value is selected from a list of accepted names for...>> enumFormat "1" -- "1" enumFormat : <<Identifiers for data organized according to preset specifications.>> </pre>																																																	
Type	enumFormat																																																	
Properties	content: simple																																																	
Facets	<table border="1"> <tr> <td>enumeration</td> <td>AVI</td> <td>Audio Video Interleave (AVI) a digital format for movies that conforms to the Microsoft Windows Resource Interchange File Format (RIFF).</td> </tr> <tr> <td>enumeration</td> <td>Binary</td> <td>A direct representation of the bits which may be stored in memory on a computer.</td> </tr> <tr> <td>enumeration</td> <td>CDF</td> <td>Common Data Format (CDF). A binary storage format developed at Goddard Space Flight Center (GSFC).</td> </tr> <tr> <td>enumeration</td> <td>CEF</td> <td>Cluster Exchange Format (CEF) is a self-documenting ASCII format designed for the exchange of data. There are two versions of CEF which are not totally compatible.</td> </tr> <tr> <td>enumeration</td> <td>CEF1</td> <td>Cluster Exchange Format (CEF), version 1, is a self-documenting ASCII format designed for the exchange of data. The metadata contains information compatible with the ISTP recommendations for CDF.</td> </tr> <tr> <td>enumeration</td> <td>CEF2</td> <td>Cluster Exchange Format (CEF), version 2, is a self-documenting ASCII format designed for the exchange of data and introduced for Cluster Active Archive. Compared to version 1, the metadata description of vectors and tensors is different.</td> </tr> <tr> <td>enumeration</td> <td>Excel</td> <td>A Microsoft spreadsheet format used to hold a variety of data in tables which can include calculations.</td> </tr> <tr> <td>enumeration</td> <td>FITS</td> <td>Flexible Image Transport System (FITS) is a digital format primarily designed to store scientific data sets consisting of multi-dimensional arrays (1-D spectra, 2-D images or 3-D data cubes) and 2-dimensional tables containing rows and columns of data.</td> </tr> <tr> <td>enumeration</td> <td>GIF</td> <td>Graphic Interchange Format (GIF) first introduced in 1987 by CompuServe. GIF uses LZW compression and images are limited to 256 colours.</td> </tr> <tr> <td>enumeration</td> <td>HDF</td> <td>Hierarchical Data Format</td> </tr> <tr> <td>enumeration</td> <td>HDF4</td> <td>Hierarchical Data Format, Version 4</td> </tr> <tr> <td>enumeration</td> <td>HDF5</td> <td>Hierarchical Data Format, Version 5</td> </tr> <tr> <td>enumeration</td> <td>HTML</td> <td>A text file containing structured information represented in the HyperText Mark-up Language (HTML). See <http://www.w3.org/MarkUp/></td> </tr> <tr> <td>enumeration</td> <td>Hardcopy</td> <td>A permanent reproduction, or copy in the form of a physical object, of any media suitable for direct use by a person.</td> </tr> <tr> <td>enumeration</td> <td>Hardcopy.Film</td> <td>An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.</td> </tr> <tr> <td>enumeration</td> <td>Hardcopy.Microfiche</td> <td>A sheet of microfilm on which many pages of</td> </tr> </table>		enumeration	AVI	Audio Video Interleave (AVI) a digital format for movies that conforms to the Microsoft Windows Resource Interchange File Format (RIFF).	enumeration	Binary	A direct representation of the bits which may be stored in memory on a computer.	enumeration	CDF	Common Data Format (CDF). A binary storage format developed at Goddard Space Flight Center (GSFC).	enumeration	CEF	Cluster Exchange Format (CEF) is a self-documenting ASCII format designed for the exchange of data. There are two versions of CEF which are not totally compatible.	enumeration	CEF1	Cluster Exchange Format (CEF), version 1, is a self-documenting ASCII format designed for the exchange of data. The metadata contains information compatible with the ISTP recommendations for CDF.	enumeration	CEF2	Cluster Exchange Format (CEF), version 2, is a self-documenting ASCII format designed for the exchange of data and introduced for Cluster Active Archive. Compared to version 1, the metadata description of vectors and tensors is different.	enumeration	Excel	A Microsoft spreadsheet format used to hold a variety of data in tables which can include calculations.	enumeration	FITS	Flexible Image Transport System (FITS) is a digital format primarily designed to store scientific data sets consisting of multi-dimensional arrays (1-D spectra, 2-D images or 3-D data cubes) and 2-dimensional tables containing rows and columns of data.	enumeration	GIF	Graphic Interchange Format (GIF) first introduced in 1987 by CompuServe. GIF uses LZW compression and images are limited to 256 colours.	enumeration	HDF	Hierarchical Data Format	enumeration	HDF4	Hierarchical Data Format, Version 4	enumeration	HDF5	Hierarchical Data Format, Version 5	enumeration	HTML	A text file containing structured information represented in the HyperText Mark-up Language (HTML). See < http://www.w3.org/MarkUp/ >	enumeration	Hardcopy	A permanent reproduction, or copy in the form of a physical object, of any media suitable for direct use by a person.	enumeration	Hardcopy.Film	An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.	enumeration	Hardcopy.Microfiche	A sheet of microfilm on which many pages of
enumeration	AVI	Audio Video Interleave (AVI) a digital format for movies that conforms to the Microsoft Windows Resource Interchange File Format (RIFF).																																																
enumeration	Binary	A direct representation of the bits which may be stored in memory on a computer.																																																
enumeration	CDF	Common Data Format (CDF). A binary storage format developed at Goddard Space Flight Center (GSFC).																																																
enumeration	CEF	Cluster Exchange Format (CEF) is a self-documenting ASCII format designed for the exchange of data. There are two versions of CEF which are not totally compatible.																																																
enumeration	CEF1	Cluster Exchange Format (CEF), version 1, is a self-documenting ASCII format designed for the exchange of data. The metadata contains information compatible with the ISTP recommendations for CDF.																																																
enumeration	CEF2	Cluster Exchange Format (CEF), version 2, is a self-documenting ASCII format designed for the exchange of data and introduced for Cluster Active Archive. Compared to version 1, the metadata description of vectors and tensors is different.																																																
enumeration	Excel	A Microsoft spreadsheet format used to hold a variety of data in tables which can include calculations.																																																
enumeration	FITS	Flexible Image Transport System (FITS) is a digital format primarily designed to store scientific data sets consisting of multi-dimensional arrays (1-D spectra, 2-D images or 3-D data cubes) and 2-dimensional tables containing rows and columns of data.																																																
enumeration	GIF	Graphic Interchange Format (GIF) first introduced in 1987 by CompuServe. GIF uses LZW compression and images are limited to 256 colours.																																																
enumeration	HDF	Hierarchical Data Format																																																
enumeration	HDF4	Hierarchical Data Format, Version 4																																																
enumeration	HDF5	Hierarchical Data Format, Version 5																																																
enumeration	HTML	A text file containing structured information represented in the HyperText Mark-up Language (HTML). See < http://www.w3.org/MarkUp/ >																																																
enumeration	Hardcopy	A permanent reproduction, or copy in the form of a physical object, of any media suitable for direct use by a person.																																																
enumeration	Hardcopy.Film	An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.																																																
enumeration	Hardcopy.Microfiche	A sheet of microfilm on which many pages of																																																

		material have been photographed; a magnification system is used to read the material.
enumeration	Hardcopy.Microfilm	Film rolls on which materials are photographed at greatly reduced size; a magnification system is used to read the material.
enumeration	Hardcopy.Photograph	An image (positive or negative) registered on a piece of photo-sensitive paper
enumeration	Hardcopy.PhotographicPlate	A rigid (typically glass) medium that functions like film. Its rigidity is for guarding against image distortion due to medium deformation (caused by heat and humidity). Photographic plates are often used for astronomical photography.
enumeration	Hardcopy.Print	A sheet of any written or printed material which may include notes or graphics. Multiple printed pages may be bound into a manuscript or book.
enumeration	IDFS	Instrument Data File Set (IDFS) is a set of files written in a prescribed format which contain data, timing data, and meta-data. IDFS was developed at Southwest Research Institute (SwRI).
enumeration	IDL	Interactive Data Language (IDL) save set. IDL is a proprietary format.
enumeration	JPEG	A binary format for still images defined by the Joint Photographic Experts Group
enumeration	MATLAB_4	MATLAB Workspace save set, version 4. MAT-files are double-precision, binary, MATLAB format files. MATLAB is a proprietary product of The MathWorks.
enumeration	MATLAB_6	MATLAB Workspace save set, version 6. MAT-files are double-precision, binary, MATLAB format files. MATLAB is a proprietary product of The MathWorks.
enumeration	MATLAB_7	MATLAB Workspace save set, version 7. MAT-files are double-precision, binary, MATLAB format files. Version 7 includes data compression and Unicode encoding. MATLAB is a proprietary product of The MathWorks.
enumeration	MPEG	A digital format for movies defined by the Motion Picture Experts Group
enumeration	NCAR	The National Center for Atmospheric Research (NCAR) format. A complete description of that standard is given in appendix C of the "Report on Establishment & Operation of the Incoherent-Scatter Data Base", dated August 23, 1984, obtainable from NCAR, P.O. Box 3000 Boulder, Colorado 80307-3000.
enumeration	NetCDF	Unidata Program Center's Network Common Data Form (NetCDF). A self-describing portable data format for array-oriented data access. See < http://my.unidata.ucar.edu/content/software/netcdf >
enumeration	PDF	A document expressed in the Portable Document Format (PDF) as defined by Adobe.
enumeration	PNG	A digital format for still images. Portable Network Graphics (PNG)
enumeration	Postscript	A page description programming language created by Adobe Systems Inc. that is a device-independent industry standard for representing text and graphics.
enumeration	QuickTime	A format for digital movies, as defined by Apple Computer. See < http://developer.apple.com/quicktime/ >
enumeration	TIFF	A binary format for still pictures. Tagged Image Format File (TIFF). Originally developed by Aldus and now controlled by Adobe.
enumeration	Text	A sequence of characters which may have an imposed structure or organization.
enumeration	Text.ASCII	A sequence of characters that adheres to American

		Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.
enumeration	Text.Unicode	Text in multi-byte Unicode format.
enumeration	UDF	Universal Data Format (UDF). The Optical Technology Storage Association's Universal Disk Format, based on ISO 13346. See < http://www.osta.org/specs/index.htm >
enumeration	VOTable	A proposed IVOA standard designed as a flexible storage and exchange format for tabular data.
enumeration	XML	eXtensible Markup Language (XML). A structured format for representing information. See < http://www.w3.org/XML/ >
Used by	Complex Type	AccessInformation
Source	<pre><xsd:element name="Format" type="enumFormat"> <xsd:annotation> <xsd:documentation xml:lang="en">The organization of data according to preset specifications. The value is selected from a list of accepted names for known, well documented formats.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Encoding

Namespace	http://impex-fp7.oeaw.ac.at																						
Annotations	A set of unambiguous rules that establishes the representation of information within a file.																						
Diagram	<pre> classDiagram class Encoding { <<Encoding>> <<Type enumEncoding>> } class enumEncoding { <<Identifiers for unambiguous rules that establishes the representation of information within a file.>> } Encoding "1" -- "1" enumEncoding </pre> <p>A set of unambiguous rules that establishes the representation of information within a file.</p> <p>Identifiers for unambiguous rules that establishes the representation of information within a file.</p>																						
Type	enumEncoding																						
Properties	content: simple																						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>ASCII</td> <td>A sequence of characters that adheres to American Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.</td> </tr> <tr> <td>enumeration</td> <td>BZIP2</td> <td>An open standard algorithm by Julian Seward using Burrows-Wheeler block sorting and Huffman coding. See <http://www.bzip.org/></td> </tr> <tr> <td>enumeration</td> <td>Base64</td> <td>A data encoding scheme whereby binary-encoded data is converted to printable ASCII characters. It is defined as a MIME content transfer encoding for use in Internet e-mail. The only characters used are the upper- and lower-case Roman alphabet characters (A-Z, a-z), the numerals (0-9), and the "+" and "/" symbols, with the "=" symbol as a special suffix (padding) code.</td> </tr> <tr> <td>enumeration</td> <td>GZIP</td> <td>An open standard algorithm distributed by GHU based on LZ77 and Huffman coding. See <http://www.gnu.org/software/gzip/gzip.html> or <http://www.gzip.org/></td> </tr> <tr> <td>enumeration</td> <td>None</td> <td>A lack or absence of anything.</td> </tr> <tr> <td>enumeration</td> <td>S3_BUCKET</td> <td>A container of objects that comply with the Amazon Simple Storage Service (S3) specifications. A bucket has a unique, user-assigned key (name). A bucket can contain any number of objects with an aggregate size of 5 gigabytes. A bucket may be accompanied by up to 2 kilobytes of metadata.</td> </tr> <tr> <td>enumeration</td> <td>TAR</td> <td>A file format used to collate collections of files into one larger file, for distribution or archiving, while preserving file system information such as user and group permissions, dates, and directory structures. The format</td> </tr> </table>		enumeration	ASCII	A sequence of characters that adheres to American Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.	enumeration	BZIP2	An open standard algorithm by Julian Seward using Burrows-Wheeler block sorting and Huffman coding. See < http://www.bzip.org/ >	enumeration	Base64	A data encoding scheme whereby binary-encoded data is converted to printable ASCII characters. It is defined as a MIME content transfer encoding for use in Internet e-mail. The only characters used are the upper- and lower-case Roman alphabet characters (A-Z, a-z), the numerals (0-9), and the "+" and "/" symbols, with the "=" symbol as a special suffix (padding) code.	enumeration	GZIP	An open standard algorithm distributed by GHU based on LZ77 and Huffman coding. See < http://www.gnu.org/software/gzip/gzip.html > or < http://www.gzip.org/ >	enumeration	None	A lack or absence of anything.	enumeration	S3_BUCKET	A container of objects that comply with the Amazon Simple Storage Service (S3) specifications. A bucket has a unique, user-assigned key (name). A bucket can contain any number of objects with an aggregate size of 5 gigabytes. A bucket may be accompanied by up to 2 kilobytes of metadata.	enumeration	TAR	A file format used to collate collections of files into one larger file, for distribution or archiving, while preserving file system information such as user and group permissions, dates, and directory structures. The format
enumeration	ASCII	A sequence of characters that adheres to American Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.																					
enumeration	BZIP2	An open standard algorithm by Julian Seward using Burrows-Wheeler block sorting and Huffman coding. See < http://www.bzip.org/ >																					
enumeration	Base64	A data encoding scheme whereby binary-encoded data is converted to printable ASCII characters. It is defined as a MIME content transfer encoding for use in Internet e-mail. The only characters used are the upper- and lower-case Roman alphabet characters (A-Z, a-z), the numerals (0-9), and the "+" and "/" symbols, with the "=" symbol as a special suffix (padding) code.																					
enumeration	GZIP	An open standard algorithm distributed by GHU based on LZ77 and Huffman coding. See < http://www.gnu.org/software/gzip/gzip.html > or < http://www.gzip.org/ >																					
enumeration	None	A lack or absence of anything.																					
enumeration	S3_BUCKET	A container of objects that comply with the Amazon Simple Storage Service (S3) specifications. A bucket has a unique, user-assigned key (name). A bucket can contain any number of objects with an aggregate size of 5 gigabytes. A bucket may be accompanied by up to 2 kilobytes of metadata.																					
enumeration	TAR	A file format used to collate collections of files into one larger file, for distribution or archiving, while preserving file system information such as user and group permissions, dates, and directory structures. The format																					

		was standardized by POSIX.1-1988 and later POSIX.1-2001.
enumeration	Unicode	Text in multi-byte Unicode format.
enumeration	ZIP	An open standard for compression which is a variation of the LZW method and was originally used in the PKZIP utility.
Used by	Complex Type	AccessInformation
Source	<pre><xsd:element name="Encoding" type="enumEncoding"> <xsd:annotation> <xsd:documentation xml:lang="en">A set of unambiguous rules that establishes the representation of information within a file.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element DataExtent

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	
Type	DataExtent
Properties	content: complex
Used by	Complex Types AccessInformation, Source
Model	Quantity , Units{0,1} , Per{0,1}
Children	Per, Quantity, Units
Instance	<pre><DataExtent xmlns="http://impex-fp7.oeaw.ac.at"> <Quantity>{1,1}</Quantity> <Units>{0,1}</Units> <Per>{0,1}</Per> </DataExtent></pre>
Source	<pre><xsd:element name="DataExtent" type="DataExtent" /></pre>

Element Quantity

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A value that describes a characteristic of a system.
Diagram	
Type	xsd:double
Properties	content: simple
Used by	Complex Type DataExtent
Source	<pre><xsd:element name="Quantity" type="xsd:double" /></pre>

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">A value that describes a characteristic of a system.</
  xsd:documentation>
</xsd:annotation>
</xsd:element>

```

Element Units

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>	
Diagram	<p>The diagram shows a UML class named 'Units' with a multiplicity of 1..* at its end and 'xsd:string' at the other end. A note below the class says: 'A description of the standardized measurement increments in which a value is specified. The description is represented...'.</p> <p>A callout box points to the 'xsd:string' type with the text: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Types	AzimuthalAngleRange, DataExtent, Element, EnergyRange, FrequencyRange, InputField, InputProcess, Parameter, PolarAngleRange, Property, SimulationDomain, SpatialDescription, WavelengthRange
Source	<pre> <xsd:element name="Units" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></xsd:documentation> </xsd:annotation> </xsd:element> </pre>	

Element Per

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	<p>The time interval over which a characterization applies. For example, the number of bytes generated each day.</p>	
Diagram	<p>The diagram shows a UML class named 'Per' with a multiplicity of 1..* at its end and 'xsd:duration' at the other end. A note below the class says: 'The time interval over which a characterization applies. For example, the number of bytes generated each day.'</p> <p>A callout box points to the 'xsd:duration' type with the text: 'Built-in primitive type. The duration datatype represents a duration of time.'</p>	
Type	xsd:duration	
Properties	content: simple	
Used by	Complex Type	DataExtent

Source	<pre><xsd:element name="Per" type="xsd:duration"> <xsd:annotation> <xsd:documentation xml:lang="en">The time interval over which a characterization applies. For example, the number of bytes generated each day.</xsd:documentation> </xsd:annotation> </xsd:element></pre>
--------	--

Element ProviderResourceName

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	A short textual description of a resource used by the provider which may be used to identify a resource.	
Diagram		
Type	xsd:string	
Properties	content: simple	
Used by	Complex Types	Catalog, DisplayData, DisplayOutput, NumericalData, NumericalOutput, SimulationRun
Source	<pre><xsd:element name="ProviderResourceName" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A short textual description of a resource used by the provider which may be used to identify a resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ProviderVersion

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Describes the release or edition of the product used by the provider. The formation rule may vary between providers. It is intended to aid in queries to the provider regarding the product.	
Diagram		
Type	xsd:string	
Properties	content: simple	
Used by	Complex Types	Catalog, DisplayData, DisplayOutput, NumericalData, NumericalOutput, SimulationRun
Source	<pre><xsd:element name="ProviderVersion" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Describes the release or edition of the product used by the provider. The formation rule may vary between providers. It is intended to aid in queries to the provider regarding the product.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element InstrumentID

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	The identifier of an Instrument resource.	
Diagram		

Type	xsd:string
Properties	content: simple
Used by	Complex Types Catalog, DisplayData, NumericalData
Source	<pre><xsd:element name="InstrumentID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The identifier of an Instrument resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element PhenomenonType

Namespace	http://impex-fp7.oeaw.ac.at																													
Annotations	The characteristics or categorization of an event type.																													
Diagram	<p>The characteristics or categorization of an event type.</p> <p>Identifiers for the characteristics or categorization of an observation. Note: Joe King to provide.</p>																													
Type	enumPhenomenonType																													
Properties	content: simple																													
Facets	<table border="1"> <tr> <td>enumeration</td> <td>ActiveRegion</td> <td>A localized, transient volume of the solar atmosphere in which PLAGEs, SUNSPOTS, FACULAE, FLARES, etc. may be observed.</td> </tr> <tr> <td>enumeration</td> <td>Aurora</td> <td>An atmospheric phenomenon consisting of bands of light caused by charged solar particles following the earth's magnetic lines of force.</td> </tr> <tr> <td>enumeration</td> <td>BowShockCrossing</td> <td>A crossing of the boundary between the undisturbed (except for foreshock effects) solar wind and the shocked, decelerated solar wind of the magnetosheath.</td> </tr> <tr> <td>enumeration</td> <td>CoronalHole</td> <td>An extended region of the corona, exceptionally low in density and associated with unipolar photospheric regions. A coronal hole can be an "open" magnetic field in the corona and (perhaps) inner heliosphere which has a faster than average outflow (wind); A region of lower than "quiet" ion and electron density in the corona; or a region of lower peak electron temperature in the corona than in the "quiet" corona.</td> </tr> <tr> <td>enumeration</td> <td>CoronalMassEjection</td> <td>A solar event (CME) that involves a burst of plasma ejected into the interplanetary medium. CME's may be observed remotely relatively near the sun or in situ in the interplanetary medium. The latter type of observations are often referred to as Interplanetary CME's (ICME's).</td> </tr> <tr> <td>enumeration</td> <td>EITWave</td> <td>A wave in the corona of the Sun which produce shock waves on the Sun's chromosphere (Moreton Waves). EIT Waves are produced by large solar flare and expand outward at about 1,000 km/s. It usually appears as a slowly moving diffuse arc of brightening in H-alpha, and may travel for several hundred thousand km.</td> </tr> <tr> <td>enumeration</td> <td>EnergeticSolarParticleEvent</td> <td>An enhancement of interplanetary fluxes of energetic ions accelerated by interplanetary shocks and/or solar flares.</td> </tr> <tr> <td>enumeration</td> <td>ForbushDecrease</td> <td>A rapid decrease in the observed galactic cosmic ray intensity following the passage of an outwardly convecting interplanetary magnetic field disturbance, such as those associated with large CME's, that sweep some galactic cosmic rays away from Earth.</td> </tr> <tr> <td>enumeration</td> <td>GeomagneticStorm</td> <td>A magnetospheric disturbance typically defined by variations in the horizontal component of the Earth's surface magnetic field. The variation typically starts with a field enhancement</td> </tr> </table>			enumeration	ActiveRegion	A localized, transient volume of the solar atmosphere in which PLAGEs, SUNSPOTS, FACULAE, FLARES, etc. may be observed.	enumeration	Aurora	An atmospheric phenomenon consisting of bands of light caused by charged solar particles following the earth's magnetic lines of force.	enumeration	BowShockCrossing	A crossing of the boundary between the undisturbed (except for foreshock effects) solar wind and the shocked, decelerated solar wind of the magnetosheath.	enumeration	CoronalHole	An extended region of the corona, exceptionally low in density and associated with unipolar photospheric regions. A coronal hole can be an "open" magnetic field in the corona and (perhaps) inner heliosphere which has a faster than average outflow (wind); A region of lower than "quiet" ion and electron density in the corona; or a region of lower peak electron temperature in the corona than in the "quiet" corona.	enumeration	CoronalMassEjection	A solar event (CME) that involves a burst of plasma ejected into the interplanetary medium. CME's may be observed remotely relatively near the sun or in situ in the interplanetary medium. The latter type of observations are often referred to as Interplanetary CME's (ICME's).	enumeration	EITWave	A wave in the corona of the Sun which produce shock waves on the Sun's chromosphere (Moreton Waves). EIT Waves are produced by large solar flare and expand outward at about 1,000 km/s. It usually appears as a slowly moving diffuse arc of brightening in H-alpha, and may travel for several hundred thousand km.	enumeration	EnergeticSolarParticleEvent	An enhancement of interplanetary fluxes of energetic ions accelerated by interplanetary shocks and/or solar flares.	enumeration	ForbushDecrease	A rapid decrease in the observed galactic cosmic ray intensity following the passage of an outwardly convecting interplanetary magnetic field disturbance, such as those associated with large CME's, that sweep some galactic cosmic rays away from Earth.	enumeration	GeomagneticStorm	A magnetospheric disturbance typically defined by variations in the horizontal component of the Earth's surface magnetic field. The variation typically starts with a field enhancement
enumeration	ActiveRegion	A localized, transient volume of the solar atmosphere in which PLAGEs, SUNSPOTS, FACULAE, FLARES, etc. may be observed.																												
enumeration	Aurora	An atmospheric phenomenon consisting of bands of light caused by charged solar particles following the earth's magnetic lines of force.																												
enumeration	BowShockCrossing	A crossing of the boundary between the undisturbed (except for foreshock effects) solar wind and the shocked, decelerated solar wind of the magnetosheath.																												
enumeration	CoronalHole	An extended region of the corona, exceptionally low in density and associated with unipolar photospheric regions. A coronal hole can be an "open" magnetic field in the corona and (perhaps) inner heliosphere which has a faster than average outflow (wind); A region of lower than "quiet" ion and electron density in the corona; or a region of lower peak electron temperature in the corona than in the "quiet" corona.																												
enumeration	CoronalMassEjection	A solar event (CME) that involves a burst of plasma ejected into the interplanetary medium. CME's may be observed remotely relatively near the sun or in situ in the interplanetary medium. The latter type of observations are often referred to as Interplanetary CME's (ICME's).																												
enumeration	EITWave	A wave in the corona of the Sun which produce shock waves on the Sun's chromosphere (Moreton Waves). EIT Waves are produced by large solar flare and expand outward at about 1,000 km/s. It usually appears as a slowly moving diffuse arc of brightening in H-alpha, and may travel for several hundred thousand km.																												
enumeration	EnergeticSolarParticleEvent	An enhancement of interplanetary fluxes of energetic ions accelerated by interplanetary shocks and/or solar flares.																												
enumeration	ForbushDecrease	A rapid decrease in the observed galactic cosmic ray intensity following the passage of an outwardly convecting interplanetary magnetic field disturbance, such as those associated with large CME's, that sweep some galactic cosmic rays away from Earth.																												
enumeration	GeomagneticStorm	A magnetospheric disturbance typically defined by variations in the horizontal component of the Earth's surface magnetic field. The variation typically starts with a field enhancement																												

		associated with a solar wind pressure pulse and continues with a field depression associated with an enhancement of the diamagnetic magnetospheric ring current.
enumeration	InterplanetaryShock	A shock propagating generally anti-sunward through the slower solar wind, often seen in front of CME-associated plasma clouds.
enumeration	MagneticCloud	A transient event observed in the solar wind characterized as a region of enhanced magnetic field strength, smooth rotation of the magnetic field vector and low proton density and temperature.
enumeration	MagnetopauseCrossing	A crossing of the interface between the shocked solar wind in the magnetosheath and the magnetic field and plasma in the magnetosphere.
enumeration	RadioBurst	Emissions of the sun in radio wavelengths from centimeters to dekameters, under both quiet and disturbed conditions. Radio Bursts can be "Type I" consisting of many short, narrow-band bursts in the metric range (300 - 50 MHz); "Type II" consisting of narrow-band emission that begins in the meter range (300 MHz) and sweeps slowly (tens of minutes) toward dekameter wavelengths (10 MHz); "Type III" consisting of narrow-band bursts that sweep rapidly (seconds) from decimeter to dekameter wavelengths (500 - 0.5 MHz); and "Type IV" consisting of a smooth continuum of broad-band bursts primarily in the meter range (300 - 30 MHz).
enumeration	SectorBoundaryCrossing	A sector boundary crossing is a transit by a spacecraft across the heliospheric current sheet separating the dominantly outward (away-from-the-sun) interplanetary magnetic field of one hemisphere of the heliosphere from the dominantly inward (toward-the-sun) polarity of the other hemisphere. Such crossings have multi-day intervals of opposite IMF dominant polarities on either side.
enumeration	SolarFlare	An explosive event in the Sun's atmosphere which produces electromagnetic radiation across the electromagnetic spectrum at multiple wavelengths from long-wave radio to the shortest wavelength gamma rays.
enumeration	SolarWindExtreme	Intervals of unusually large or small values of solar wind attributes such as flow speed and ion density.
enumeration	StreamInteractionRegion	The region (SIR) where two solar wind streams, typically having differing characteristics and solar sources, abut up against (and possibly partially interpenetrate) each other.
enumeration	Substorm	A process by which plasma in the magnetotail becomes energized at a fast rate.
Used by	Complex Types	Annotation, Catalog
Source	<pre> <xsd:element name="PhenomenonType" type="enumPhenomenonType"> <xsd:annotation> <xsd:documentation xml:lang="en">The characteristics or categorization of an event type.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>	

Element TimeSpan

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	
Type	TimeSpan
Properties	content: complex
Used by	Complex Types Annotation, Catalog, TemporalDescription
Model	StartDate , StopDateEntity , Note*
Children	Note, StartDate, StopDateEntity
Instance	<pre><TimeSpan xmlns="http://impex-fp7.oeaw.ac.at"> <StartDate>{1,1}</StartDate> <StopDateEntity>{1,1}</StopDateEntity> <Note>{0,unbounded}</Note> </TimeSpan></pre>
Source	<code><xsd:element name="TimeSpan" type="TimeSpan" /></code>

Element StartDate

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The specification of a starting point in time.
Diagram	
Type	xsd:dateTime
Properties	content: simple
Used by	Complex Types Granule, OperatingSpan, TimeSpan
Source	<pre><xsd:element name="StartDate" type="xsd:dateTime"> <xsd:annotation> <xsd:documentation xml:lang="en">The specification of a starting point in time.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element StopDateEntity

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	
Properties	abstract: true
Substitution Group	<ul style="list-style-type: none"> RelativeStopDate

	<ul style="list-style-type: none"> • StopDate
Used by	Complex Type TimeSpan
Source	<code><xsd:element name="StopDateEntity" abstract="true" /></code>

Element Caveats

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies, corruption or contamination.	
Diagram	<p>A UML class diagram showing 'Caveats' as a class with 'xsd:string' as its type. A callout box points to the 'xsd:string' type, stating: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Types	Catalog, DisplayData, DisplayOutput, ElementBoundary, InputField, InputParameter, InputPopulation, InputProcess, Instrument, ModelVersion, NumericalData, NumericalOutput, Parameter, Property, RegionParameter, SimulationDomain, SimulationRun, SimulationTime
Source	<code><xsd:element name="Caveats" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies, corruption or contamination.</xsd:documentation> </xsd:annotation> </xsd:element></code>	

Element Keyword

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	A word or phrase that is relevant to the resource but does not exist in other documentary information.	
Diagram	<p>A UML class diagram showing 'Keyword' as a class with 'xsd:string' as its type. A callout box points to the 'xsd:string' type, stating: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Types	Catalog, DisplayData, DisplayOutput, Document, NumericalData, NumericalOutput, SimulationRun
Source	<code><xsd:element name="Keyword" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A word or phrase that is relevant to the resource but does not exist in other documentary information.</xsd:documentation> </xsd:annotation> </xsd:element></code>	

Element InputResourceID


Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	The resource identifier for a resource which was used to generate this resource.	
Diagram	<p>A UML class diagram showing 'InputResourceID' as a class with 'xsd:string' as its type. A callout box points to the 'xsd:string' type, stating: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>	

Type	xsd:string
Properties	content: simple
Used by	Complex Types Catalog, DisplayData, DisplayOutput, Document, NumericalData, NumericalOutput, SimulationRun
Source	<pre><xsd:element name="InputResourceID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The resource identifier for a resource which was used to generate this resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Parameter

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	Parameter
------	-----------

Properties	content: complex
------------	------------------

Used by	Complex Types Catalog, DisplayData, DisplayOutput, NumericalData, NumericalOutput, OutputParameters
Model	Name , Set* , ParameterKey{0,1} , Description{0,1} , Caveats{0,1} , Cadence{0,1} , Units{0,1} , UnitsConversion{0,1} , CoordinateSystem{0,1} , RenderingHints* , Structure{0,1} , ValidMin{0,1} , ValidMax{0,1} , FillValue{0,1} , ParameterEntity , Property*
Children	Cadence, Caveats, CoordinateSystem, Description, FillValue, Name, ParameterEntity, ParameterKey, Property, RenderingHints, Set, Structure, Units, UnitsConversion, ValidMax, ValidMin
Instance	<pre><Parameter xmlns="http://impex-fp7.oeaw.ac.at"> <Name>{1,1}</Name> <Set>{0,unbounded}</Set> <ParameterKey>{0,1}</ParameterKey> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <Cadence>{0,1}</Cadence> <Units>{0,1}</Units> <UnitsConversion>{0,1}</UnitsConversion> <CoordinateSystem>{0,1}</CoordinateSystem> <RenderingHints>{0,unbounded}</RenderingHints> <Structure>{0,1}</Structure> <ValidMin>{0,1}</ValidMin> <ValidMax>{0,1}</ValidMax> <FillValue>{0,1}</FillValue> <ParameterEntity>{1,1}</ParameterEntity> <Property>{0,unbounded}</Property> </Parameter></pre>
Source	<pre><xsd:element name="Parameter" type="Parameter" /></pre>

Element Set

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A collection of items for a particular purpose.
Diagram	<pre> classDiagram class Set { attribute xsd:string } Set < -- xsd:string </pre> <p>A collection of items for a particular purpose.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Types InputField, InputPopulation, InputProcess, Parameter
Source	<pre><xsd:element name="Set" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A collection of items for a particular purpose.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element ParameterKey

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class ParameterKey { attribute ParameterKey } ParameterKey < -- ParameterKey </pre> <p>The name or identifier which can be used to access the parameter in the resource. The associated value is dependent on...</p>
Type	ParameterKey
Properties	content: simple
Used by	Complex Types Element, InputField, InputPopulation, InputProcess, Parameter
Source	<pre><xsd:element name="ParameterKey" type="ParameterKey" /></pre>

Element Cadence

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The time interval between the start of successive measurements.


Diagram	
Type	xsd:duration
Properties	content: simple
Used by	Complex Types Parameter, TemporalDescription
Source	<pre><xsd:element name="Cadence" type="xsd:duration"> <xsd:annotation> <xsd:documentation xml:lang="en">The time interval between the start of successive measurements.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element UnitsConversion


Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-9>T" which converts the units, presumably nT, to Tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Types Element, InputField, InputProcess, Parameter, Property, SimulationDomain, SpatialDescription
Source	<pre><xsd:element name="UnitsConversion" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-9>T" which converts the units, presumably nT, to Tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element CoordinateSystem

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	
Type	CoordinateSystem
Properties	content: complex
Used by	Complex Types InputField, Parameter, SimulationDomain, SpatialDescription
Model	CoordinateRepresentation , CoordinateSystemName
Children	CoordinateRepresentation, CoordinateSystemName
Instance	<pre><CoordinateSystem xmlns="http://impex-fp7.oeaw.ac.at"> <CoordinateRepresentation>{1,1}</CoordinateRepresentation> <CoordinateSystemName>{1,1}</CoordinateSystemName> </CoordinateSystem></pre>
Source	<code><xsd:element name="CoordinateSystem" type="CoordinateSystem"/></code>

Element CoordinateRepresentation

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	The method or form for specifying a given point or vector in a given coordinate system.		
Diagram			
Type	enumCoordinateRepresentation		
Properties	content: simple		
Facets	enumeration	Cartesian	A representation in which a position vector or a measured vector (e.g., field or flow) is specified by its components along the base axes of the coordinate system.
	enumeration	Cylindrical	A coordinate representation of a position vector or measured vector (field or flow) by its k-component, the magnitude of its projection into the i-j plane, and the azimuthal angle of the i-j plane projection.
	enumeration	Spherical	A coordinate representation of a position vector or of a measured vector by its magnitude and two direction angles. The angles are relative to the base axes of the coordinate system used. Typically the angles are phi [azimuth angle, =arctan (j/i)] and theta, where theta may be a polar angle, arctan {[SQRT(i^2+j^2)]/k}, or an elevation angle, arctan [k/SQRT (i^2+j^2)].
Used by	Complex Type	CoordinateSystem	
Source	<pre><xsd:element name="CoordinateRepresentation" type="enumCoordinateRepresentation"> <xsd:annotation> <xsd:documentation xml:lang="en">The method or form for specifying a given point or vector in a given coordinate system.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element CoordinateSystemName

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Annotations	Identifies the coordinate system in which the position, direction or observation has been expressed.	
Diagram	<p>The diagram shows a UML class named "CoordinateSystemName" with a note below it: "Identifies the coordinate system in which the position, direction or observation has been expressed." An association line connects "CoordinateSystemName" to another element labeled "enumCoordinateSystemName". A note above "enumCoordinateSystemName" says: "Identifiers of the origin and orientation of a set of typically orthogonal axes."</p>	
Type	enumCoordinateSystemName	
Properties	content: simple	
Facets	enumeration	<p>CGM Corrected Geomagnetic - A coordinate system from a spatial point with GEO radial distance and geomagnetic latitude and longitude, follow the epoch-appropriate IGRF/DGRF model field vector through to the point where the field line crosses the geomagnetic dipole equatorial plane. Then trace the dipole magnetic field vector Earthward from that point on the equatorial plane, in the same hemisphere as the original point, until the initial radial distance is reached. Designate the dipole latitude and longitude at that point as the CGM latitude and longitude of the original point. See <http://nssdc.gsfc.nasa.gov/space/cgm/cgmm_des.html></p>
	enumeration	<p>Carrington A coordinate system which is centered at the Sun and is "fixed" with respect to the synodic rotation rate; the mean synodic value is about 27.2753 days. The Astronomical Almanac gives a value for Carrington longitude of 349.03 degrees at 0000 UT on 1 January 1995.</p>
	enumeration	<p>CSO A generic body-Centered Solar Orbital (CSO) frame related to comets and asteroids. The frame is defined as a two-vector style dynamic frame as follows: The position of the sun relative to the body is the primary vector: the X axis points from the body to the sun. The inertially referenced velocity of the sun relative to the body is the secondary vector: the Y axis is the component of this velocity vector orthogonal to the X axis. The Z axis is X cross Y, completing the right-handed reference frame. All vectors are geometric: no aberration corrections are used.</p>
	enumeration	<p>DM Dipole Meridian - A coordinate system centered at the observation point. Z axis is parallel to the Earth's dipole axis, positive northward. X is in the plane defined by Z and the line linking the observation point with the Earth's center. Y is positive eastward. See <http://cdpp.cnes.fr/00428.pdf></p>
	enumeration	<p>GEI Geocentric Equatorial Inertial - A coordinate system where the Z axis is along Earth's spin vector, positive northward. X axis points towards the first point of Aries (from the Earth towards the Sun at the vernal equinox). See Russell, 1971</p>
	enumeration	<p>GEO Geographic - geocentric corotating - A coordinate system where the Z axis is along Earth's spin vector, positive northward. X axis lies in Greenwich meridian, positive towards Greenwich. See Russell, 1971.</p>
	enumeration	<p>GPHIO In this Cartesian coordinate system, X is along the flow direction, Y is along the Ganymede-Jupiter vector, and Z is along the spin axis. These coordinates are analogous to the earth-centered GSE coordinates that relate to the direction of flow of the solar wind onto Earth's environment.</p>

enumeration	GSE	Geocentric Solar Ecliptic - A coordinate system where the X axis is from Earth to Sun. Z axis is normal to the ecliptic, positive northward. See Russell, 1971.
enumeration	GSEQ	Geocentric Solar Equatorial - A coordinate system where the X axis is from Earth to Sun. Y axis is parallel to solar equatorial plane. Z axis is positive northward. See Russell, 1971
enumeration	GSM	Geocentric Solar Magnetospheric - A coordinate system where the X axis is from Earth to Sun, Z axis is northward in a plane containing the X axis and the geomagnetic dipole axis. See Russell, 1971
enumeration	HAE	Heliocentric Aries Ecliptic - A coordinate system where the Z axis is normal to the ecliptic plane, positive northward. X axis is positive towards the first point of Aries (from Earth to Sun at vernal equinox). Same as SE below. See Hapgood, 1992.
enumeration	HCC	Heliocentric Cartesian - A 3-D orthonormal coordinate system that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis points toward the observer. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Standard representation for this system is via the point's x and y values, expressed either as physical distances or as fractions of the solar disk radius.
enumeration	HCI	Heliographic Carrington Inertial.
enumeration	HCR	Heliocentric Radial - A 3-D orthonormal coordinate system that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis points toward the observer. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Standard representation for this system is via the point's distance rho from the Z axis [$\rho = \sqrt{x^2 + y^2}$] and its phase angle psi measured counterclockwise from the +Y axis [$\psi = \arctan(-y/x)$]
enumeration	HEE	Heliocentric Earth Ecliptic - A coordinate system where the Z axis is normal to the ecliptic plane, positive northward. X axis points from Sun to Earth. See Hapgood, 1992
enumeration	HEEQ	Heliocentric Earth Equatorial - A coordinate system where the Z axis is normal to the solar equatorial plane, positive northward. X axis is generally Earthward in the plane defined by the Z axis and the Sun-Earth direction. See Hapgood, 1992.
enumeration	HG	Heliographic - A heliocentric rotating coordinate system where the Z axis is normal to the solar equatorial plane, positive northward. X, Y axes rotate with a 25.38 day period. The zero longitude (X axis) is defined as the longitude that passed through the ascending node of the solar equator on the ecliptic plane on 1 January, 1854 at 12 UT. See http://nssdc.gsfc.nasa.gov/space/helios/coor_des.html
enumeration	HGI	Heliographic Inertial - A heliocentric coordinate system where the Z axis is normal to the solar equatorial plane, positive northward. X axis is along the intersection line between solar equatorial and ecliptic planes. The X axis was positive at SE longitude of 74.367 deg on Jan 1, 1900. (See SE below.) See http://nssdc.gsfc.nasa.gov/space/helios/coor_des.html
enumeration	HPC	Helioprojective Cartesian = A 3-D orthonormal (left-handed) coordinate system that is primarily

		intended to specify with two dimensions a point on the solar disk. The Z axis points from the observer to the center of the solar disk. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Given as the distance between the observer and the center of the solar disk, the standard representation of an (x,y) point on the solar disk is via the point's longitude angle [$\arctan(x/d)$] and latitude angle [$\arctan(y/d)$].
enumeration	HPR	Helio-projective Radial - A 3-D orthonormal (left-handed) coordinate system that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis points from the observer to the center of the solar disk. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Given as the distance between the observer and the center of the solar disk, the standard representation for this system of an (x,y) point on the solar disk is via the point's latitude angle theta [= $\arctan(\sqrt{x^2 + y^2}/d)$] or equivalent declination parameter delta (= theta - 90 deg), and its phase angle psi as measured counter-clockwise from the +Y axis [psi = $\arctan(-y/x)$].
enumeration	HSM	TBD
enumeration	J2000	An astronomical coordinate system which uses the mean equator and equinox of Julian date 2451545.0 TT (Terrestrial Time), or January 1, 2000, noon TT. (aka J2000) to define a celestial reference frame.
enumeration	JSM	Jovian Solar Magnetospheric - A coordinate system where the X axis is from Jupiter to Sun, Z axis is northward in a plane containing the X axis and the Jovian dipole axis.
enumeration	JSO	Coordinate System Related to Jupiter Jovian Solar Orbital (X anti-sunward, Y along the orbital velocity direction)
enumeration	KSM	Kronian Solar Magnetospheric - A coordinate system where the X axis is from Saturn to Sun, Z axis is northward in a plane containing the X axis and the Kronian dipole axis.
enumeration	KSO	Coordinate System Related to Saturn Kronian Solar Orbital (X anti-sunward, Y along the orbital velocity direction)
enumeration	LGM	Local Geomagnetic - A coordinate system used mainly for Earth surface or near Earth surface magnetic field data. X axis northward from observation point in a geographic meridian. Z axis downward towards Earth's center. In this system, H (total horizontal component) = $\sqrt{B_x^2 + B_y^2}$ and D (declination angle) = $\arctan(B_y/B_x)$
enumeration	MAG	Geomagnetic - geocentric. Z axis is parallel to the geomagnetic dipole axis, positive north. X is in the plane defined by the Z axis and the Earth's rotation axis. If N is a unit vector from the Earth's center to the north geographic pole, the signs of the X and Y axes are given by Y = N x Z, X = Y x Z.. See Russell, 1971, and < http://cdpp.cnes.fr/00428.pdf >
enumeration	MFA	Magnetic Field Aligned - A coordinate system spacecraft-centered system with Z in the direction of the ambient magnetic field vector. X is in the plane defined by Z and the spacecraft-Sun line, positive sunward. See < http://cdpp.cnes.fr/00428.pdf >
enumeration	MSO	Mars or Mercury Solar Orbital coordinate system. The X axis points from the center of the planet to the Sun;

		<p>the Z axis is perpendicular to the orbital plane of the planet and parallel to the angular momentum vector. The Y axis completes the right-handed coordinate system.</p>
enumeration	RTN	Radial Tangential Normal. Typically centered at a spacecraft. Used for IMF and plasma V vectors. R (radial) axis is radially away from the Sun, T (tangential) axis is normal to the plane formed by R and the Sun's spin vector, positive in the direction of planetary motion. N (normal) is $R \times T$.
enumeration	SC	Spacecraft - A coordinate system defined by the spacecraft geometry and/or spin. Often has Z axis parallel to spacecraft spin vector. X and Y axes may or may not corotate with the spacecraft. See SR and SR2 below.
enumeration	SE	Solar Ecliptic - A heliocentric coordinate system where the Z axis is normal to the ecliptic plane, positive northward. X axis is positive towards the first point of Aries (from Earth to Sun at vernal equinox). Same as HAE above. See < http://nssdc.gsfc.nasa.gov/space/helios/coor_des.html >
enumeration	SM	Solar Magnetic - A geocentric coordinate system where the Z axis is northward along Earth's dipole axis, X axis is in plane of z axis and Earth-Sun line, positive sunward. See Russell, 1971.
enumeration	SR	Spin Reference - A special case of a Spacecraft (SC) coordinate system for a spinning spacecraft. Z is parallel to the spacecraft spin vector. X and Y rotate with the spacecraft. See < http://cdpp.cnes.fr/00428.pdf >
enumeration	SR2	Spin Reference 2 - A special case of a Spacecraft (SC) coordinate system for a spinning spacecraft. Z is parallel to the spacecraft spin vector. X is in the plane defined by Z and the spacecraft-Sun line, positive sunward. See < http://cdpp.cnes.fr/00428.pdf >
enumeration	SSE	Spacecraft Solar Ecliptic - A coordinate system used for deep space spacecraft, for example Helios. - X axis from spacecraft to Sun. Z axis normal to ecliptic plane, positive northward. Note: Angle between normals to ecliptic and to Helios orbit plane ~ 0.25 deg.
enumeration	SSE_L	Selenocentric Solar Ecliptic. The X axis points from the center of the Earth's moon to the sun, the Z axis is normal to the ecliptic plane, positive northward. And the Y axis completes the right-handed set of axes.
enumeration	SpacecraftOrbitPlane	A coordinate system where X lies in the plane normal to and in the direction of motion of the spacecraft, Z is normal to this plane and Y completes the triad in a right-handed coordinate system.
enumeration	TIIS	In this Cartesian coordinate system, X is along the flow direction, Y is along the Titan-Saturn vector, and Z is along the spin axis. These coordinates are analogous to the earth-centered GSE coordinates that relate to the direction of flow of the solar wind onto Earth's environment.
enumeration	VSO	Venus Solar Orbital coordinate system. The X axis points from the center of the planet to the Sun; The Z axis is perpendicular to the orbital plane of the planet and parallel to the angular momentum vector. The Y axis completes the right-handed coordinate system.
enumeration	WGS84	The World Geodetic System (WGS) defines a

		reference frame for the earth, for use in geodesy and navigation. The WGS84 uses the zero meridian as defined by the Bureau International de l'Heure.
Used by	Complex Types	CoordinateSystem, Location
Source		<pre><xsd:element name="CoordinateSystemName" type="enumCoordinateSystemName"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifies the coordinate system in which the position, direction or observation has been expressed.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element RenderingHints

Namespace	http://impexfp7.oeaw.ac.at
Diagram	
Type	RenderingHints
Properties	content: complex
Used by	Complex Types Element, Parameter
Model	DisplayType{0,1} , AxisLabel{0,1} , RenderingAxis{0,1} , Index{0,1} , ValueFormat{0,1} , ScaleMin{0,1} , ScaleMax{0,1} , ScaleType{0,1}
Children	AxisLabel, DisplayType, Index, RenderingAxis, ScaleMax, ScaleMin, ScaleType, ValueFormat
Instance	<pre><RenderingHints xmlns="http://impexfp7.oeaw.ac.at"> <DisplayType>{0,1}</DisplayType> <AxisLabel>{0,1}</AxisLabel></pre>

	<pre> <RenderingAxis>{0,1}</RenderingAxis> <Index>{0,1}</Index> <ValueFormat>{0,1}</ValueFormat> <ScaleMin>{0,1}</ScaleMin> <ScaleMax>{0,1}</ScaleMax> <ScaleType>{0,1}</ScaleType> </RenderingHints> </pre>
Source	<xsd:element name="RenderingHints" type="RenderingHints"/>

Element DisplayType

Namespace	http://impex-fp7.oeaw.ac.at																			
Annotations	The general styling or type of plot that is suitable for the variable.																			
Diagram	<p>The general styling or type of plot that is suitable for the variable.</p>																			
Type	enumDisplayType																			
Properties	content: simple																			
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Image</td> <td>A two-dimensional representation of data with values at each element of the array related to an intensity or a color.</td> </tr> <tr> <td>enumeration</td> <td>Plasmagram</td> <td>The characterization of signal strengths in active sounding measurements as a function of virtual range or signal delay time and sounding frequency. A Plasmagram is also referred to as an Ionogram.</td> </tr> <tr> <td>enumeration</td> <td>Spectrogram</td> <td>The characterization of signal strengths as a function of frequency (or energy) and time.</td> </tr> <tr> <td>enumeration</td> <td>StackPlot</td> <td>A representation of data showing multiple sets of observations on a single plot, possibly offsetting each plot by some uniform amount.</td> </tr> <tr> <td>enumeration</td> <td>TimeSeries</td> <td>A representation of data showing a set of observations taken at different points in time and charted as a time series.</td> </tr> <tr> <td>enumeration</td> <td>WaveForm</td> <td>Spatial or temporal variations of wave amplitude over wave-period timescales.</td> </tr> </table>		enumeration	Image	A two-dimensional representation of data with values at each element of the array related to an intensity or a color.	enumeration	Plasmagram	The characterization of signal strengths in active sounding measurements as a function of virtual range or signal delay time and sounding frequency. A Plasmagram is also referred to as an Ionogram.	enumeration	Spectrogram	The characterization of signal strengths as a function of frequency (or energy) and time.	enumeration	StackPlot	A representation of data showing multiple sets of observations on a single plot, possibly offsetting each plot by some uniform amount.	enumeration	TimeSeries	A representation of data showing a set of observations taken at different points in time and charted as a time series.	enumeration	WaveForm	Spatial or temporal variations of wave amplitude over wave-period timescales.
enumeration	Image	A two-dimensional representation of data with values at each element of the array related to an intensity or a color.																		
enumeration	Plasmagram	The characterization of signal strengths in active sounding measurements as a function of virtual range or signal delay time and sounding frequency. A Plasmagram is also referred to as an Ionogram.																		
enumeration	Spectrogram	The characterization of signal strengths as a function of frequency (or energy) and time.																		
enumeration	StackPlot	A representation of data showing multiple sets of observations on a single plot, possibly offsetting each plot by some uniform amount.																		
enumeration	TimeSeries	A representation of data showing a set of observations taken at different points in time and charted as a time series.																		
enumeration	WaveForm	Spatial or temporal variations of wave amplitude over wave-period timescales.																		
Used by	Complex Type	RenderingHints																		
Source	<pre> <xsd:element name="DisplayType" type="enumDisplayType"> <xsd:annotation> <xsd:documentation xml:lang="en">The general styling or type of plot that is suitable for the variable.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>																			

Element AxisLabel

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	A short character string (approximately 10 characters, but preferably 6 characters - more only if absolutely required for clarity) which can be used to label a y-axis for a plot or to provide a heading for a data listing.	
Diagram	<p>A short character string (approximately 10 characters, but preferably 6 characters - more only if absolutely required...)</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	RenderingHints
Source	<xsd:element name="AxisLabel" type="xsd:string">	

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">A short character string (approximately 10 characters, but
  preferably 6 characters - more only if absolutely required for clarity) which can be used to label
  a y-axis for a plot or to provide a heading for a data listing.</xsd:documentation>
</xsd:annotation>
</xsd:element>

```

Element RenderingAxis

Namespace	http://impex-fp7.oeaw.ac.at											
Annotations	<p>A reference component of a plot or rendering of data. A plot typically is a 2-dimensional rendering with a horizontal and vertical axis. A third dimension can be introduced with a color coding of the rendered data.</p>											
Diagram												
Type	enumRenderingAxis											
Properties	content: simple											
Facets	<table> <tr> <td>enumeration</td> <td>ColorBar</td> <td>A spectrum or set of colors used to represent data values.</td> </tr> <tr> <td>enumeration</td> <td>Horizontal</td> <td>Parallel to or in the plane of the horizon or a base line.</td> </tr> <tr> <td>enumeration</td> <td>Vertical</td> <td>Perpendicular to the plane of the horizon or a base line.</td> </tr> </table>			enumeration	ColorBar	A spectrum or set of colors used to represent data values.	enumeration	Horizontal	Parallel to or in the plane of the horizon or a base line.	enumeration	Vertical	Perpendicular to the plane of the horizon or a base line.
enumeration	ColorBar	A spectrum or set of colors used to represent data values.										
enumeration	Horizontal	Parallel to or in the plane of the horizon or a base line.										
enumeration	Vertical	Perpendicular to the plane of the horizon or a base line.										
Used by	Complex Type	RenderingHints										
Source	<pre> <xsd:element name="RenderingAxis" type="enumRenderingAxis"> <xsd:annotation> <xsd:documentation xml:lang="en">A reference component of a plot or rendering of data. A plot typically is a 2-dimensional rendering with a horizontal and vertical axis. A third dimension can be introduced with a color coding of the rendered data.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>											

Element Index

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	<p>The location of an item in an array or vector. An index can be multivalued to represent the location in a multidimensional object. The index of the first item is "1". A value of "0" is a wild card for all elements at the location in an array. A value of "-1" is a reference to the dimension at the location in the array. A "-1" is used when describing the attributes of the dimension, whereas "0" or a positive integer is used to describe attributes of individual elements.</p>		
Diagram			
Type	typeSequence		
Properties	content: simple		
Used by	Complex Types	Element, RenderingHints	
Source	<pre> <xsd:element name="Index" type="typeSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">The location of an item in an array or vector. An index can be multivalued to represent the location in a multidimensional object. The index of the first item is "1". A value of "0" is a wild card for all elements at the location in an array. A value of "-1" is a reference to the dimension at the location in the array. A "-1" is used when describing the </pre>		

<pre>attributes of the dimension, where as "0" or a positive integer is used to describe attributes of individual elements.</xsd:documentation> </xsd:annotation> </xsd:element></pre>
--

Element ValueFormat

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	<p>A string defining the output format used when extracting data values out to a file or screen. The magnitude and the number of significant figures needed should be carefully considered. The output format string can be in either Fortran or C syntax.</p>	
Diagram	<p>A string defining the output format used when extracting data values out to a file or screen. The magnitude and the number of significant figures needed should be carefully considered. The output format string can be in either Fortran or C syntax.</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	RenderingHints
Source	<pre><xsd:element name="ValueFormat" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A string defining the output format used when extracting data values out to a file or screen. The magnitude and the number of significant figures needed should be carefully considered. The output format string can be in either Fortran or C syntax.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ScaleMin

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	<p>The minimum value that the variable is expected to attain. Used, for example, by automated plotting software.</p>	
Diagram	<p>The minimum value that the variable is expected to attain. Used, for example, by automated plotting software.</p>	
Type	xsd:double	
Properties	content: simple	
Used by	Complex Type	RenderingHints
Source	<pre><xsd:element name="ScaleMin" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The minimum value that the variable is expected to attain. Used, for example, by automated plotting software.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ScaleMax

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	<p>The maximum value that the variable is expected to attain. Used, for example, by automated plotting software.</p>	
Diagram	<p>The maximum value that the variable is expected to attain. Used, for example, by automated plotting software.</p>	

Type	xsd:double	
Properties	content: simple	
Used by	Complex Type	RenderingHints
Source	<pre><xsd:element name="ScaleMax" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The maximum value that the variable is expected to attain. Used, for example, by automated plotting software.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ScaleType

Namespace	http://impex-fp7.oeaw.ac.at							
Annotations	The scaling to apply to an axis. If this attribute is not present, linear scale should be assumed.							
Diagram		<p>The scaling to apply to an axis. If this attribute is not present, linear scale should be assumed.</p>						
Type	enumScaleType							
Properties	content: simple							
Facets	<table> <tr> <td>enumeration</td> <td>LinearScale</td> <td>Intervals which are equally spaced.</td> </tr> <tr> <td>enumeration</td> <td>LogScale</td> <td>Intervals which are spaced proportionally to the logarithms of the values being represented.</td> </tr> </table>	enumeration	LinearScale	Intervals which are equally spaced.	enumeration	LogScale	Intervals which are spaced proportionally to the logarithms of the values being represented.	
enumeration	LinearScale	Intervals which are equally spaced.						
enumeration	LogScale	Intervals which are spaced proportionally to the logarithms of the values being represented.						
Used by	Complex Type	RenderingHints						
Source	<pre><xsd:element name="ScaleType" type="enumScaleType"> <xsd:annotation> <xsd:documentation xml:lang="en">The scaling to apply to an axis. If this attribute is not present, linear scale should be assumed.</xsd:documentation> </xsd:annotation> </xsd:element></pre>							

Element Structure

Namespace	http://impex-fp7.oeaw.ac.at	
Diagram		
Type	Structure	
Properties	content: complex	
Used by	Complex Type	Parameter
Model	Size , Description{0,1} , Element*	
Children	Description, Element, Size	
Instance	<pre><Structure xmlns="http://impex-fp7.oeaw.ac.at"></pre>	

	<pre> <Size>{1,1}</Size> <Description>{0,1}</Description> <Element>{0,unbounded}</Element> </Structure> </pre>
Source	<pre><xsd:element name="Structure" type="Structure" /></pre>


Element Size

Namespace	http://impexfp7.oeaw.ac.at
Annotations	<p>The number of elements in each dimension of a multi-dimensional array. A scalar has a size of 1. A multi-dimensional vector will have a size for each dimension. Note that the number of elements in the size of an N-dimensional array conveys the array's dimensionality while the product of those numbers conveys the total number of elements in the array. When size is used to describe a tensor it is the number of elements in the tensor. As such it has a limited set of values. A tensor of rank 1 has a size of 3, rank 2 a size of 9, rank 3 a size of 27 and rank n a size of 3^n.</p>
Diagram	<pre> classDiagram class Size { <<Type typeSequence>> } class typeSequence Size "1" --> "1" typeSequence </pre> <p>The number of elements in each dimension of a multi-dimensional array. A scalar has a size of 1. A multi-dimensional...</p>
Type	typeSequence
Properties	content: simple
Used by	Complex Type Structure
Source	<pre> <xsd:element name="Size" type="typeSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">The number of elements in each dimension of a multi-dimensional array. A scalar has a size of 1. A multi-dimensional vector will have a size for each dimension. Note that the number of elements in the size of an N-dimensional array conveys the array's dimensionality while the product of those numbers conveys the total number of elements in the array. When size is used to describe a tensor it is the number of elements in the tensor. As such it has a limited set of values. A tensor of rank 1 has a size of 3, rank 2 a size of 9, rank 3 a size of 27 and rank n a size of 3^n.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element Element

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram



Type	Element
Properties	content: complex
Used by	Complex Type Structure
Model	Name , Qualifier* , Index , ParameterKey{0,1} , Units{0,1} , UnitsConversion{0,1} , ValidMin{0,1} , ValidMax{0,1} , FillValue{0,1} , RenderingHints{0,1}
Children	FillValue, Index, Name, ParameterKey, Qualifier, RenderingHints, Units, UnitsConversion, ValidMax, ValidMin
Instance	<pre> <Element xmlns="http://impex-fp7.oewa.ac.at"> <Name>{1,1}</Name> <Qualifiers>{0,unbounded}</Qualifiers> <Index>{1,1}</Index> <ParameterKey>{0,1}</ParameterKey> <Units>{0,1}</Units> <UnitsConversion>{0,1}</UnitsConversion> <ValidMin>{0,1}</ValidMin> <ValidMax>{0,1}</ValidMax> <FillValue>{0,1}</FillValue> <RenderingHints>{0,1}</RenderingHints> </Element> </pre>
Source	<code><xsd:element name="Element" type="Element" /></code>

Element Qualifier

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	Characterizes the refinement to apply to a type or attribute of a quantity.	
Diagram	<pre> classDiagram class Qualifier { <<Qualifier>> <<Type enumQualifier>> } class enumQualifier { <<Identifiers for terms which refine the type or attribute of a quantity.>> } Qualifier "0..1" --> "1..1" enumQualifier </pre>	
Type	enumQualifier	
Properties	content: simple	
Facets	enumeration	Anisotropy Direction-dependent property.
		enumeration Array A sequence of values corresponding to the elements in a rectilinear, n-dimension matrix. Each value can be referenced by a unique index.
		enumeration Average The statistical mean; the sum of a set of values divided by the number of values in the set.
		enumeration Characteristic A quantity which can be easily identified and measured in a given environment.
		enumeration Circular Relative to polarization, right-hand circularly polarized light is defined such that the electric field is rotating clockwise as seen by an observer towards whom the wave is moving. Left-hand circularly polarized light is defined such that the electric field is rotating counterclockwise as seen by an observer towards whom the wave is moving. The polarization of magnetohydrodynamic waves is specified with respect to the ambient mean magnetic field : right-hand polarized waves have a transverse electric field component which turns in a right-handed sense (that of the gyrating electrons) around the magnetic field.
		enumeration Column A two-dimensional measure of a quantity. The column is the area over which the quantity is measured.
		enumeration Component Projection of a vector along one of the base axes of a coordinate system.
		enumeration Component.I Projection of a vector along the first named axis of a coordinate system. Typically the X axis, but could be the R axis for an RTN coordinate system.
		enumeration Component.J Projection of a vector along the second named axis of a coordinate system. Typically the Y axis, but could be the T axis for an RTN coordinate system.
		enumeration Component.K Projection of a vector along the third named axis of a coordinate system. Typically the Z axis, but could be the N axis for an RTN coordinate system.
		enumeration Core The central or main part of an object or calculated distribution. For example, the part of a distribution of particles at low energies that is a thermal (Maxwellian) population.
		enumeration CrossSpectrum The Fourier transform of the cross correlation of two physical or empirical observations.
		enumeration Deviation The difference between an observed value and the expected value of a quantity.
		enumeration Differential A measurement within a narrow range of energy and/or solid angle.
		enumeration Direction The spatial relation between an object and another object, the orientation of the object or the course along which the object points

		or moves.
enumeration	DirectionAngle	The angle between a position vector or measured vector (or one of its projections onto a plane) and one of the base axes of the coordinate system.
enumeration	DirectionAngle.AzimuthAngle	The angle between the projection into the i-j plane of a position or measured vector and the i-axis of the coordinate system. Mathematically defined as $\arctan(j/i)$.
enumeration	DirectionAngle.ElevationAngle	The angle between the position or measured vector and the i-j plane of the coordinate system. Mathematically defined as $\arctan(k/\sqrt{i^2+j^2})$.
enumeration	DirectionAngle.PolarAngle	The angle between the position or measured vector and the k-axis of the coordinate system. Mathematically defined as $\arctan(\sqrt{i^2+j^2}/k)$.
enumeration	Directional	A measurement within a narrow range of solid angle.
enumeration	FieldAligned	The component of a quantity which is oriented in the same direction of a field.
enumeration	Fit	Values that make a model agree with the data.
enumeration	Group	An assemblage of values that a certain relation or common characteristic.
enumeration	Halo	The part of an object or distribution surrounding some central body or distribution. For example, the particles above the core energies that show enhancements above the thermal population. Typically, a "power law tail" shows a break from the core Maxwellian at a particular energy.
enumeration	Integral	A flux measurement in a broad range of energy and solid angle.
enumeration	Integral.Area	Integration over the extent of a planar region, or of the surface of a solid.
enumeration	Integral.Bandwidth	Integration over the width of a frequency band.
enumeration	Integral.SolidAngle	Integration over the angle in three-dimensional space that an object subtends at a point.
enumeration	LineOfSight	The line of sight is the line that connects the observer with the observed object. This expression is often used with measurements of Doppler velocity and magnetic field in magnetograms, where only the component of the vector field directed along the line of sight is measured.
enumeration	Linear	Polarization where the E-field vector is confined to a given plane
enumeration	Magnitude	A measure of the strength of a vector quantity or length of its representational vector.
enumeration	Maximum	The largest value of a batch or sample or the upper bound of a probability distribution.
enumeration	Median	The measure of central tendency of a set of n. values computed by ordering the values and taking the value at position $(n. + 1)/2$ when n. is odd or the arithmetic mean of the values at positions $n. / 2$ and $(n. / 2) + 1$ when n. is even.
enumeration	Minimum	The smallest value of a batch or sample or the lower bound of a probability distribution.
enumeration	Moment	Parameters determined by integration over a distribution function convolved with a power of velocity.
enumeration	Parallel	Having the same direction as a given direction
enumeration	Peak	The maximum value for the quantity in question, over a period of time which is usually equal to the cadence.
enumeration	Perpendicular	At right angles to a given direction.
enumeration	Perturbation	Variations in the state of a system.

enumeration	Phase	A point or portion in a recurring series of changes.
enumeration	PhaseAngle	Phase difference between two or more waves, normally expressed in degrees.
enumeration	Projection	A measure of the length of a position or measured vector as projected into a plane of the coordinate system.
enumeration	Projection.IJ	A measure of the length of a position or measured vector projected into the i-j (typically X-Y) plane of the coordinate system.
enumeration	Projection.IK	A measure of the length of a position or measured vector projected into the i-k (typically X-Z) plane of the coordinate system.
enumeration	Projection.JK	A measure of the length of a position or measured vector projected into the j-k (typically Y-Z) plane of the coordinate system.
enumeration	Pseudo	Similar to or having the appearance of something else. Can be used to indicate an estimation or approximation of a particular quantity.
enumeration	Ratio	The relative magnitudes of two quantities.
enumeration	Scalar	A quantity that is completely specified by its magnitude and has no direction.
enumeration	Spectral	Characterized as a range or continuum of frequencies
enumeration	StandardDeviation	The square root of the average of the squares of deviations about the mean of a set of data. Standard deviation is a statistical measure of spread or variability.
enumeration	StokesParameters	A set of four parameters (usually called I,Q,U and V) which describe the polarization state of an electromagnetic wave propagating through space.
enumeration	Strahl	A distribution of particles concentrated in a narrow energy band. The band may be aligned with a secondary feature. For example, it may occur in a narrow cone aligned with the mean magnetic field direction.
enumeration	Superhalo	The part of an object or distribution surrounding some central body or distribution evident in a second break in the distribution function (e.g., a different power law). It consists of a population at a higher energies than for a halo.
enumeration	Symmetric	Equal distribution about one or more axes.
enumeration	Tensor	A generalized linear "quantity" or "geometrical entity" that can be expressed as a multi-dimensional array relative to a choice of basis of the particular space on which it is defined.
enumeration	Total	The summation of quantities over all possible species.
enumeration	Trace	The sum of the elements on the main diagonal (the diagonal from the upper left to the lower right) of a square matrix.
enumeration	Uncertainty	A statistically defined discrepancy between a measured quantity and the true value of that quantity that cannot be corrected by calculation or calibration.
enumeration	Variance	A measure of dispersion of a set of data points around their mean value. The expectation value of the squared deviations from the mean.
enumeration	Vector	A set of parameter values each along some independent variable (e.g., components of a field in three orthogonal spatial directions; atmospheric temperature values at several altitudes, or at a given latitude and longitude;).
Used by	Complex Types	Element, Field, InputField, InputParameter, InputPopulation, Mixed, Particle, Property, Support, Wave

Source	<pre><xsd:element name="Qualifier" type="enumQualifier"> <xsd:annotation> <xsd:documentation xml:lang="en">Characterizes the refinement to apply to a type or attribute of a quantity.</xsd:documentation> </xsd:annotation> </xsd:element></pre>
--------	---

Element **ValidMin**

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	The smallest legitimate value.	
Diagram	<p>The diagram shows the element <code>ValidMin</code> with its type set to <code>xsd:string</code>. A callout box below the element definition specifies that it represents the "smallest legitimate value".</p>	
Type	<code>xsd:string</code>	
Properties	content: simple	
Used by	Complex Types	Element, InputField, Parameter, Property, SimulationDomain
Source	<pre><xsd:element name="ValidMin" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The smallest legitimate value.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element **ValidMax**

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	The largest legitimate value.	
Diagram	<p>The diagram shows the element <code>ValidMax</code> with its type set to <code>xsd:string</code>. A callout box below the element definition specifies that it represents the "largest legitimate value".</p>	
Type	<code>xsd:string</code>	
Properties	content: simple	
Used by	Complex Types	Element, InputField, Parameter, Property, SimulationDomain
Source	<pre><xsd:element name="ValidMax" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The largest legitimate value.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element **FillValue**

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	A value that indicates that a quantity is undefined.	
Diagram	<p>The diagram shows the element <code>FillValue</code> with its type set to <code>xsd:string</code>. A callout box below the element definition specifies that it represents a value indicating an undefined quantity.</p>	
Type	<code>xsd:string</code>	
Properties	content: simple	
Used by	Complex Types	Element, Parameter
Source	<pre><xsd:element name="FillValue" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A value that indicates that a quantity is undefined.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	


Element ParameterEntity

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class ParameterEntity { <<Abstract true>> } class Field { <<Type Field>> } class Mixed { <<Type Mixed>> } class Particle { <<Type Particle>> } class Support { <<Type Support>> } class Wave { <<Type Wave>> } ParameterEntity < -- Field ParameterEntity < -- Mixed ParameterEntity < -- Particle ParameterEntity < -- Support ParameterEntity < -- Wave </pre> <p>The diagram illustrates the inheritance structure of the <code>ParameterEntity</code> element. It is defined as an abstract type (<code>abstract: true</code>). Five concrete types inherit from it: <code>Field</code>, <code>Mixed</code>, <code>Particle</code>, <code>Support</code>, and <code>Wave</code>. Each concrete type is associated with its respective schema type: <code>Field</code> with <code>Type Field</code>, <code>Mixed</code> with <code>Type Mixed</code>, <code>Particle</code> with <code>Type Particle</code>, <code>Support</code> with <code>Type Support</code>, and <code>Wave</code> with <code>Type Wave</code>.</p>
Properties	abstract: true
Substitution Group	<ul style="list-style-type: none"> • Field • Wave • Mixed • Support • Particle
Used by	Complex Type Parameter
Source	<code><xsd:element name="ParameterEntity" abstract="true" /></code>

Element Property

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	Property
Properties	content: complex
Used by	Complex Types DisplayOutput, InputParameter, InputProperties, NumericalOutput, Parameter, RegionParameter

Model	Name{0,1} , Description{0,1} , Caveats{0,1} , PropertyQuantity , Qualifier* , Units{0,1} , UnitsConversion{0,1} , PropertyLabel{0,1} , PropertyValue{0,1} , PropertyTableURL{0,1} , ValidMin{0,1} , ValidMax{0,1} , PropertyModel{0,1} , ModelURL{0,1}
Children	Caveats, Description, ModelURL, Name, PropertyLabel, PropertyModel, PropertyQuantity, PropertyTableURL, PropertyValue, Qualifier, Units, UnitsConversion, ValidMax, ValidMin
Instance	<Property xmlns="http://impex-fp7.oeaw.ac.at"> <Name>{0,1}</Name> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <PropertyQuantity>{1,1}</PropertyQuantity> <Qualifiers>{0,unbounded}</Qualifier> <Units>{0,1}</Units> <UnitsConversion>{0,1}</UnitsConversion> <PropertyLabel>{0,1}</PropertyLabel> <PropertyValue>{0,1}</PropertyValue> <PropertyTableURL>{0,1}</PropertyTableURL> <ValidMin>{0,1}</ValidMin> <ValidMax>{0,1}</ValidMax> <PropertyModel>{0,1}</PropertyModel> <ModelURL>{0,1}</ModelURL> </Property>
Source	<xsd:element name="Property" type="Property" />

Element PropertyQuantity

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class PropertyQuantity { <<Type ImpexLargeListQuantities>> } class StringSequence { <<ImpexLargeListQuantities>> } PropertyQuantity "1" -- "0..1" StringSequence </pre>
Type	ImpexLargeListQuantities
Properties	content: simple
Used by	Complex Type Property
Source	<xsd:element name="PropertyQuantity" type="ImpexLargeListQuantities" />

Element PropertyLabel

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A string list of the labels of each dimension of the property.
Diagram	<pre> classDiagram class PropertyLabel { <<Type StringSequence>> } class StringSequence { <<StringSequence>> } PropertyLabel "1" -- "0..1" StringSequence note over PropertyLabel: A string list of the labels of each dimension of the property. note over StringSequence: A list of string values. </pre>
Type	StringSequence
Properties	content: simple
Used by	Complex Type Property
Source	<xsd:element name="PropertyLabel" type="StringSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">A string list of the labels of each dimension of the property.</xsd:documentation> </xsd:annotation> </xsd:element>

Element PropertyValue

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A string list of the values of the property.
Diagram	<pre> classDiagram class PropertyValue { <<Type StringSequence>> } class StringSequence { <<StringSequence>> } PropertyValue "1" -- "0..1" StringSequence note over PropertyValue: A string list of the values of the property. note over StringSequence: A list of string values. </pre>
Type	StringSequence

Properties	content:	simple
Used by	Complex Type	Property
Source	<pre><xsd:element name="PropertyValue" type="StringSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">A string list of the values of the property.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element PropertyTableURL

Namespace	http://impexfp7.oeaw.ac.at	
Diagram	<p>Built-in primitive type. The anyURI datatype represents a Uniform Resource Identifier Reference (URI).</p>	
Type	xsd:anyURI	
Properties	content: simple	
Used by	Complex Type Property	
Source	<pre><xsd:element name="PropertyTableURL" type="xsd:anyURI"/></pre>	

Element PropertyModel

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Model used to define a property.	
Diagram	<p>Model used to define a property.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type Property	
Source	<pre><xsd:element name="PropertyModel" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Model used to define a property.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ModelURL

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Url pointing toward the description of a model used in the definition of a property or an input.	
Diagram	<p>Url pointing toward the description of a model used in the definition of a property or an input.</p> <p>Built-in primitive type. The anyURI datatype represents a Uniform Resource Identifier Reference (URI).</p>	
Type	xsd:anyURI	
Properties	content: simple	
Used by	Complex Types InputField, InputPopulation, InputProcess, Property, SimulationModel	
Source	<pre><xsd:element name="ModelURL" type="xsd:anyURI"> <xsd:annotation> <xsd:documentation xml:lang="en">Url pointing toward the description of a model used in the definition of a property or an input.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

<pre></xsd:annotation> </xsd:element></pre>

Element Extension

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>A container of other metadata which is not part of the SPASE data model. The contents of this element are defined by...</p>
Type	Extension
Properties	content: complex
Used by	Complex Types Annotation, Catalog, DisplayData, DisplayOutput, Instrument, NumericalData, NumericalOutput, Observatory, Person, Registry, Repository, Service, SimulationRun
Model	ANY element from ANY namespace
Source	<code><xsd:element name="Extension" type="Extension"/></code>

Element Field

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>Characterizes the refinement to apply to a type or attribute of a quantity.</p> <p>The physical attribute of the field.</p> <p>The FrequencyRange</p> <p>The space around a radiating body within which its electromagnetic attributes can exert force on another similar body...</p> <p>Substitution Group</p> <p>ParameterEntity</p>
Type	Field
Properties	content: complex
Substitution Group Affiliation	<ul style="list-style-type: none"> ParameterEntity
Model	Qualifier*, FieldQuantity, FrequencyRange{0,1}
Children	FieldQuantity, FrequencyRange, Qualifier
Instance	<pre><Field xmlns="http://impex-fp7.oeaw.ac.at"> <Qualifiers>{0, unbounded}</Qualifiers> <FieldQuantity>{1,1}</FieldQuantity> <FrequencyRange>{0,1}</FrequencyRange> </Field></pre>
Source	<code><xsd:element name="Field" type="Field" substitutionGroup="ParameterEntity"/></code>

Element FieldQuantity

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Annotations	The physical attribute of the field.		
Diagram	<p>The physical attribute of the field.</p>		
Type	enumFieldQuantity		
Properties	content: simple		
Facets	enumeration	Current	The flow of electrons through a conductor caused by a potential difference.
	enumeration	Electric	The physical attribute that exerts an electrical force.
	enumeration	Electromagnetic	Electric and magnetic field variations in time and space that propagate through a medium or a vacuum with the wave's propagation, electric field, and magnetic field vectors forming an orthogonal triad. Waves in this category are detected by having their field quantities measured.
	enumeration	Gyrofrequency	The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.
	enumeration	Magnetic	The physical attribute attributed to a magnet or its equivalent.
	enumeration	PlasmaFrequency	A number-density-dependent characteristic frequency of a plasma.
	enumeration	Potential	A field which obeys Laplace's Equation.
	enumeration	PoyntingFlux	Electromagnetic energy flux transported by a wave characterized as the rate of energy transport per unit area per steradian.
	Used by	Complex Types	Field, InputField
Source	<pre><xsd:element name="FieldQuantity" type="enumFieldQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">The physical attribute of the field.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element FrequencyRange

Namespace	http://impex-fp7.oeaw.ac.at		
Diagram	<p>The range of possible values for the observed frequency.</p>		
Type	FrequencyRange		

Properties	content:	complex
Used by	Complex Types	Field, Wave
Model	SpectralRange{0,1} , Low , High , Units , Bin*	
Children	Bin, High, Low, SpectralRange, Units	
Instance	<FrequencyRange xmlns="http://impex-fp7.oeaw.ac.at"> <SpectralRange>{0,1}</SpectralRange> <Low>{1,1}</Low> <High>{1,1}</High> <Units>{1,1}</Units> <Bin>{0,unbounded}</Bin> </FrequencyRange>	
Source	<xsd:element name="FrequencyRange" type="FrequencyRange"/>	

Element SpectralRange

Namespace	http://impex-fp7.oeaw.ac.at																																											
Annotations	The general term used to describe wavelengths or frequencies within a given span of values for those quantities.																																											
Diagram	<pre> classDiagram class SpectralRange { <<Type enumSpectralRange>> } class enumSpectralRange { <<Identifiers for names associated with wavelengths. Based on the ISO 21348 Solar Irradiance Standard. Additions have...>> } SpectralRange "0..1" -- "0..1" enumSpectralRange </pre>																																											
Type	enumSpectralRange																																											
Properties	content: simple																																											
Facets	<table border="1"> <tr> <td>enumeration</td> <td>CaK</td> <td>A spectrum with a wavelength of range centered near 393.5 nm. VSO nickname: Ca-K image with range of 391.9 nm to 395.2 nm.</td> </tr> <tr> <td>enumeration</td> <td>ExtremeUltraviolet</td> <td>A spectrum with a wavelength range of 10.0 nm to 125.0 nm. VSO nickname: EUV image with a range of 10.0 nm to 125.0 nm</td> </tr> <tr> <td>enumeration</td> <td>FarUltraviolet</td> <td>A spectrum with a wavelength range of 122 nm to 200.0 nm. VSO nickname: FUV image with a range of 122.0 nm to 200 nm</td> </tr> <tr> <td>enumeration</td> <td>GammaRays</td> <td>Photons with a wavelength range: 0.00001 to 0.001 nm</td> </tr> <tr> <td>enumeration</td> <td>Halpha</td> <td>A spectrum with a wavelength range centered at 656.3 nm. VSO nickname: H-alpha image with a spectrum range of 655.8 nm to 656.8 nm.</td> </tr> <tr> <td>enumeration</td> <td>HardXrays</td> <td>Photons with a wavelength range: 0.001 to 0.1 nm and an energy range of 12 keV to 120 keV</td> </tr> <tr> <td>enumeration</td> <td>He10830</td> <td>A spectrum with a wavelength range centered at 1082.9 nm. VSO nickname: He 10830 image with a range of 1082.5 nm to 1083.3 nm.</td> </tr> <tr> <td>enumeration</td> <td>He304</td> <td>A spectrum centered around the resonance line of ionised helium at 304 Angstrom (30.4 nm).</td> </tr> <tr> <td>enumeration</td> <td>Infrared</td> <td>Photons with a wavelength range: 760 to 1.00x10^6 nm</td> </tr> <tr> <td>enumeration</td> <td>K7699</td> <td>A spectrum with a wavelength range centred at 769.9 nm. VSO nickname: K-7699 dopplergram with a range of 769.8 nm to 770.0 nm.</td> </tr> <tr> <td>enumeration</td> <td>LBHBand</td> <td>Lyman-Birge-Hopfield band in the far ultraviolet range with wavelength range of 140nm to 170 nm.</td> </tr> <tr> <td>enumeration</td> <td>Microwave</td> <td>Photons with a wavelength range: 1.00x10^6 to 1.50x10^7 nm</td> </tr> <tr> <td>enumeration</td> <td>NaD</td> <td>A spectrum with a wavelength range of centered at 589.3 nm. VSO nickname: Na-D image with a range of 588.8 nm to 589.8 nm.</td> </tr> <tr> <td>enumeration</td> <td>Ni6768</td> <td>A spectrum with a wavelength range centered at 676.8 nm. VSO nickname: Ni-6768 dopplergram with a range of 676.7 nm to 676.9 nm.</td> </tr> </table>		enumeration	CaK	A spectrum with a wavelength of range centered near 393.5 nm. VSO nickname: Ca-K image with range of 391.9 nm to 395.2 nm.	enumeration	ExtremeUltraviolet	A spectrum with a wavelength range of 10.0 nm to 125.0 nm. VSO nickname: EUV image with a range of 10.0 nm to 125.0 nm	enumeration	FarUltraviolet	A spectrum with a wavelength range of 122 nm to 200.0 nm. VSO nickname: FUV image with a range of 122.0 nm to 200 nm	enumeration	GammaRays	Photons with a wavelength range: 0.00001 to 0.001 nm	enumeration	Halpha	A spectrum with a wavelength range centered at 656.3 nm. VSO nickname: H-alpha image with a spectrum range of 655.8 nm to 656.8 nm.	enumeration	HardXrays	Photons with a wavelength range: 0.001 to 0.1 nm and an energy range of 12 keV to 120 keV	enumeration	He10830	A spectrum with a wavelength range centered at 1082.9 nm. VSO nickname: He 10830 image with a range of 1082.5 nm to 1083.3 nm.	enumeration	He304	A spectrum centered around the resonance line of ionised helium at 304 Angstrom (30.4 nm).	enumeration	Infrared	Photons with a wavelength range: 760 to 1.00x10^6 nm	enumeration	K7699	A spectrum with a wavelength range centred at 769.9 nm. VSO nickname: K-7699 dopplergram with a range of 769.8 nm to 770.0 nm.	enumeration	LBHBand	Lyman-Birge-Hopfield band in the far ultraviolet range with wavelength range of 140nm to 170 nm.	enumeration	Microwave	Photons with a wavelength range: 1.00x10^6 to 1.50x10^7 nm	enumeration	NaD	A spectrum with a wavelength range of centered at 589.3 nm. VSO nickname: Na-D image with a range of 588.8 nm to 589.8 nm.	enumeration	Ni6768	A spectrum with a wavelength range centered at 676.8 nm. VSO nickname: Ni-6768 dopplergram with a range of 676.7 nm to 676.9 nm.
enumeration	CaK	A spectrum with a wavelength of range centered near 393.5 nm. VSO nickname: Ca-K image with range of 391.9 nm to 395.2 nm.																																										
enumeration	ExtremeUltraviolet	A spectrum with a wavelength range of 10.0 nm to 125.0 nm. VSO nickname: EUV image with a range of 10.0 nm to 125.0 nm																																										
enumeration	FarUltraviolet	A spectrum with a wavelength range of 122 nm to 200.0 nm. VSO nickname: FUV image with a range of 122.0 nm to 200 nm																																										
enumeration	GammaRays	Photons with a wavelength range: 0.00001 to 0.001 nm																																										
enumeration	Halpha	A spectrum with a wavelength range centered at 656.3 nm. VSO nickname: H-alpha image with a spectrum range of 655.8 nm to 656.8 nm.																																										
enumeration	HardXrays	Photons with a wavelength range: 0.001 to 0.1 nm and an energy range of 12 keV to 120 keV																																										
enumeration	He10830	A spectrum with a wavelength range centered at 1082.9 nm. VSO nickname: He 10830 image with a range of 1082.5 nm to 1083.3 nm.																																										
enumeration	He304	A spectrum centered around the resonance line of ionised helium at 304 Angstrom (30.4 nm).																																										
enumeration	Infrared	Photons with a wavelength range: 760 to 1.00x10^6 nm																																										
enumeration	K7699	A spectrum with a wavelength range centred at 769.9 nm. VSO nickname: K-7699 dopplergram with a range of 769.8 nm to 770.0 nm.																																										
enumeration	LBHBand	Lyman-Birge-Hopfield band in the far ultraviolet range with wavelength range of 140nm to 170 nm.																																										
enumeration	Microwave	Photons with a wavelength range: 1.00x10^6 to 1.50x10^7 nm																																										
enumeration	NaD	A spectrum with a wavelength range of centered at 589.3 nm. VSO nickname: Na-D image with a range of 588.8 nm to 589.8 nm.																																										
enumeration	Ni6768	A spectrum with a wavelength range centered at 676.8 nm. VSO nickname: Ni-6768 dopplergram with a range of 676.7 nm to 676.9 nm.																																										

	enumeration	Optical	Photons with a wavelength range: 380 to 760 nm
	enumeration	RadioFrequency	Photons with a wavelength range: 100,000 to 1.00×10^{11} nm
	enumeration	SoftXRays	X-Rays with an energy range of 0.12 keV to 12 keV.
	enumeration	Ultraviolet	Photons with a wavelength range: 10 to 400 nm.
	enumeration	WhiteLight	Photons with a wavelength in the visible range for humans.
	enumeration	XRays	Photons with a wavelength range: $0.001 \leq x < 10$ nm
Used by	Complex Types	DisplayData, DisplayOutput, FrequencyRange, NumericalData, NumericalOutput, WavelengthRange	
Source		<pre><xsd:element name="SpectralRange" type="enumSpectralRange"> <xsd:annotation> <xsd:documentation xml:lang="en">The general term used to describe wavelengths or frequencies within a given span of values for those quantities.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Low

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	The smallest value within a range of possible values.		
Diagram			
Type	xsd:double		
Properties	content: simple		
Used by	Complex Types	AzimuthalAngleRange, Bin, EnergyRange, FrequencyRange, PolarAngleRange, WavelengthRange	
Source		<pre><xsd:element name="Low" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The smallest value within a range of possible values.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element High

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	The largest value within a range of possible values.		
Diagram			
Type	xsd:double		
Properties	content: simple		
Used by	Complex Types	AzimuthalAngleRange, Bin, EnergyRange, FrequencyRange, PolarAngleRange, WavelengthRange	
Source		<pre><xsd:element name="High" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The largest value within a range of possible values.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Bin

Namespace	http://impex-fp7.oeaw.ac.at		
-----------	-----------------------------	--	--

Diagram	<pre> classDiagram class Bin { BandName : xsd:string Low : xsd:double High : xsd:double } note over Bin: A grouping of observations according to a band or window of a common attribute. </pre>
Type	Bin
Properties	content: complex
Used by	Complex Types AzimuthalAngleRange, EnergyRange, FrequencyRange, PolarAngleRange, WavelengthRange
Model	BandName{0,1}, Low, High
Children	BandName, High, Low
Instance	<pre> <Bin xmlns="http://impex-fp7.oeaw.ac.at"> <BandName>{0,1}</BandName> <Low>{1,1}</Low> <High>{1,1}</High> </Bin> </pre>
Source	<xsd:element name="Bin" type="Bin"/>

Element BandName

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class BandName { xsd:string } note over BandName: Built-in primitive type. The string datatype represents character strings in XML. </pre>
Type	xsd:string
Properties	content: simple
Used by	Complex Type Bin
Source	<xsd:element name="BandName" type="xsd:string"/>

Element EnergyRange

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class EnergyRange { Low : xsd:double High : xsd:double Units : xsd:string Bin : Bin } note over EnergyRange: The minimum and maximum energy values of the particles represented by a given "physical parameter" description. </pre>

Type	EnergyRange
Properties	content: complex
Used by	Complex Types Particle, Wave
Model	Low , High , Units , Bin*
Children	Bin, High, Low, Units
Instance	<pre><EnergyRange xmlns="http://impex-fp7.oeaw.ac.at"> <Low>{1,1}</Low> <High>{1,1}</High> <Units>{1,1}</Units> <Bin>{0,unbounded}</Bin> </EnergyRange></pre>
Source	<xsd:element name="EnergyRange" type="EnergyRange"/>

Element AzimuthalAngleRange

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class AzimuthalAngleRange { Low : xsd:double High : xsd:double Units : xsd:string Bin : Bin } AzimuthalAngleRange < -- AzimuthalAngleRange note over AzimuthalAngleRange : The range of possible azimuthal angles for a group of energy observations. Default units are degrees. </pre>
Type	AzimuthalAngleRange
Properties	content: complex
Used by	Complex Type Particle
Model	Low , High , Units , Bin*
Children	Bin, High, Low, Units
Instance	<pre><AzimuthalAngleRange xmlns="http://impex-fp7.oeaw.ac.at"> <Low>{1,1}</Low> <High>{1,1}</High> <Units>{1,1}</Units> <Bin>{0,unbounded}</Bin> </AzimuthalAngleRange></pre>
Source	<xsd:element name="AzimuthalAngleRange" type="AzimuthalAngleRange"/>

Element PolarAngleRange

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	<pre> classDiagram class PolarAngleRange { Low : xsd:double High : xsd:double Units : xsd:string Bin : xsd:Bin } PolarAngleRange < -- PolarAngleRange </pre> <p>The diagram shows the UML class <code>PolarAngleRange</code>. It has four attributes: <code>Low</code> (Type <code>xsd:double</code>), <code>High</code> (Type <code>xsd:double</code>), <code>Units</code> (Type <code>xsd:string</code>), and <code>Bin</code> (Type <code>xsd:Bin</code>). A note below the class states: "The range of possible polar angles for a group of energy observations. Defaults units are degrees."</p>
Type	PolarAngleRange
Properties	content: complex
Used by	Complex Type Particle
Model	Low , High , Units , Bin*
Children	Bin, High, Low, Units
Instance	<pre> <PolarAngleRange xmlns="http://impex-fp7.oeaw.ac.at"> <Low>{1,1}</Low> <High>{1,1}</High> <Units>{1,1}</Units> <Bin>{0,unbounded}</Bin> </PolarAngleRange> </pre>
Source	<xsd:element name="PolarAngleRange" type="PolarAngleRange"/>

Element wave

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	<pre> classDiagram Wave < -- WaveType Wave < -- Qualifier Wave "0..>--> WaveQuantity Wave "0..>--> EnergyRange Wave "0..>--> FrequencyRange Wave "0..>--> WavelengthRange WaveType < -- enumWaveType Qualifier < -- enumQualifier WaveQuantity < -- enumWaveQuantity EnergyRange < -- EnergyRange FrequencyRange < -- FrequencyRange WavelengthRange < -- WavelengthRange ParameterEntity < -- Abstract true </pre>
Type	Wave
Properties	content: complex
Substitution Group Affiliation	• ParameterEntity
Model	WaveType , Qualifier* , WaveQuantity , EnergyRange{0,1} , FrequencyRange{0,1} , WavelengthRange{0,1}
Children	EnergyRange, FrequencyRange, Qualifier, WaveQuantity, WaveType, WavelengthRange
Instance	<pre> <Wave xmlns="http://impex-fp7.oeaw.ac.at"> <WaveType>{1,1}</WaveType> <Qualifier>{0,unbounded}</Qualifier> <WaveQuantity>{1,1}</WaveQuantity> <EnergyRange>{0,1}</EnergyRange> <FrequencyRange>{0,1}</FrequencyRange> <WavelengthRange>{0,1}</WavelengthRange> </Wave> </pre>
Source	<code><xsd:element name="Wave" type="Wave" substitutionGroup="ParameterEntity"/></code>

Element WaveType

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	A characterization of the carrier or phenomenon of wave information observed by the measurement.		
Diagram	<pre> classDiagram WaveType < -- Type enumWaveType WaveType < -- enumWaveType </pre> <p>A characterization of the carrier or phenomenon of wave information observed by the measurement.</p>		
Type	enumWaveType		
Properties	content: simple		
Facets	enumeration	Electromagnetic	Electric and magnetic field variations in time and space that propagate through a medium or a vacuum with the wave's propagation, electric field, and magnetic field vectors forming an orthogonal triad. Waves in this category

		are detected by having their field quantities measured.
enumeration	Electrostatic	Collective longitudinal electric-field and plasma oscillations trapped within a body of plasma.
enumeration	Hydrodynamic	Periodic or quasi-periodic oscillations of fluid quantities.
enumeration	MHD	Hydrodynamic waves in a magnetized plasma in which the background magnetic field plays a key role in controlling the wave propagation characteristics.
enumeration	Photon	Electromagnetic waves detected by techniques that utilize their corpuscular character (e.g., CCD, CMOS, photomultipliers).
enumeration	PlasmaWaves	Self-consistent collective oscillations of particles and fields (electric and magnetic) in a plasma.
Used by	Complex Type	Wave
Source	<pre><xsd:element name="WaveType" type="enumWaveType"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the carrier or phenomenon of wave information observed by the measurement.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element WaveQuantity

Namespace	http://impex-fp7.oeaw.ac.at																																		
Annotations	A characterization of the physical properties of a wave.																																		
Diagram	<p>A characterization of the physical properties of a wave.</p>																																		
Type	enumWaveQuantity																																		
Properties	content: simple																																		
Facets	<table border="1"> <tr> <td>enumeration</td><td>ACElectricField</td><td>Alternating electric field component of a wave.</td></tr> <tr> <td>enumeration</td><td>ACMagneticField</td><td>Alternating magnetic field component of a wave.</td></tr> <tr> <td>enumeration</td><td>Absorption</td><td>Decrease of radiant energy (relative to the background continuum spectrum).</td></tr> <tr> <td>enumeration</td><td>Albedo</td><td>The ratio of reflected radiation from the surface to incident radiation upon it.</td></tr> <tr> <td>enumeration</td><td>DopplerFrequency</td><td>Change in the frequency of a propagating wave due to motion of the source, the observer, the reflector, or the propagation medium.</td></tr> <tr> <td>enumeration</td><td>Emissivity</td><td>The energy emitted spontaneously per unit bandwidth (typically frequency) per unit time per unit mass of source. Emissivity is usually integrated over all directions/solid angles.</td></tr> <tr> <td>enumeration</td><td>EnergyFlux</td><td>The amount of energy passing through a unit area in a unit time.</td></tr> <tr> <td>enumeration</td><td>EquivalentWidth</td><td>The spectral width of a total absorption line having the amount of absorbed radiant energy being equivalent to that in an observed absorption line.</td></tr> <tr> <td>enumeration</td><td>Frequency</td><td>The number of occurrences of a repeating event per unit time.</td></tr> <tr> <td>enumeration</td><td>Gyrofrequency</td><td>The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.</td></tr> <tr> <td>enumeration</td><td>Intensity</td><td>The measurement of radiant or wave energy per unit detector area per unit bandwidth per unit solid angle per unit time.</td></tr> </table>		enumeration	ACElectricField	Alternating electric field component of a wave.	enumeration	ACMagneticField	Alternating magnetic field component of a wave.	enumeration	Absorption	Decrease of radiant energy (relative to the background continuum spectrum).	enumeration	Albedo	The ratio of reflected radiation from the surface to incident radiation upon it.	enumeration	DopplerFrequency	Change in the frequency of a propagating wave due to motion of the source, the observer, the reflector, or the propagation medium.	enumeration	Emissivity	The energy emitted spontaneously per unit bandwidth (typically frequency) per unit time per unit mass of source. Emissivity is usually integrated over all directions/solid angles.	enumeration	EnergyFlux	The amount of energy passing through a unit area in a unit time.	enumeration	EquivalentWidth	The spectral width of a total absorption line having the amount of absorbed radiant energy being equivalent to that in an observed absorption line.	enumeration	Frequency	The number of occurrences of a repeating event per unit time.	enumeration	Gyrofrequency	The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.	enumeration	Intensity	The measurement of radiant or wave energy per unit detector area per unit bandwidth per unit solid angle per unit time.
enumeration	ACElectricField	Alternating electric field component of a wave.																																	
enumeration	ACMagneticField	Alternating magnetic field component of a wave.																																	
enumeration	Absorption	Decrease of radiant energy (relative to the background continuum spectrum).																																	
enumeration	Albedo	The ratio of reflected radiation from the surface to incident radiation upon it.																																	
enumeration	DopplerFrequency	Change in the frequency of a propagating wave due to motion of the source, the observer, the reflector, or the propagation medium.																																	
enumeration	Emissivity	The energy emitted spontaneously per unit bandwidth (typically frequency) per unit time per unit mass of source. Emissivity is usually integrated over all directions/solid angles.																																	
enumeration	EnergyFlux	The amount of energy passing through a unit area in a unit time.																																	
enumeration	EquivalentWidth	The spectral width of a total absorption line having the amount of absorbed radiant energy being equivalent to that in an observed absorption line.																																	
enumeration	Frequency	The number of occurrences of a repeating event per unit time.																																	
enumeration	Gyrofrequency	The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.																																	
enumeration	Intensity	The measurement of radiant or wave energy per unit detector area per unit bandwidth per unit solid angle per unit time.																																	

	enumeration	LineDepth	The measure of the amount of absorption below the continuum (depth) in a particular wavelength or frequency in an absorption spectrum.
	enumeration	MagneticField	A region of space near a magnetized body where magnetic forces can be detected (as measured by methods such as Zeeman splitting, etc.).
	enumeration	ModeAmplitude	In helioseismology the magnitude of oscillation of waves of a particular geometry.
	enumeration	PlasmaFrequency	A number-density-dependent characteristic frequency of a plasma.
	enumeration	Polarization	Direction of the electric vector of an electromagnetic wave. The wave can be linearly polarized in any direction perpendicular to the direction of travel, circularly polarized (clockwise or counterclockwise), unpolarized, or mixtures of the above.
	enumeration	PoyntingFlux	Electromagnetic energy flux transported by a wave characterized as the rate of energy transport per unit area per steradian.
	enumeration	PropagationTime	Time difference between transmission and reception of a wave in an active wave experiment.
	enumeration	StokesParameters	A set of four parameters (usually called I,Q, U and V) which describe the polarization state of an electromagnetic wave propagating through space.
	enumeration	Velocity	Rate of change of position. Also used for the average velocity of a collection of particles, also referred to as "bulk velocity".
	enumeration	Wavelength	The peak-to-peak distance over one wave period.
Used by	Complex Type	Wave	
Source			<pre><xsd:element name="WaveQuantity" type="enumWaveQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the physical properties of a wave.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element WavelengthRange

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>The diagram illustrates the structure of the <code>WavelengthRange</code> element. It is a complex type (<code>WavelengthRange</code>) with the following attributes:</p> <ul style="list-style-type: none"> SpectralRange (Type: <code>enumSpectralRange</code>): A general term used to describe wavelengths or frequencies within a given span of values for those quantities. Low (Type: <code>xsd:double</code>): The smallest value within a range of possible values. High (Type: <code>xsd:double</code>): The largest value within a range of possible values. Units (Type: <code>xsd:string</code>): A description of the standardized measurement increments in which a value is specified. The description is represented... Bin (Type: <code>Bin</code>): A range of possible values for the observed wavelength.
Type	WavelengthRange

Properties	content:	complex
Used by	Complex Type	Wave
Model	SpectralRange{0,1} , Low , High , Units , Bin*	
Children	Bin, High, Low, SpectralRange, Units	
Instance	<WavelengthRange xmlns="http://impex-fp7.oeaw.ac.at"> <SpectralRange>{0,1}</SpectralRange> <Low>{1,1}</Low> <High>{1,1}</High> <Units>{1,1}</Units> <Bin>{0,unbounded}</Bin> </WavelengthRange>	
Source	<xsd:element name="WavelengthRange" type="WavelengthRange" />	

Element Mixed

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class Mixed { <<Substitution Group>> <<ParameterEntity>> <<Abstract true>> } class MixedQuantity { <<MixedQuantity>> <<Type enumMixedQuantity>> } class ParticleType { <<ParticleType>> <<Type enumParticleType>> } class Qualifier { <<Qualifier>> <<Type enumQualifier>> } Mixed < -- MixedQuantity Mixed < -- ParticleType Mixed < -- Qualifier </pre> <p>A parameter derived from more than one of the type of parameter. For example, plasma beta, the ratio of plasma particle...</p>
Type	Mixed
Properties	content: complex
Substitution Group Affiliation	• ParameterEntity
Model	MixedQuantity , ParticleType* , Qualifier*
Children	MixedQuantity, ParticleType, Qualifier
Instance	<Mixed xmlns="http://impex-fp7.oeaw.ac.at"> <MixedQuantity>{1,1}</MixedQuantity> <ParticleType>{0,unbounded}</ParticleType> <Qualifier>{0,unbounded}</Qualifier> </Mixed>
Source	<xsd:element name="Mixed" type="Mixed" substitutionGroup="ParameterEntity" />

Element MixedQuantity

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A characterization of the combined attributes of a quantity.
Diagram	<pre> classDiagram class MixedQuantity { <<MixedQuantity>> <<Type enumMixedQuantity>> } class enumMixedQuantity MixedQuantity --> enumMixedQuantity </pre> <p>A characterization of the combined attributes of a quantity.</p>
Type	enumMixedQuantity

Properties	content:	simple
Facets	enumeration	AkasofuEpsilon A measure of the magnetopause energy flux and an indicator of the solar wind power available for subsequent magnetospheric energization. Defined as: $V*B^2*l^2\sin(\theta/2)^4$ where B is the IMF, l is an empirical scaling parameter equal to 7 RE, and $\theta = \tan(BY/BZ)^{-1}$ the IMF clock angle.
	enumeration	AlfvenMachNumber The ratio of the bulk flow speed to the Alfvén speed.
	enumeration	AlfvenVelocity Phase velocity of the Alfvén wave; In SI units it is the velocity of the magnetic field divided by the square root of the mass density times the permeability of free space (μ_0).
	enumeration	FrequencyToGyrofrequencyRatio The ratio of the characteristic frequency of a medium to gyrofrequency of a particle.
	enumeration	MagnetosonicMachNumber The ratio of the velocity of fast mode waves to the Alfvén velocity.
	enumeration	Other Not classified with more specific terms. The context of its usage may be described in related text.
	enumeration	PlasmaBeta The ratio of the plasma pressure (nkT) to the magnetic pressure ($B^2/2\mu_0$) of the $SUM(nkT)/(B^2/2\mu_0)$.
	enumeration	TotalPressure In an MHD fluid it is the number density (N) times Boltzmann constant times the temperature in Kelvin.
	enumeration	VCrossB The cross product of the charge velocity (V) and the magnetic field (B). It is the electric field exerted on a point charge by a magnetic field.
Used by	Complex Type	Mixed
Source	<pre><xsd:element name="MixedQuantity" type="enumMixedQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the combined attributes of a quantity.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ParticleType

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	A characterization of the kind of particle observed by the measurement.	
Diagram	<p>A characterizations of the kind of particle observed by the measurement.</p>	
Type	enumParticleType	
Properties	content: simple	
Facets	enumeration	Aerosol A suspension of fine solid or liquid particles in a gas.
	enumeration	AlphaParticle A positively charged nuclear particle that consists of two protons and two neutrons.
	enumeration	Atom Matter consisting of a nucleus surrounded by electrons which has no net charge.
	enumeration	Dust Free microscopic particles of solid material.
	enumeration	Electron An elementary particle consisting of a charge of negative electricity equal to about 1.602×10^{-19} Coulomb and having a mass when at rest of about 9.109534×10^{-28} gram.
	enumeration	Ion An atom that has acquired a net electric charge by gaining or losing one or more electrons.(Note: Z>2)

	enumeration	Molecule	A group of atoms so united and combined by chemical affinity that they form a complete, integrated whole, being the smallest portion of any particular compound that can exist in a free state
	enumeration	Neutron	An elementary particle that has no net charge and is a constituent of atomic nuclei, and that has a mass slightly large than a proton (1.673×10^{-24} gram.)
	enumeration	Proton	An elementary particle that is a constituent of all atomic nuclei, that carries a positive charge numerically equal to the charge of an electron, and that has a mass of 1.673×10^{-24} gram.
Used by	Complex Types	InputPopulation, Mixed, Particle	
Source			<pre><xsd:element name="ParticleType" type="enumParticleType"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the kind of particle observed by the measurement.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Support

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	
Type	Support
Properties	content: complex
Substitution Group Affiliation	• ParameterEntity
Model	Qualifier*, SupportQuantity
Children	Qualifier, SupportQuantity
Instance	<pre><Support xmlns="http://impex-fp7.oeaw.ac.at"> <Qualifiers>{0,unbounded}</Qualifiers> <SupportQuantity>{1,1}</SupportQuantity> </Support></pre>
Source	<pre><xsd:element name="Support" type="Support" substitutionGroup="ParameterEntity"/></pre>

Element SupportQuantity


Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A characterization of the support information.
Diagram	

Type	enumSupportQuantity	
Properties	content: simple	
Facets	enumeration	InstrumentMode An indication of a state (mode) in which the instrument is operating. How a mode influences the interpretation and representation of data is described in instrument related documentation.
	enumeration	Other Not classified with more specific terms. The context of its usage may be described in related text.
	enumeration	Positional The specification of the location of an object or measurement within a reference coordinate system. The position is usually expressed as a set of values corresponding to the location along a set of orthogonal axes together with the date/time of the observation.
	enumeration	Temporal Pertaining to time.
	enumeration	Velocity Rate of change of position. Also used for the average velocity of a collection of particles, also referred to as "bulk velocity".
Used by	Complex Type	Support
Source	<pre><xsd:element name="SupportQuantity" type="enumSupportQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the support information.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element DisplayData

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	DisplayData
Properties	content: complex
Substitution Group Affiliation	• ResourceEntity
Model	ResourceID , ResourceHeader , AccessInformation+ , ProcessingLevel{0,1} , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , InstrumentID* , MeasurementType+ , TemporalDescription{0,1} , SpectralRange* , DisplayCadence{0,1} , ObservedRegion* , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , Extension*
Children	AccessInformation, Caveats, DisplayCadence, Extension, InputResourceID, InstrumentID, Keyword, MeasurementType, ObservedRegion, Parameter, ProcessingLevel, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SpectralRange, TemporalDescription
Instance	<pre><DisplayData xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessInformation>{1,unbounded}</AccessInformation> <ProcessingLevel>{0,1}</ProcessingLevel> <ProviderResourceName>{0,1}</ProviderResourceName> <ProviderProcessingLevel>{0,1}</ProviderProcessingLevel> <ProviderVersion>{0,1}</ProviderVersion> <InstrumentID>{0,unbounded}</InstrumentID> <MeasurementType>{1,unbounded}</MeasurementType> <TemporalDescription>{0,1}</TemporalDescription> <SpectralRange>{0,unbounded}</SpectralRange> <DisplayCadence>{0,1}</DisplayCadence> <ObservedRegion>{0,unbounded}</ObservedRegion> <Caveats>{0,1}</Caveats> <Keyword>{0,unbounded}</Keyword> <InputResourceID>{0,unbounded}</InputResourceID> <Parameter>{0,unbounded}</Parameter> <Extension>{0,unbounded}</Extension> </DisplayData></pre>
Source	<code><xsd:element name="DisplayData" type="DisplayData" substitutionGroup="ResourceEntity" /></code>

Element ProcessingLevel

Namespace	http://impex-fp7.oeaw.ac.at											
Annotations	The standard classification of the processing performed on the product.											
Diagram												
Type	enumProcessingLevel											
Properties	content: simple											
Facets	<table> <tr> <td>enumeration</td> <td>Calibrated</td> <td>Data wherein sensor outputs have been convolved with instrument response function, often irreversibly, to yield data in physical units.</td> </tr> <tr> <td>enumeration</td> <td>Raw</td> <td>Data in its original state with no processing to account for calibration!!!</td> </tr> <tr> <td>enumeration</td> <td>Uncalibrated</td> <td>Duplicate data are removed from the data stream and data are time ordered. Values are not adjusted for any potential biases or external factors.</td> </tr> </table>			enumeration	Calibrated	Data wherein sensor outputs have been convolved with instrument response function, often irreversibly, to yield data in physical units.	enumeration	Raw	Data in its original state with no processing to account for calibration!!!	enumeration	Uncalibrated	Duplicate data are removed from the data stream and data are time ordered. Values are not adjusted for any potential biases or external factors.
enumeration	Calibrated	Data wherein sensor outputs have been convolved with instrument response function, often irreversibly, to yield data in physical units.										
enumeration	Raw	Data in its original state with no processing to account for calibration!!!										
enumeration	Uncalibrated	Duplicate data are removed from the data stream and data are time ordered. Values are not adjusted for any potential biases or external factors.										
Used by	Complex Types	DisplayData, DisplayOutput, NumericalData, NumericalOutput										
Source	<pre><xsd:element name="ProcessingLevel" type="enumProcessingLevel"> <xsd:annotation> <xsd:documentation xml:lang="en">The standard classification of the processing performed on the product.</xsd:documentation> </xsd:annotation> </xsd:element></pre>											

Element ProviderProcessingLevel

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Annotations	The provider specific classification of the processing performed on the product.
Diagram	<p>The provider specific classification of the processing performed on the product.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Types DisplayData, DisplayOutput, NumericalData, NumericalOutput, SimulationRun
Source	<pre><xsd:element name="ProviderProcessingLevel" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The provider specific classification of the processing performed on the product.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element MeasurementType

Namespace	http://impexfp7.oeaw.ac.at																																
Annotations	A characterization of the quantitative assessment of a phenomenon.																																
Diagram	<p>A characterization of the quantitative assessment of a phenomenon.</p> <p>Identifiers for the method of making an estimated value of a quantity that forms the basis of an observation.</p>																																
Type	enumMeasurementType																																
Properties	content: simple																																
Facets	<table border="1"> <tr> <td>enumeration</td> <td>ActivityIndex</td> <td>An indication, derived from one or more measurements, of the level of activity of an object or region, such as sunspot number, F10.7 flux, Dst, or the Polar Cap Indices.</td> </tr> <tr> <td>enumeration</td> <td>Dopplergram</td> <td>A map or image depicting the spatial distribution of line-of-sight velocities of the observed object.</td> </tr> <tr> <td>enumeration</td> <td>Dust</td> <td>Free microscopic particles of solid material.</td> </tr> <tr> <td>enumeration</td> <td>ElectricField</td> <td>A region of space around a charged particle, or between two voltages within which a force is exerted on charged objects in its vicinity. An electric field is the electric force per unit charge.</td> </tr> <tr> <td>enumeration</td> <td>EnergeticParticles</td> <td>Pieces of matter that are moving very fast. Energetic particles include protons, electrons, neutrons, neutrinos, the nuclei of atoms, and other sub-atomic particles.</td> </tr> <tr> <td>enumeration</td> <td>Ephemeris</td> <td>The spatial coordinates of a body as a function of time. When used as an Instrument Type it represents the process or methods used to generate spatial coordinates.</td> </tr> <tr> <td>enumeration</td> <td>ImageIntensity</td> <td>Measurements of the two-dimensional distribution of the intensity of photons from some region or object such as the Sun or the polar auroral regions; can be in any wavelength band, and polarized, etc.</td> </tr> <tr> <td>enumeration</td> <td>InstrumentStatus</td> <td>A quantity directly related to the operation or function of an instrument.</td> </tr> <tr> <td>enumeration</td> <td>IonComposition</td> <td>In situ measurements of the relative flux or density of electrically charged particles in the space environment. May give simple fluxes, but full distribution functions are sometimes measured.</td> </tr> <tr> <td>enumeration</td> <td>Irradiance</td> <td>Irradiance - A radiometric term for the power of electromagnetic radiation at a surface, per unit area. "Irradiance" is used when the</td> </tr> </table>			enumeration	ActivityIndex	An indication, derived from one or more measurements, of the level of activity of an object or region, such as sunspot number, F10.7 flux, Dst, or the Polar Cap Indices.	enumeration	Dopplergram	A map or image depicting the spatial distribution of line-of-sight velocities of the observed object.	enumeration	Dust	Free microscopic particles of solid material.	enumeration	ElectricField	A region of space around a charged particle, or between two voltages within which a force is exerted on charged objects in its vicinity. An electric field is the electric force per unit charge.	enumeration	EnergeticParticles	Pieces of matter that are moving very fast. Energetic particles include protons, electrons, neutrons, neutrinos, the nuclei of atoms, and other sub-atomic particles.	enumeration	Ephemeris	The spatial coordinates of a body as a function of time. When used as an Instrument Type it represents the process or methods used to generate spatial coordinates.	enumeration	ImageIntensity	Measurements of the two-dimensional distribution of the intensity of photons from some region or object such as the Sun or the polar auroral regions; can be in any wavelength band, and polarized, etc.	enumeration	InstrumentStatus	A quantity directly related to the operation or function of an instrument.	enumeration	IonComposition	In situ measurements of the relative flux or density of electrically charged particles in the space environment. May give simple fluxes, but full distribution functions are sometimes measured.	enumeration	Irradiance	Irradiance - A radiometric term for the power of electromagnetic radiation at a surface, per unit area. "Irradiance" is used when the
enumeration	ActivityIndex	An indication, derived from one or more measurements, of the level of activity of an object or region, such as sunspot number, F10.7 flux, Dst, or the Polar Cap Indices.																															
enumeration	Dopplergram	A map or image depicting the spatial distribution of line-of-sight velocities of the observed object.																															
enumeration	Dust	Free microscopic particles of solid material.																															
enumeration	ElectricField	A region of space around a charged particle, or between two voltages within which a force is exerted on charged objects in its vicinity. An electric field is the electric force per unit charge.																															
enumeration	EnergeticParticles	Pieces of matter that are moving very fast. Energetic particles include protons, electrons, neutrons, neutrinos, the nuclei of atoms, and other sub-atomic particles.																															
enumeration	Ephemeris	The spatial coordinates of a body as a function of time. When used as an Instrument Type it represents the process or methods used to generate spatial coordinates.																															
enumeration	ImageIntensity	Measurements of the two-dimensional distribution of the intensity of photons from some region or object such as the Sun or the polar auroral regions; can be in any wavelength band, and polarized, etc.																															
enumeration	InstrumentStatus	A quantity directly related to the operation or function of an instrument.																															
enumeration	IonComposition	In situ measurements of the relative flux or density of electrically charged particles in the space environment. May give simple fluxes, but full distribution functions are sometimes measured.																															
enumeration	Irradiance	Irradiance - A radiometric term for the power of electromagnetic radiation at a surface, per unit area. "Irradiance" is used when the																															

		electromagnetic radiation is incident on the surface. Irradiance data may be reported in any units (i.e. counts/s) due to, for example, being at a particular wavelength, or to being a not-fully-calibrated relative measurement.
enumeration	MagneticField	A region of space near a magnetized body where magnetic forces can be detected (as measured by methods such as Zeeman splitting, etc.).
enumeration	Magnetogram	Measurements of the vector or line-of-sight magnetic field determined from remote sensing measurements of the detailed structure of spectral lines, including their splitting and polarization. ("Magnetogram.")
enumeration	NeutralAtomImages	Measurements of neutral atom fluxes as a function of look direction; often related to remote energetic charged particles that lose their charge through charge-exchange and then reach the detector on a line-of-sight trajectory.
enumeration	NeutralGas	Measurements of neutral atomic and molecular components of a gas.
enumeration	Profile	Measurements of a quantity as a function of height above an object such as the limb of a body.
enumeration	Radiance	A radiometric measurement that describes the amount of electromagnetic radiation that passes through or is emitted from a particular area, and falls within a given solid angle in a specified direction. They are used to characterize both emission from diffuse sources and reflection from diffuse surfaces.
enumeration	Spectrum	The distribution of a characteristic of a physical system or phenomenon, such as the energy emitted by a radiant source, arranged in the order of wavelengths.
enumeration	ThermalPlasma	Measurements of the plasma in the energy regime where the most of the plasma occurs. May be the basic fluxes in the form of distribution functions or the derived bulk parameters (density, flow velocity, etc.).
enumeration	Waves	Data resulting from observations of wave experiments and natural wave phenomena. Wave experiments are typically active and natural wave phenomena are passive. Examples of wave experiments include coherent/incoherent scatter radars, radio soundings, VLF propagation studies, ionospheric scintillation of beacon satellite signals, etc. Examples of natural wave phenomena include micropulsations, mesospheric gravity waves, auroral/plasmaspheric hiss, Langmuir waves, AKR, Jovian decametric radiation, solar radio bursts, etc.
enumeration	Waves.Active	Exerting an influence or producing a change or effect. An active measurement is one which produces a transmission or excitation as a part of the measurement cycle.
enumeration	Waves.Passive	Movement or effect produced by outside influence. A passive measurement is one which does not produce a transmission or excitation as a part of the measurement cycle.
Used by	Complex Types	DisplayData, DisplayOutput, NumericalData, NumericalOutput
Source	<pre><xsd:element name="MeasurementType" type="enumMeasurementType"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the quantitative assessment of a phenomenon.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element TemporalDescription

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	<pre> classDiagram class TemporalDescription { TimeSpan Cadence Exposure } TimeSpan < -- "Type" TimeSpan Cadence < -- "Type" xsd:duration Exposure < -- "Type" xsd:duration </pre> <p>The time interval between the start of successive measurements.</p> <p>The time interval over which an individual measurement is taken.</p> <p>A characterization of the time over which the measurement was taken.</p>
Type	TemporalDescription
Properties	content: complex
Used by	Complex Types DisplayData, DisplayOutput, NumericalData, NumericalOutput
Model	TimeSpan , Cadence{0,1} , Exposure{0,1}
Children	Cadence, Exposure, TimeSpan
Instance	<pre> <TemporalDescription xmlns="http://impex-fp7.oeaw.ac.at"> <TimeSpan>{1,1}</TimeSpan> <Cadence>{0,1}</Cadence> <Exposure>{0,1}</Exposure> </TemporalDescription> </pre>
Source	<code><xsd:element name="TemporalDescription" type="TemporalDescription"/></code>

Element Exposure

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The time interval over which an individual measurement is taken.
Diagram	<pre> classDiagram class Exposure { xsd:duration } </pre> <p>The time interval over which an individual measurement is taken.</p> <p>Built-in primitive type. The duration datatype represents a duration of time.</p>
Type	xsd:duration
Properties	content: simple
Used by	Complex Type TemporalDescription
Source	<pre> <xsd:element name="Exposure" type="xsd:duration"> <xsd:annotation> <xsd:documentation xml:lang="en">The time interval over which an individual measurement is taken.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element DisplayCadence

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The time interval between the successive display elements.
Diagram	<pre> classDiagram class DisplayCadence { xsd:duration } </pre> <p>The time interval between the successive display elements.</p> <p>Built-in primitive type. The duration datatype represents a duration of time.</p>
Type	xsd:duration
Properties	content: simple
Used by	Complex Types DisplayData, DisplayOutput

Source	<pre><xsd:element name="DisplayCadence" type="xsd:duration"> <xsd:annotation> <xsd:documentation xml:lang="en">The time interval between the successive display elements.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>
--------	---

Element ObservedRegion

Namespace	http://impex-fp7.oeaw.ac.at																																								
Annotations	<p>The portion of space measured by the instrument at the time of an observation. A region is distinguished by certain natural features or physical characteristics. It is the location of the observatory for in situ data, the location or region sensed by remote sensing observatories and the location-of-relevance for parameters that are derived from observational data.</p>																																								
Diagram	<pre> classDiagram class ObservedRegion { <<Type enumRegion>> } class enumRegion { <<Identifiers for areas of the physical world which may be occupied or observed.>> } ObservedRegion "1" -- "1" enumRegion </pre> <p>The portion of space measured by the instrument at the time of an observation. A region is distinguished by certain...</p> <p>Identifiers for areas of the physical world which may be occupied or observed.</p>																																								
Type	enumRegion																																								
Properties	content: simple																																								
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Asteroid</td> <td>A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.</td> </tr> <tr> <td>enumeration</td> <td>Callisto</td> <td>A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system</td> </tr> <tr> <td>enumeration</td> <td>Comet</td> <td>A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.</td> </tr> <tr> <td>enumeration</td> <td>Earth</td> <td>The third planet from the sun in our solar system.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosheath</td> <td>The region between the bow shock and the magnetopause, characterized by very turbulent plasma.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere</td> <td>The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Magnetotail</td> <td>The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re (X > -10Re).</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Main</td> <td>The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Polar</td> <td>The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.RadiationBelt</td> <td>The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface</td> <td>The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.Atmosphere</td> <td>The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.AuroralRegion</td> <td>The region in the atmospheric where electrically-charged</td> </tr> </table>		enumeration	Asteroid	A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.	enumeration	Callisto	A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system	enumeration	Comet	A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.	enumeration	Earth	The third planet from the sun in our solar system.	enumeration	Earth.Magnetosheath	The region between the bow shock and the magnetopause, characterized by very turbulent plasma.	enumeration	Earth.Magnetosphere	The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.	enumeration	Earth.Magnetosphere.Magnetotail	The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re (X > -10Re).	enumeration	Earth.Magnetosphere.Main	The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.	enumeration	Earth.Magnetosphere.Polar	The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.	enumeration	Earth.Magnetosphere.RadiationBelt	The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.	enumeration	Earth.NearSurface	The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.	enumeration	Earth.NearSurface.Atmosphere	The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.	enumeration	Earth.NearSurface.AuroralRegion	The region in the atmospheric where electrically-charged
enumeration	Asteroid	A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.																																							
enumeration	Callisto	A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system																																							
enumeration	Comet	A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.																																							
enumeration	Earth	The third planet from the sun in our solar system.																																							
enumeration	Earth.Magnetosheath	The region between the bow shock and the magnetopause, characterized by very turbulent plasma.																																							
enumeration	Earth.Magnetosphere	The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.																																							
enumeration	Earth.Magnetosphere.Magnetotail	The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re (X > -10Re).																																							
enumeration	Earth.Magnetosphere.Main	The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.																																							
enumeration	Earth.Magnetosphere.Polar	The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.																																							
enumeration	Earth.Magnetosphere.RadiationBelt	The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.																																							
enumeration	Earth.NearSurface	The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.																																							
enumeration	Earth.NearSurface.Atmosphere	The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.																																							
enumeration	Earth.NearSurface.AuroralRegion	The region in the atmospheric where electrically-charged																																							

		particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.
enumeration	Earth.NearSurface.EquatorialRegion	The region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.
enumeration	Earth.NearSurface.Ionosphere	The charged or ionized gases surrounding a body that are nominally bound to the body by virtue of the gravitational attraction.
enumeration	Earth.NearSurface.Ionosphere.DRegion	The region of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.
enumeration	Earth.NearSurface.Ionosphere.ERegion	Ionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.
enumeration	Earth.NearSurface.Ionosphere.FRegion	A region that contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.
enumeration	Earth.NearSurface.Ionosphere.ThTopside	The region at the upper most areas of the ionosphere.
enumeration	Earth.NearSurface.Mesosphere	The layer of the atmosphere that extends from the Stratosphere to a range of 80 km to 85 km, temperature decreasing with height.
enumeration	Earth.NearSurface.Plasmasphere	Region of the magnetosphere consisting of low energy (cool) plasma. It is located above the ionosphere. The outer boundary of the plasmasphere is known as the plasmapause, which is defined by an order of magnitude drop in plasma density.
enumeration	Earth.NearSurface.PolarCap	The areas of the globe surrounding the poles and consisting of the region north of 60 degrees north latitude an the region south of 60 degrees south latitude.
enumeration	Earth.NearSurface.SouthAtlanticAnomalyRegion	The region where Earth's inner van Allen radiation belt makes its closest approach to the planet's surface. The result is that, for a given altitude, the radiation intensity is higher over this region than elsewhere.
enumeration	Earth.NearSurface.Stratosphere	The layer of the atmosphere that extends from the troposphere to about 30 km, temperature increases with height. The stratosphere contains the ozone layer.
enumeration	Earth.NearSurface.Thermosphere	The layer of the atmosphere that extends from the Mesosphere to 640+ km, temperature increasing with height.
enumeration	Earth.NearSurface.Troposphere	The lowest layer of the atmosphere which begins at the surface and extends to between 7 km (4.4 mi) at the poles and 17 km (10.6 mi) at the equator, with some variation due to weather factors.
enumeration	Earth.Surface	The outermost area of a solid object.
enumeration	Enceladus	One of the innermost moons of Saturn.
enumeration	Europa	The sixth-closest moon of the planet Jupiter
enumeration	Ganymede	The biggest moon of Jupiter planet in our solar system.
enumeration	Heliosphere	The solar atmosphere extending roughly from the outer corona to the edge of the solar plasma at the heliopause separating primarily solar plasma from interstellar plasma.
enumeration	Heliosphere.Heliosheath	The region extending radially outward from the heliospheric termination shock and in which the decelerated solar wind plasma is still significant.


enumeration	Heliosphere.Inner	The region of the heliosphere extending radially outward from the solar coronal base to just inside 1 AU.
enumeration	Heliosphere.NearEarth	The heliospheric region near the Earth which extends to and includes the area near the L1 and L2 Lagrange point.
enumeration	Heliosphere.Outer	The region of the heliosphere extending radially outward from just outside 1 AU to the heliospheric termination shock.
enumeration	Heliosphere.Remote1AU	A roughly toroidal region that includes the Earth's orbit, but exclusive of the region near the Earth.
enumeration	Interstellar	The region between stars outside of the star's heliopause.
enumeration	Io	The innermost of the four Galilean moons of the planet Jupiter
enumeration	Jupiter	The fifth planet from the sun in our solar system.
enumeration	Jupiter.Magnetosphere	The magnetosphere of the fifth planet from the sun in our solar system.
enumeration	Mars	The forth planet from the sun in our solar system.
enumeration	Mercury	The first planet from the sun in our solar system.
enumeration	Mercury.Magnetosphere	The magnetosphere of the first planet from the sun in our solar system.
enumeration	Neptune	The seventh planet from the sun in our solar system.
enumeration	Planet	There are eighth planets in the solar system.
enumeration	Planet.Magnetosphere	The magnetosphere of one of the planets in the solar system.
enumeration	Pluto	The ninth (sub)planet from the sun in our solar system.
enumeration	Rhea	The second-largest moon of Saturn and the ninth largest moon in the Solar System
enumeration	Saturn	The sixth planet from the sun in our solar system.
enumeration	Saturn.Magnetosphere	The magnetosphere of the sixth planet from the sun in our solar system.
enumeration	Sun	The star upon which our solar system is centered.
enumeration	Sun.Chromosphere	The region of the Sun's (or a star's) atmosphere above the temperature minimum and below the Transition Region. The solar chromosphere is approximately 400 km to 2100 km above the photosphere, and characterized by temperatures from 4500 - 28000 K.
enumeration	Sun.Corona	The outermost atmospheric region of the Sun or a star, characterized by ionization temperatures above 10^5 K. The solar corona starts at about 2100 km above the photosphere; there is no generally defined upper limit.
enumeration	Sun.Interior	The region inside the body which is not visible from outside the body.
enumeration	Sun.Photosphere	The atmospheric layer of the Sun or a star from which continuum radiation, especially optical, is emitted to space. For the Sun, the photosphere is about 500 km thick.
enumeration	Sun.TransitionRegion	A very narrow (<100 km) layer between the chromosphere and the corona where the temperature rises abruptly from about 8000 to about 500,000 K.
enumeration	Titan	The largest moon of Saturn
enumeration	Uranus	The eighth planet from the sun in our solar system.
enumeration	Venus	The second planet from the sun in our solar

		system.
Used by	Complex Types	DisplayData, NumericalData, ObservationExtent
Source		<pre><xsd:element name="ObservedRegion" type="enumRegion"> <xsd:annotation> <xsd:documentation xml:lang="en">The portion of space measured by the instrument at the time of an observation. A region is distinguished by certain natural features or physical characteristics. It is the location of the observatory for in situ data, the location or region sensed by remote sensing observatories and the location-of-relevance for parameters that are derived from observational data.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element NumericalData

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	NumericalData
Properties	content: complex
Substitution Group Affiliation	• ResourceEntity
Model	ResourceID , ResourceHeader , AccessInformation+ , ProcessingLevel{0,1} , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , InstrumentID* , MeasurementType+ , TemporalDescription{0,1} , SpectralRange* , ObservedRegion* , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , Extension*
Children	AccessInformation, Caveats, Extension, InputResourceID, InstrumentID, Keyword, MeasurementType, ObservedRegion, Parameter, ProcessingLevel, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SpectralRange, TemporalDescription
Instance	<pre><NumericalData xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessInformation>{1,unbounded}</AccessInformation> <ProcessingLevel>{0,1}</ProcessingLevel> <ProviderResourceName>{0,1}</ProviderResourceName> <ProviderProcessingLevel>{0,1}</ProviderProcessingLevel> <ProviderVersion>{0,1}</ProviderVersion> <InstrumentID>{0,unbounded}</InstrumentID> <MeasurementType>{1,unbounded}</MeasurementType> <TemporalDescription>{0,1}</TemporalDescription> <SpectralRange>{0,unbounded}</SpectralRange> <ObservedRegion>{0,unbounded}</ObservedRegion> <Caveats>{0,1}</Caveats> <Keyword>{0,unbounded}</Keyword> <InputResourceID>{0,unbounded}</InputResourceID> <Parameter>{0,unbounded}</Parameter> <Extension>{0,unbounded}</Extension> </NumericalData></pre>
Source	<xsd:element name="NumericalData" type="NumericalData" substitutionGroup="ResourceEntity"/>

Element Document

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------


Diagram	
Type	Document
Properties	content: complex
Substitution Group Affiliation	<ul style="list-style-type: none"> ResourceEntity
Model	ResourceID , ResourceHeader , AccessInformation+ , Keyword* , DocumentType , MIMEType , InputResourceID*
Children	AccessInformation, DocumentType, InputResourceID, Keyword, MIMEType, ResourceHeader, ResourceID
Instance	<pre><Document xmlns="http://impex-fp7.oewa.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessInformation>{1,unbounded}</AccessInformation> <Keyword>{0,unbounded}</Keyword> <DocumentType>{1,1}</DocumentType> <MIMEType>{1,1}</MIMEType> <InputResourceID>{0,unbounded}</InputResourceID> </Document></pre>
Source	<code><xsd:element name="Document" type="Document" substitutionGroup="ResourceEntity"/></code>

Element DocumentType

Namespace	http://impex-fp7.oewa.ac.at
Annotations	A characterization of the content, purpose, or style of the document.
Diagram	
Type	enumDocumentType

Properties	content:	simple	
Facets	enumeration	Other	
	enumeration	Poster	A set of information arranged on a single page or sheet, typically in a large format.
	enumeration	Presentation	A set of information that is used when communicating to an audience.
	enumeration	Report	A document which describes the findings of some individual or group.
	enumeration	Specification	A detailed description of the requirements and other aspects of an object or component that may be used to develop an implementation.
	enumeration	TechnicalNote	A document summarizing the performance and other technical characteristics of a product, machine, component, subsystem or software in sufficient detail to be used by an engineer or researcher.
	enumeration	WhitePaper	An authoritative report giving information or proposals on an issue.
Used by	Complex Type	Document	
Source	<pre><xsd:element name="DocumentType" type="enumDocumentType"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the content, purpose, or style of the document.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element MIMETYPE

Namespace	http://impex-fp7.oeaw.ac.at				
Annotations	Multipurpose Internet Mail Extensions (MIME) type and sub-type which characterizes the format of a file. MIME media types are define in RFC memorandum RFC 2046. Current MIME types are maintained by Internet Assigned Numbers Authority (IANA) at http://www.iana.org/assignments/media-types/index.html . Commonly used MIME types are: application/vnd.ms-powerpoint (ppt, pptx), application/vnd.ms-excel (xls, xlsx), text/richtext (rtx), application/postscript (eps, ps), application/pdf (pdf), application/xml-dtd (dtd), text/html (htm, html), text/xml (xsl, xml, xsd), application/x-dvi (dvi). If a document is compressed the specified MIME type should be for the uncompressed document.				
Diagram	 <p>Multipurpose Internet Mail Extensions (MIME) type and sub-type which characterizes the format of a file. MIME media...</p> <p>Built-in primitive type. It defines the boolean values true and false.</p>				
Type	xsd:boolean				
Properties	<table border="1"> <tr> <td>content:</td> <td>simple</td> </tr> <tr> <td>default:</td> <td>true</td> </tr> </table>	content:	simple	default:	true
content:	simple				
default:	true				
Used by	Complex Type Document				
Source	<pre><xsd:element name="MIMETYPE" type="xsd:boolean" default="true"> <xsd:annotation> <xsd:documentation xml:lang="en">Multipurpose Internet Mail Extensions (MIME) type and sub-type which characterizes the format of a file. MIME media types are define in RFC memorandum RFC 2046. Current MIME types are maintained by Internet Assigned Numbers Authority (IANA) at http://www.iana.org/assignments/media-types/index.html. Commonly used MIME types are: application/vnd.ms-powerpoint (ppt, pptx), application/vnd.ms-excel (xls, xlsx), text/richtext (rtx), application/postscript (eps, ps), application/pdf (pdf), application/xml-dtd (dtd), text/html (htm, html), text/xml (xsl, xml, xsd), application/x-dvi (dvi). If a document is compressed the specified MIME type should be for the uncompressed document.</xsd:documentation> </xsd:annotation> </xsd:element></pre>				

Element Source

Namespace	http://impex-fp7.oewa.ac.at
Diagram	<pre> classDiagram class Source { SourceType URL MirrorURL Checksum DataExtent } Source "0..1" -- "1..1" SourceType : SourceType Source "0..1" -- "1..1" URL : URL Source "0..infinity" -- "1..1" MirrorURL : MirrorURL Source "0..1" -- "1..1" Checksum : Checksum Source "0..1" -- "1..1" DataExtent : DataExtent note over Source: The location and attributes of an object. </pre>
Type	Source
Properties	content: complex
Used by	Complex Type Granule
Model	SourceType , URL , MirrorURL* , Checksum{0,1} , DataExtent{0,1}
Children	Checksum, DataExtent, MirrorURL, SourceType, URL
Instance	<pre> <Source xmlns="http://impex-fp7.oewa.ac.at"> <SourceType>{1,1}</SourceType> <URL>{1,1}</URL> <MirrorURL>{0,unbounded}</MirrorURL> <Checksum>{0,1}</Checksum> <DataExtent>{0,1}</DataExtent> </Source> </pre>
Source	<xsd:element name="Source" type="Source"/>

Element SourceType

Namespace	http://impex-fp7.oewa.ac.at									
Annotations	A characterization of the function or purpose of the source.									
Diagram	<pre> classDiagram class SourceType { enumSourceType } SourceType "1..1" -- "1..1" enumSourceType : enumSourceType note over SourceType: Identifiers for the characterization of the function or purpose of a source. </pre>									
Type	enumSourceType									
Properties	content: simple									
Facets	<table border="0"> <tr> <td>enumeration</td> <td>Ancillary</td> <td>A complementary item which can be subordinate, subsidiary, auxiliary, supplementary to the primary item.</td> </tr> <tr> <td>enumeration</td> <td>Browse</td> <td>A representation of an image which is suitable to reveal most or all of the details of the image.</td> </tr> <tr> <td>enumeration</td> <td>Data</td> <td>A collection of organized information, usually the results of experience, observation or experiment, or a set of premises. This may consist of numbers, words, or images, particularly as measurements or observations of a set of</td> </tr> </table>	enumeration	Ancillary	A complementary item which can be subordinate, subsidiary, auxiliary, supplementary to the primary item.	enumeration	Browse	A representation of an image which is suitable to reveal most or all of the details of the image.	enumeration	Data	A collection of organized information, usually the results of experience, observation or experiment, or a set of premises. This may consist of numbers, words, or images, particularly as measurements or observations of a set of
enumeration	Ancillary	A complementary item which can be subordinate, subsidiary, auxiliary, supplementary to the primary item.								
enumeration	Browse	A representation of an image which is suitable to reveal most or all of the details of the image.								
enumeration	Data	A collection of organized information, usually the results of experience, observation or experiment, or a set of premises. This may consist of numbers, words, or images, particularly as measurements or observations of a set of								

		variables.
	enumeration Layout	The structured arrangement of items in a collection.
	enumeration Thumbnail	A small representation of an image which is suitable to infer what the full-sized image is like.
Used by	Complex Type	Source
Source	<pre><xsd:element name="SourceType" type="enumSourceType"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the function or purpose of the source.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element MirrorURL

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	A Uniform Resource Locator (URL) to an alternate location of a resource.	
Diagram	<pre> classDiagram class MirrorURL { <<Uniform Resource Locator (URL) to an alternate location of a resource.>> } class xsd:string { <<Built-in primitive type. The string datatype represents character strings in XML.>> } MirrorURL "0..1" -- "1" xsd:string </pre> <p>A Uniform Resource Locator (URL) to an alternate location of a resource.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	xsd:string	
Properties	content:	simple
Used by	Complex Type	Source
Source	<pre><xsd:element name="MirrorURL" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A Uniform Resource Locator (URL) to an alternate location of a resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Checksum

Namespace	http://impex-fp7.oeaw.ac.at	
Diagram	<pre> classDiagram class Checksum { <<A computed value that is dependent upon the contents of a digital data object. Primarily used to check whether errors...>> } class HashValue { <<The value calculated by a hash function, e.g. the message digest of a digital data object.>> } class HashFunction { <<A function or algorithm that converts a digital data object into a hash value. Typically the hash value is small and...>> } Checksum "0..1" -- "1" HashValue Checksum "0..1" -- "1" HashFunction </pre> <p>A computed value that is dependent upon the contents of a digital data object. Primarily used to check whether errors...</p>	
Type	Checksum	
Properties	content:	complex
Used by	Complex Type	Source
Model	HashValue , HashFunction	
Children	HashFunction, HashValue	
Instance	<pre><Checksum xmlns="http://impex-fp7.oeaw.ac.at"> <HashValue>{1,1}</HashValue> <HashFunction>{1,1}</HashFunction> </Checksum></pre>	
Source	<pre><xsd:element name="Checksum" type="Checksum"/></pre>	

Element HashValue

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	The value calculated by a hash function, e.g. the message digest of a digital data object.	
Diagram	<p>The diagram shows a class named "HashValue" with a note below it: "The value calculated by a hash function, e.g. the message digest of a digital data object." A relationship line connects "HashValue" to a "xsd:string" element, with a note above it: "Type xsd:string". A callout box next to "xsd:string" states: "Built-in primitive type. The string datatype represents character strings in XML."</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	Checksum
Source	<pre><xsd:element name="HashValue" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The value calculated by a hash function, e.g. the message digest of a digital data object.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element HashFunction

Namespace	http://impex-fp7.oeaw.ac.at										
Annotations	A function or algorithm that converts a digital data object into a hash value. Typically the hash value is small and concise when compared to the digital data object.										
Diagram	<p>The diagram shows a class named "HashFunction" with a note below it: "A function or algorithm that converts a digital data object into a hash value. Typically the hash value is small and...". A relationship line connects "HashFunction" to an "enumHashFunction" element, with a note above it: "Type enumHashFunction". A callout box next to "enumHashFunction" states: "Identifiers for functions or algorithms that convert a digital data object into a hash value."</p>										
Type	enumHashFunction										
Properties	content: simple										
Facets	<table border="0"> <tr> <td>enumeration</td> <td>MD5</td> <td>Message Digest 5 (MD5) is a 128-bit message digest algorithm created in 1991 by Professor Ronald Rivest.</td> </tr> <tr> <td>enumeration</td> <td>SHA1</td> <td>Secure Hash Algorithm (SHA), a 160-bit message digest algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS) publication 180-1.</td> </tr> <tr> <td>enumeration</td> <td>SHA256</td> <td>Secure Hash Algorithm (SHA), a 256-bit message digest algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS) publication 180-1.</td> </tr> </table>		enumeration	MD5	Message Digest 5 (MD5) is a 128-bit message digest algorithm created in 1991 by Professor Ronald Rivest.	enumeration	SHA1	Secure Hash Algorithm (SHA), a 160-bit message digest algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS) publication 180-1.	enumeration	SHA256	Secure Hash Algorithm (SHA), a 256-bit message digest algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS) publication 180-1.
enumeration	MD5	Message Digest 5 (MD5) is a 128-bit message digest algorithm created in 1991 by Professor Ronald Rivest.									
enumeration	SHA1	Secure Hash Algorithm (SHA), a 160-bit message digest algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS) publication 180-1.									
enumeration	SHA256	Secure Hash Algorithm (SHA), a 256-bit message digest algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS) publication 180-1.									
Used by	Complex Type	Checksum									
Source	<pre><xsd:element name="HashFunction" type="enumHashFunction"> <xsd:annotation> <xsd:documentation xml:lang="en">A function or algorithm that converts a digital data object into a hash value. Typically the hash value is small and concise when compared to the digital data object.</xsd:documentation> </xsd:annotation> </xsd:element></pre>										

Element Instrument

Namespace	http://impex-fp7.oeaw.ac.at	
-----------	-----------------------------	--

Diagram	<pre> classDiagram class Instrument { ResourceID : xsd:string ResourceHeader : ResourceHeader InstrumentType : enumInstrumentType InvestigationName : xsd:string OperatingSpan : OperatingSpan ObservatoryID : xsd:string Caveats : xsd:string Extension : Extension } class ResourceEntity { Abstract : true } Instrument < -- ResourceEntity </pre>
Type	Instrument
Properties	content: complex
Substitution Group Affiliation	<ul style="list-style-type: none"> ResourceEntity
Model	ResourceID , ResourceHeader , InstrumentType+ , InvestigationName+ , OperatingSpan{0,1} , ObservatoryID , Caveats{0,1} , Extension*
Children	Caveats, Extension, InstrumentType, InvestigationName, ObservatoryID, OperatingSpan, ResourceHeader, ResourceID
Instance	<pre> <Instrument xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <InstrumentType>{1,unbounded}</InstrumentType> <InvestigationName>{1,unbounded}</InvestigationName> <OperatingSpan>{0,1}</OperatingSpan> <ObservatoryID>{1,1}</ObservatoryID> <Caveats>{0,1}</Caveats> <Extension>{0,unbounded}</Extension> </Instrument> </pre>
Source	<xsd:element name="Instrument" type="Instrument" substitutionGroup="ResourceEntity"/>

Element InstrumentType

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A characterization of an integrated collection of software and hardware containing one or more sensors and associated controls used to produce data on an environment.

Diagram	<p>A characterization of an integrated collection of software and hardware containing one or more sensors and associated...</p> <p>Identifiers for the type of experiment the instrument performs. This is the technique of observation.</p>	
Type	enumInstrumentType	
Properties	content: simple	
Facets	enumeration	Antenna A sensor used to measure electric potential.
	enumeration	Channeltron An instrument that detects electrons, ions, and UV-radiation, according to the principle of a secondary emission multiplier. It is typically used in electron spectroscopy and mass spectrometry.
	enumeration	Coronograph An instrument which can image things very close to the Sun by using a disk to block the Sun's bright surface which reveals the faint solar corona and other celestial objects.
	enumeration	DoubleSphere A dipole antenna of which the active (sensor) elements are small spheres located at the ends of two wires deployed in the equatorial plane, on opposite sides of a spinning spacecraft.
	enumeration	DustDetector An instrument which determines the mass and speed of ambient dust particles.
	enumeration	ElectronDriftInstrument An active experiment to measure the electron drift velocity based on sensing the displacement of a weak beam of electrons after one gyration in the ambient magnetic field.
	enumeration	ElectrostaticAnalyser An instrument which uses charged plates to analyze the mass, charge and kinetic energies of charged particles which enter the instrument.
	enumeration	EnergeticParticleInstrument An instrument that measures fluxes of charged particles as a function of time, direction of motion, mass, charge and/or species.
	enumeration	FaradayCup An instrument consisting of an electrode from which electrical current is measured while a charged particle beam (electrons or ions) impinges on it. Used to determine energy spectrum and sometimes ion composition of the impinging particles.
	enumeration	FluxFeedback A search coil whose bandwidth and signal/noise ratio are increased by the application of negative feedback at the sensor (flux) level by driving a collocated coil with a signal from the preamplifier.
	enumeration	FourierTransformSpectrograph An instrument that determines the spectra of a radiative source, using time-domain measurements and a Fourier transform.
	enumeration	GeigerMuellerTube An instrument which measures density of ionizing radiation based on interactions with a gas.
	enumeration	Imager An instrument which samples the radiation from an area at one or more spectral ranges emitted or reflected by an object.
	enumeration	ImagingSpectrometer An instrument which is a multispectral scanner with a very large number of channels (64-256 channels) with very narrow band widths.
	enumeration	Interferometer An instrument to study the properties of two or more waves from the pattern of interference created by their superposition.
	enumeration	IonChamber A device in which the collected electrical charge from ionization in a gas-filled cavity is taken to be the proportion to some parameter (e.g. dose or exposure) of radiation field
	enumeration	IonDrift A device which measures the current produced by the displacement of ambient ions on a grid, thereby allowing the determination of the ion trajectory and velocity.

enumeration	LangmuirProbe	A monopole antenna associated with an instrument. The instrument applies a potential to the antenna which is swept to determine the voltage/current characteristic. This provides information about the plasma surrounding the probe and spacecraft.
enumeration	LongWire	A dipole antenna whose active (sensor) elements are two wires deployed in the equatorial plane on opposite sides of a spinning spacecraft, and whose length is several times greater than the spacecraft diameter.
enumeration	Magnetometer	An instrument which measures the ambient magnetic field.
enumeration	MassSpectrometer	An instrument which distinguishes chemical species in terms of their different isotopic masses.
enumeration	MicrochannelPlate	An instrument used for the detection of elementary particles, ions, ultraviolet rays and soft X-rays constructed from very thin conductive glass capillaries.
enumeration	MultispectralImager	An instrument which captures images at multiple spectral ranges.
enumeration	NeutralAtomImager	An instrument which measures the quantity and properties of neutral particles over a range of angles. Measured properties can include mass and energy.
enumeration	NeutralParticleDetector	An instrument which measures the quantity and properties of neutral particles. Measured properties can include mass and plasma bulk densities.
enumeration	ParticleCorrelator	An instrument which correlates particle flux to help identify wave/particle interactions.
enumeration	ParticleDetector	An instrument which detects particle flux!!!
enumeration	Photometer	An instrument which measures the strength of electromagnetic radiation within a spectral band which can range from ultraviolet to infrared and includes the visible spectrum.
enumeration	Photopolarimeter	An instrument which measures the intensity and polarization or radiant energy. A photopolarimeter is a combination of a photometer and a polarimeter.
enumeration	Platform	A collection of components which can be positioned and oriented as a single unit. A platform may contain other platforms. For example, a spacecraft is a platform which may have components that can be articulated and are also considered platforms.
enumeration	ProportionalCounter	An instrument which measures energy of ionization radiation based on interactions with a gas.
enumeration	QuadrисphericalAnalyser	An instrument used for the 3-D detection of plasma, energetic electrons and ions, and for positive-ion composition measurements.
enumeration	Radar	An instrument that uses directional properties of returned power to infer spatial and/or other characteristics of a remote object.
enumeration	Radiometer	An instrument for detecting or measuring radiant energy. Radiometers are commonly limited to infrared radiation.
enumeration	ResonanceSounder	A combination of a radio receiver and a pulsed transmitter used to study the plasma surrounding a spacecraft by identifying resonances or cut-offs (of the wave dispersion relation), whose frequencies are related to the ambient plasma density and magnetic field. When the transmitter is off it is essentially a high frequency-resolution spectral power receiver.
enumeration	RetardingPotentialAnalyser	An instrument which measures ion temperatures and ion concentrations using a planar ion

		trap.
enumeration	Riometer	An instrument which measure the signal strength in various directions of the galactic radio signals. Variations in these signals are influenced by solar flare activity and geomagnetic storm and substorm processes.
enumeration	ScintillationDetector	An instrument which detects flourescences of a material which is excited by high energy (ionizing) electromagnetic or charged particle radiation.
enumeration	SearchCoil	An instrument which measures the time variation of the magnetic flux threading a loop by measurement of the electric potential difference induced between the ends of the wire.
enumeration	Sounder	An instrument which measures the radiances from an object. A sounder may measure radiances at multiple spectral ranges.
enumeration	SpacecraftPotentialControl	An instrument to control the electric potential of a spacecraft with respect to the ambient plasma by emitting a variable current of positive ions.
enumeration	SpectralPowerReceiver	A radio receiver which determines the power spectral density of the electric or magnetic field, or both, at one or more frequencies.
enumeration	Spectrometer	An instrument that measures the component wavelengths of light (or other electromagnetic radiation) by splitting the light up into its component wavelengths.
enumeration	TimeOfFlight	An instrument which measures the time it takes for a particle to travel between two detectors.
enumeration	Unspecified	A value which is not provided.
enumeration	WaveformReceiver	A radio receiver which outputs the value of one or more components of the electric and/or magnetic field as a function of time.
Used by	Complex Type	Instrument
Source	<pre><xsd:element name="InstrumentType" type="enumInstrumentType"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of an integrated collection of software and hardware containing one or more sensors and associated controls used to produce data on an environment.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element InvestigationName

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	<p>The name given to the contract or engagement which enabled the data to be produced. Each investigation is associated with a Principal Investigator or Guest Investigator who was responsible for the original proposal. For single PI missions each major subsystem having its own identified Team Leader may also be classed as an "Investigation" for the purposes of data archiving.</p>	
Diagram	<p>The diagram shows a UML class named 'InvestigationName' with a multiplicity of 0..1. It is connected to a 'xsd:string' type via a directed association. A callout box provides the definition: 'The name given to the contract or engagement which enabled the data to be produced. Each investigation is associated...'.</p>	
Type	xsd:string	
Properties	content:	simple
Used by	Complex Type	Instrument
Source	<pre><xsd:element name="InvestigationName" type="xsd:string"> <xsd:annotation></pre>	

```

<xsd:documentation xml:lang="en">The name given to the contract or engagement which enabled the data to be produced. Each investigation is associated with a Principal Investigator or Guest Investigator who was responsible for the original proposal. For single PI missions each major subsystem having its own identified Team Leader may also be classed as an "Investigation" for the purposes of data archiving.</xsd:documentation>
</xsd:annotation>
</xsd:element>

```

Element OperatingSpan

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	
Type	OperatingSpan
Properties	content: complex
Used by	Complex Types Instrument, Observatory
Model	StartDate , StopDate{0,1} , Note*
Children	Note, StartDate, StopDate
Instance	<OperatingSpan xmlns="http://impex-fp7.oeaw.ac.at"> <StartDate>{1,1}</StartDate> <StopDate>{0,1}</StopDate> <Note>{0,unbounded}</Note> </OperatingSpan>
Source	<xsd:element name="OperatingSpan" type="OperatingSpan"/>

Element StopDate

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The specification of a stopping point in time.
Diagram	
Type	xsd:dateTime
Properties	content: simple
Substitution Group Affiliation	• StopDateEntity
Used by	Complex Types Granule, OperatingSpan
Source	<xsd:element name="StopDate" type="xsd:dateTime" substitutionGroup="StopDateEntity"> <xsd:annotation> <xsd:documentation xml:lang="en">The specification of a stopping point in time.</xsd:documentation> </xsd:annotation> </xsd:element>

<pre></xsd:element></pre>

Element ObservatoryID

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	The identifier of an Observatory resource.	
Diagram	<p>The identifier of an Observatory resource.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	Instrument
Source	<pre><xsd:element name="ObservatoryID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The identifier of an Observatory resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Observatory

Namespace	http://impex-fp7.oeaw.ac.at	
Diagram	<p>The host (spacecraft, network, facility) for instruments making observations, or a family of closely related hosts.</p> <p>The identifier of an Observatory resource which the referring resource is a member of.</p>	
Type	Observatory	
Properties	content: complex	
Substitution Group Affiliation	<ul style="list-style-type: none"> ResourceEntity 	
Model	ResourceID , ResourceHeader , ObservatoryGroupID* , Location , OperatingSpan{0,1} , Extension*	
Children	Extension, Location, ObservatoryGroupID, OperatingSpan, ResourceHeader, ResourceID	
Instance	<pre><Observatory xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <ObservatoryGroupID>{0,unbounded}</ObservatoryGroupID> <Location>{1,1}</Location> <OperatingSpan>{0,1}</OperatingSpan> <Extension>{0,unbounded}</Extension> </Observatory></pre>	

Source	<code><xsd:element name="Observatory" type="Observatory" substitutionGroup="ResourceEntity"/></code>
--------	--

Element ObservatoryGroupID

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The identifier of an Observatory resource which the referring resource is a member of.
Diagram	<p>The identifier of an Observatory resource which the referring resource is a member of.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type Observatory
Source	<pre><xsd:element name="ObservatoryGroupID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The identifier of an Observatory resource which the referring resource is a member of.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Location

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>A position in space definable by a regional referencing system and geographic coordinates.</p>
Type	Location
Properties	content: complex
Used by	Complex Type Observatory
Model	ObservatoryRegion+, CoordinateSystemName{0,1}, Latitude{0,1}, Longitude{0,1}, Elevation{0,1}
Children	CoordinateSystemName, Elevation, Latitude, Longitude, ObservatoryRegion
Instance	<pre><Location xmlns="http://impex-fp7.oeaw.ac.at"> <ObservatoryRegion>{1,unbounded}</ObservatoryRegion> <CoordinateSystemName>{0,1}</CoordinateSystemName> <Latitude>{0,1}</Latitude> <Longitude>{0,1}</Longitude> <Elevation>{0,1}</Elevation> </Location></pre>

Source	<code><xsd:element name="Location" type="Location"/></code>
--------	---

Element ObservatoryRegion

Namespace	http://impexfp7.oeaw.ac.at																																															
Annotations	A spatial location distinguished by certain natural features or physical characteristics where an observatory is located.																																															
Diagram	<p>A spatial location distinguished by certain natural features or physical characteristics where an observatory is...</p> <p>Identifiers for areas of the physical world which may be occupied or observed.</p>																																															
Type	enumRegion																																															
Properties	content: simple																																															
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Asteroid</td> <td>A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.</td> </tr> <tr> <td>enumeration</td> <td>Callisto</td> <td>A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system</td> </tr> <tr> <td>enumeration</td> <td>Comet</td> <td>A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.</td> </tr> <tr> <td>enumeration</td> <td>Earth</td> <td>The third planet from the sun in our solar system.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosheath</td> <td>The region between the bow shock and the magnetopause, characterized by very turbulent plasma.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere</td> <td>The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Magnetotail</td> <td>The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Main</td> <td>The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Polar</td> <td>The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.RadiationBelt</td> <td>The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface</td> <td>The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.Atmosphere</td> <td>The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.AuroralRegion</td> <td>The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.EquatorialRegion</td> <td>The region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.Ionosphere</td> <td>The charged or ionized gases surrounding a body that are nominally bound to the body</td> </tr> </table>			enumeration	Asteroid	A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.	enumeration	Callisto	A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system	enumeration	Comet	A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.	enumeration	Earth	The third planet from the sun in our solar system.	enumeration	Earth.Magnetosheath	The region between the bow shock and the magnetopause, characterized by very turbulent plasma.	enumeration	Earth.Magnetosphere	The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.	enumeration	Earth.Magnetosphere.Magnetotail	The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).	enumeration	Earth.Magnetosphere.Main	The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.	enumeration	Earth.Magnetosphere.Polar	The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.	enumeration	Earth.Magnetosphere.RadiationBelt	The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.	enumeration	Earth.NearSurface	The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.	enumeration	Earth.NearSurface.Atmosphere	The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.	enumeration	Earth.NearSurface.AuroralRegion	The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.	enumeration	Earth.NearSurface.EquatorialRegion	The region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.	enumeration	Earth.NearSurface.Ionosphere	The charged or ionized gases surrounding a body that are nominally bound to the body
enumeration	Asteroid	A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.																																														
enumeration	Callisto	A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system																																														
enumeration	Comet	A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.																																														
enumeration	Earth	The third planet from the sun in our solar system.																																														
enumeration	Earth.Magnetosheath	The region between the bow shock and the magnetopause, characterized by very turbulent plasma.																																														
enumeration	Earth.Magnetosphere	The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.																																														
enumeration	Earth.Magnetosphere.Magnetotail	The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).																																														
enumeration	Earth.Magnetosphere.Main	The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.																																														
enumeration	Earth.Magnetosphere.Polar	The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.																																														
enumeration	Earth.Magnetosphere.RadiationBelt	The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.																																														
enumeration	Earth.NearSurface	The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.																																														
enumeration	Earth.NearSurface.Atmosphere	The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.																																														
enumeration	Earth.NearSurface.AuroralRegion	The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.																																														
enumeration	Earth.NearSurface.EquatorialRegion	The region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.																																														
enumeration	Earth.NearSurface.Ionosphere	The charged or ionized gases surrounding a body that are nominally bound to the body																																														

		by virtue of the gravitational attraction.
enumeration	Earth.NearSurface.Ionosphere.E	The Region of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.
enumeration	Earth.NearSurface.Ionosphere.F	The Regionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.
enumeration	Earth.NearSurface.Ionosphere.F1	The Region contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.
enumeration	Earth.NearSurface.Ionosphere.F2	The Region at the upper most areas of the ionosphere.
enumeration	Earth.NearSurface.Mesosphere	The layer of the atmosphere that extends from the Stratosphere to a range of 80 km to 85 km, temperature decreasing with height.
enumeration	Earth.NearSurface.Plasmasphere	The region of the magnetosphere consisting of low energy (cool) plasma. It is located above the ionosphere. The outer boundary of the plasmasphere is known as the plasmapause, which is defined by an order of magnitude drop in plasma density.
enumeration	Earth.NearSurface.PolarCap	The areas of the globe surrounding the poles and consisting of the region north of 60 degrees north latitude an the region south of 60 degrees south latitude.
enumeration	Earth.NearSurface.SouthAtlanticAnomaly	The Region Earth's inner van Allen radiation belt makes its closest approach to the planet's surface. The result is that, for a given altitude, the radiation intensity is higher over this region than elsewhere.
enumeration	Earth.NearSurface.Stratosphere	The layer of the atmosphere that extends from the troposphere to about 30 km, temperature increases with height. The stratosphere contains the ozone layer.
enumeration	Earth.NearSurface.Thermosphere	The layer of the atmosphere that extends from the Mesosphere to 640+ km, temperature increasing with height.
enumeration	Earth.NearSurface.Troposphere	The lowest layer of the atmosphere which begins at the surface and extends to between 7 km (4.4 mi) at the poles and 17 km (10.6 mi) at the equator, with some variation due to weather factors.
enumeration	Earth.Surface	The outermost area of a solid object.
enumeration	Enceladus	One of the innermost moons of Saturn.
enumeration	Europa	The sixth-closest moon of the planet Jupiter
enumeration	Ganymede	The biggest moon of Jupiter planet in our solar system.
enumeration	Heliosphere	The solar atmosphere extending roughly from the outer corona to the edge of the solar plasma at the heliopause separating primarily solar plasma from interstellar plasma.
enumeration	Heliosphere.Heliosheath	The region extending radially outward from the heliospheric termination shock and in which the decelerated solar wind plasma is still significant.
enumeration	Heliosphere.Inner	The region of the heliosphere extending radially outward from the solar coronal base to just inside 1 AU.
enumeration	Heliosphere.NearEarth	The heliospheric region near the Earth which extends to and includes the area near the L1 and L2 Lagrange point.
enumeration	Heliosphere.Outer	The region of the heliosphere extending radially

		outward from just outside 1 AU to the heliospheric termination shock.
enumeration	Heliosphere.Remote1AU	A roughly toroidal region that includes the Earth's orbit, but exclusive of the region near the Earth.
enumeration	Interstellar	The region between stars outside of the star's heliopause.
enumeration	Io	The innermost of the four Galilean moons of the planet Jupiter
enumeration	Jupiter	The fifth planet from the sun in our solar system.
enumeration	Jupiter.Magnetosphere	The magnetosphere of the fifth planet from the sun in our solar system.
enumeration	Mars	The forth planet from the sun in our solar system.
enumeration	Mercury	The first planet from the sun in our solar system.
enumeration	Mercury.Magnetosphere	The magnetosphere of the first planet from the sun in our solar system.
enumeration	Neptune	The seventh planet from the sun in our solar system.
enumeration	Planet	There are eighth planets in the solar system.
enumeration	Planet.Magnetosphere	The magnetosphere of one of the planets in the solar system.
enumeration	Pluto	The ninth (sub)planet from the sun in our solar system.
enumeration	Rhea	The second-largest moon of Saturn and the ninth largest moon in the Solar System
enumeration	Saturn	The sixth planet from the sun in our solar system.
enumeration	Saturn.Magnetosphere	The magnetosphere of the sixth planet from the sun in our solar system.
enumeration	Sun	The star upon which our solar system is centered.
enumeration	Sun.Chromosphere	The region of the Sun's (or a star's) atmosphere above the temperature minimum and below the Transition Region. The solar chromosphere is approximately 400 km to 2100 km above the photosphere, and characterized by temperatures from 4500 - 28000 K.
enumeration	Sun.Corona	The outermost atmospheric region of the Sun or a star, characterized by ionization temperatures above 10^5 K. The solar corona starts at about 2100 km above the photosphere; there is no generally defined upper limit.
enumeration	Sun.Interior	The region inside the body which is not visible from outside the body.
enumeration	Sun.Photosphere	The atmospheric layer of the Sun or a star from which continuum radiation, especially optical, is emitted to space. For the Sun, the photosphere is about 500 km thick.
enumeration	Sun.TransitionRegion	A very narrow (<100 km) layer between the chromosphere and the corona where the temperature rises abruptly from about 8000 to about 500,000 K.
enumeration	Titan	The largest moon of Saturn
enumeration	Uranus	The eighth planet from the sun in our solar system.
enumeration	Venus	The second planet from the sun in our solar system.
Used by	Complex Type	Location
Source	<pre><xsd:element name="ObservatoryRegion" type="enumRegion"> <xsd:annotation> <xsd:documentation xml:lang="en">A spatial location distinguished by certain natural features or physical characteristics where an observatory is located.</xsd:documentation> </xsd:annotation></pre>	

<pre></xsd:element></pre>

Element Latitude

Namespace	http://impex-fp7.oewa.ac.at	
Annotations	The angular distance north (positive) or south (negative) from the equator, measured along the meridian passing through the point.	
Diagram	<p>The diagram shows a class named "Latitude" with a compartment labeled "Type" containing "xsd:double". A line connects "Latitude" to "xsd:double". A callout box below "Latitude" states: "The angular distance north (positive) or south (negative) from the equator, measured along the meridian passing through..."</p>	
Type	xsd:double	
Properties	content: simple	
Used by	Complex Type	Location
Source	<pre><xsd:element name="Latitude" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The angular distance north (positive) or south (negative) from the equator, measured along the meridian passing through the point.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Longitude

Namespace	http://impex-fp7.oewa.ac.at	
Annotations	The angular distance measured west (positive) or east (negative) from a north-south line called the Prime Meridian.	
Diagram	<p>The diagram shows a class named "Longitude" with a compartment labeled "Type" containing "xsd:double". A line connects "Longitude" to "xsd:double". A callout box below "Longitude" states: "The angular distance measured west (positive) or east (negative) from a north-south line called the Prime Meridian."</p>	
Type	xsd:double	
Properties	content: simple	
Used by	Complex Type	Location
Source	<pre><xsd:element name="Longitude" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The angular distance measured west (positive) or east (negative) from a north-south line called the Prime Meridian.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Elevation

Namespace	http://impex-fp7.oewa.ac.at	
Annotations	The distance in meters above (positive) or below (negative) the "zero elevation" defined by the World Geodetic System reference frame (WGS84).	
Diagram	<p>The diagram shows a class named "Elevation" with a compartment labeled "Type" containing "xsd:double". A line connects "Elevation" to "xsd:double". A callout box below "Elevation" states: "The distance in meters above (positive) or below (negative) the "zero elevation" defined by the World Geodetic System..."</p>	
Type	xsd:double	

Properties	content: simple	
Used by	Complex Type	Location
Source	<pre><xsd:element name="Elevation" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The distance in meters above (positive) or below (negative) the "zero elevation" defined by the World Geodetic System reference frame (WGS84).</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Person

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<p>The diagram illustrates the UML class Person. It inherits from the abstract class Resource (indicated by a hollow diamond symbol). The Person class has the following attributes:</p> <ul style="list-style-type: none"> ResourceID: Type <code>xsd:string</code>, multiplicity 0..1. ReleaseDate: Type <code>xsd:dateTime</code>, multiplicity 0..1. Description: The date and time when a resource is made available. The availability of a resource coincides with the release of a... PersonName: Type <code>xsd:string</code>, multiplicity 0..1. Description: The words used to address an individual. OrganizationName: Type <code>xsd:string</code>, multiplicity 0..1. Description: A unit within a company or other entity (e.g., Government agency or branch of service) within which many projects are... Address: Type <code>xsd:string</code>, multiplicity 0..1. Description: Directions for finding some location; written on letters or packages that are to be delivered to that location. Email: Type <code>xsd:string</code>, multiplicity 0..∞. Description: The electronic address at which the individual may be contacted expressed in the form "local-part@domain". PhoneNumber: Type <code>xsd:string</code>, multiplicity 0..∞. Description: The symbols and numerals required to contact an individual by telephone. The string may contain punctuation marks such... FaxNumber: Type <code>xsd:string</code>, multiplicity 0..1. Description: The symbols and numerals required to send a facsimile (FAX) to an individual by telephone. The string may contain... Note: Type <code>xsd:string</code>, multiplicity 0..1. Description: Information which is useful or important for the understanding of a value or parameter. Extension: Type <code>Extension</code>, multiplicity 0..∞. Description: An individual human being. <p>Below the main class, there is a Substitution Group containing the abstract class ResourceEntity.</p>
Type	Person
Properties	content: complex

Substitution Group Affiliation	<ul style="list-style-type: none"> ResourceEntity
Model	ResourceID , ReleaseDate{0,1} , PersonName{0,1} , OrganizationName , Address{0,1} , Email* , PhoneNumber* , FaxNumber{0,1} , Note{0,1} , Extension*
Children	Address, Email, Extension, FaxNumber, Note, OrganizationName, PersonName, PhoneNumber, ReleaseDate, ResourceID
Instance	<pre><Person xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ReleaseDate>{0,1}</ReleaseDate> <PersonName>{0,1}</PersonName> <OrganizationName>{1,1}</OrganizationName> <Address>{0,1}</Address> <Email>{0,unbounded}</Email> <PhoneNumber>{0,unbounded}</PhoneNumber> <FaxNumber>{0,1}</FaxNumber> <Note>{0,1}</Note> <Extension>{0,unbounded}</Extension> </Person></pre>
Source	<code><xsd:element name="Person" type="Person" substitutionGroup="ResourceEntity"/></code>

Element PersonName

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The words used to address an individual.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Type Person
Source	<pre><xsd:element name="PersonName" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The words used to address an individual.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element OrganizationName

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A unit within a company or other entity (e.g., Government agency or branch of service) within which many projects are managed as a whole.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Type Person
Source	<pre><xsd:element name="OrganizationName" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A unit within a company or other entity (e.g., Government agency or branch of service) within which many projects are managed as a whole.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Address

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Annotations	Directions for finding some location; written on letters or packages that are to be delivered to that location.
Diagram	<pre> classDiagram class Address { <<Address>> <<Type xsd:string>> } Address < -- xsd:string </pre> <p>Directions for finding some location; written on letters or packages that are to be delivered to that location.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type Person
Source	<pre> <xsd:element name="Address" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Directions for finding some location; written on letters or packages that are to be delivered to that location.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element Email

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The electronic address at which the individual may be contacted expressed in the form "local-part@domain".
Diagram	<pre> classDiagram class Email { <<Email>> <<Type xsd:string>> } Email < -- xsd:string </pre> <p>The electronic address at which the individual may be contacted expressed in the form "local-part@domain".</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type Person
Source	<pre> <xsd:element name="Email" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The electronic address at which the individual may be contacted expressed in the form "local-part@domain".</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element PhoneNumber

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The symbols and numerals required to contact an individual by telephone. The string may contain punctuation marks such as dash (-) or dot (.) to separate fields within the string.
Diagram	<pre> classDiagram class PhoneNumber { <<PhoneNumber>> <<Type xsd:string>> } PhoneNumber < -- xsd:string </pre> <p>The symbols and numerals required to contact an individual by telephone. The string may contain punctuation marks such...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type Person
Source	<pre> <xsd:element name="PhoneNumber" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The symbols and numerals required to contact an individual by telephone. The string may contain punctuation marks such as dash (-) or dot (.) to separate fields within the string.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element FaxNumber

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	<p>The symbols and numerals required to send a facsimile (FAX) to an individual by telephone. The string may contain punctuation marks such as dash (-) or dot (.) to separate fields within the string.</p>	
Diagram	<p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	Person
Source	<pre><xsd:element name="FaxNumber" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The symbols and numerals required to send a facsimile (FAX) to an individual by telephone. The string may contain punctuation marks such as dash (-) or dot (.) to separate fields within the string.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	


Element Registry

Namespace	http://impex-fp7.oeaw.ac.at	
Diagram	<p>A location or facility where resources are cataloged.</p> <p>Substitution Group</p>	
Type	Registry	
Properties	content: complex	
Substitution Group Affiliation	<ul style="list-style-type: none"> ResourceEntity 	
Model	ResourceID , ResourceHeader , AccessURL , Extension*	
Children	AccessURL, Extension, ResourceHeader, ResourceID	
Instance	<pre><Registry xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessURL>{1,1}</AccessURL> <Extension>{0,unbounded}</Extension> </Registry></pre>	
Source	<pre><xsd:element name="Registry" type="Registry" substitutionGroup="ResourceEntity"/></pre>	

Element Repository

Namespace	http://impex-fp7.oeaw.ac.at	
-----------	-----------------------------	--

Diagram



Type	Repository
Properties	content: complex
Substitution Group Affiliation	• ResourceEntity
Model	ResourceID , ResourceHeader , AccessURL , Extension*
Children	AccessURL, Extension, ResourceHeader, ResourceID
Instance	<pre><Repository xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessURL>{1,1}</AccessURL> <Extension>{0,unbounded}</Extension> </Repository></pre>
Source	<code><xsd:element name="Repository" type="Repository" substitutionGroup="ResourceEntity" /></code>

Element Service

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class Service { <<A location or facility that can perform a well defined task.>> <<Substitution Group>> <<ResourceEntity Abstract true>> } class ResourceID class ResourceHeader class AccessURL class Extension class Service { <<Service Type Service>> } Service < -- ResourceID Service < -- ResourceHeader Service < -- AccessURL Service < -- Extension ResourceID < -- ResourceID ResourceHeader < -- ResourceHeader AccessURL < -- AccessURL Extension < -- Extension </pre> <p>The diagram shows the UML class structure for the <code>Service</code> element. It consists of a main class <code>Service</code> with four associations: <code>ResourceID</code>, <code>ResourceHeader</code>, <code>AccessURL</code>, and <code>Extension</code>. A note below the main class defines it as "A location or facility that can perform a well defined task." A separate box labeled "Substitution Group" contains the abstract class <code>ResourceEntity</code> with the attribute "Abstract true". A note below the substitution group states "ResourceEntity is a placeholder for other resource types." A yellow callout points from the main <code>Service</code> class to the <code>ResourceID</code> association.</p>

Type	Service
Properties	content: complex
Substitution Group Affiliation	• ResourceEntity
Model	ResourceID , ResourceHeader , AccessURL , Extension*
Children	AccessURL, Extension, ResourceHeader, ResourceID
Instance	<code><Service xmlns="http://impex-fp7.oeaw.ac.at"></code>

	<pre> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessURL>{1,1}</AccessURL> <Extension>{0,unbounded}</Extension> </Service> </pre>
Source	<xsd:element name="Service" type="Service" substitutionGroup="ResourceEntity"/>

Element Annotation

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class Annotation { ResourceID ResourceHeader ImageURL AnnotationType PhenomenonType ClassificationMethod ConfidenceRating TimeSpan ObservationExtent Extension } class ResourceEntity { Abstract true } Annotation "1..>" ResourceEntity : Substitution Group </pre>
Type	Annotation
Properties	content: complex
Substitution Group Affiliation	<ul style="list-style-type: none"> ResourceEntity
Model	ResourceID , ResourceHeader , ImageURL{0,1} , AnnotationType , PhenomenonType{0,1} , ClassificationMethod{0,1} , ConfidenceRating{0,1} , TimeSpan* , ObservationExtent* , Extension*
Children	AnnotationType, ClassificationMethod, ConfidenceRating, Extension, ImageURL, ObservationExtent, PhenomenonType, ResourceHeader, ResourceID, TimeSpan
Instance	<pre> <Annotation xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <ImageURL>{0,1}</ImageURL> <AnnotationType>{1,1}</AnnotationType> <PhenomenonType>{0,1}</PhenomenonType> </pre>

	<pre><ClassificationMethod>{0,1}</ClassificationMethod> <ConfidenceRating>{0,1}</ConfidenceRating> <TimeSpan>{0,unbounded}</TimeSpan> <ObservationExtent>{0,unbounded}</ObservationExtent> <Extension>{0,unbounded}</Extension> </Annotation></pre>
Source	<pre><xsd:element name="Annotation" type="Annotation" substitutionGroup="ResourceEntity" /></pre>

Element ImageURL

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A URL to graphic, image or movie.
Diagram	<p>The diagram shows a rounded rectangle labeled "ImageURL" with a small "Type" label below it. A line connects it to a rounded rectangle labeled "xsd:string". A callout bubble next to "xsd:string" states: "A URL to graphic, image or movie. Built-in primitive type. The string datatype represents character strings in XML.".</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type Annotation
Source	<pre><xsd:element name="ImageURL" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A URL to graphic, image or movie.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element AnnotationType

Namespace	http://impexfp7.oeaw.ac.at									
Annotations	A classification for an annotation.									
Diagram	<p>The diagram shows a rounded rectangle labeled "AnnotationType" with a small "Type" label below it. A line connects it to a rounded rectangle labeled "enumAnnotationType". A callout bubble next to "AnnotationType" states: "A classification for an annotation." and another bubble next to "enumAnnotationType" states: "Identifiers for a classification of an annotation.".</p>									
Type	enumAnnotationType									
Properties	content: simple									
Facets	<table> <tr> <td>enumeration</td> <td>Anomaly</td> <td>An interval where measurements or observations may be adversely affected.</td> </tr> <tr> <td>enumeration</td> <td>Event</td> <td>An action or observation which occurs at a point in time.</td> </tr> <tr> <td>enumeration</td> <td>Feature</td> <td>A prominent or distinctive characteristic that occurs at a location or persists over a period of time.</td> </tr> </table>	enumeration	Anomaly	An interval where measurements or observations may be adversely affected.	enumeration	Event	An action or observation which occurs at a point in time.	enumeration	Feature	A prominent or distinctive characteristic that occurs at a location or persists over a period of time.
enumeration	Anomaly	An interval where measurements or observations may be adversely affected.								
enumeration	Event	An action or observation which occurs at a point in time.								
enumeration	Feature	A prominent or distinctive characteristic that occurs at a location or persists over a period of time.								
Used by	Complex Type Annotation									
Source	<pre><xsd:element name="AnnotationType" type="enumAnnotationType"> <xsd:annotation> <xsd:documentation xml:lang="en">A classification for an annotation.</xsd:documentation> </xsd:annotation> </xsd:element></pre>									

Element ClassificationMethod

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The technique used to determine the characteristics of an object.
Diagram	<p>The diagram shows a rounded rectangle labeled "ClassificationMethod" with a small "Type" label below it. A line connects it to a rounded rectangle labeled "enumClassificationMethod". A callout bubble next to "ClassificationMethod" states: "The technique used to determine the characteristics of an object." and another bubble next to "enumClassificationMethod" states: "Identifiers for the technique used to determine the characteristics of an object.".</p>
Type	enumClassificationMethod
Properties	content: simple

Facets	enumeration	Automatic	Determined by the analysis or assessment performed by a program or server.
	enumeration	Inferred	Determined by the analysis of other information or resources.
	enumeration	Inspection	Determined by the analysis or assessment performed by a person.
Used by	Complex Type	Annotation	
Source	<pre><xsd:element name="ClassificationMethod" type="enumClassificationMethod"> <xsd:annotation> <xsd:documentation xml:lang="en">The technique used to determine the characteristics of an object.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element ConfidenceRating

Namespace	http://impexfp7.oeaw.ac.at		
Annotations	A classification of the certainty of an assertion.		
Diagram	<p>A classification of the certainty of an assertion.</p>		
Type	enumConfidenceRating		
Properties	content: simple		
Facets	enumeration	Probable	Likely given the available evidence. Considered in the range of 4-7 on a scale of 0-10.
	enumeration	Strong	Highly likely given the available evidence. Considered in the range of 7-10 on a scale of 0-10.
	enumeration	Unlikely	Not likely given the available evidence. Considered in the range of 0 on a scale of 0-10.
	enumeration	Weak	Slightly likely given the available evidence. Considered in the range of 1-4 on a scale of 0-10.
Used by	Complex Type	Annotation	
Source	<pre><xsd:element name="ConfidenceRating" type="enumConfidenceRating"> <xsd:annotation> <xsd:documentation xml:lang="en">A classification of the certainty of an assertion.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element ObservationExtent

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram	<pre> classDiagram class ObservationExtent { ObservedRegion StartLocation StopLocation Note } ObservationExtent < -- ObservationExtent </pre> <p>The spatial area encompassed by an observation.</p>
Type	ObservationExtent
Properties	content: complex
Used by	Complex Type Annotation
Model	ObservedRegion{0,1} , StartLocation , StopLocation , Note*
Children	Note, ObservedRegion, StartLocation, StopLocation
Instance	<pre> <ObservationExtent xmlns="http://impex-fp7.oeaw.ac.at"> <ObservedRegion>{0,1}</ObservedRegion> <StartLocation>{1,1}</StartLocation> <StopLocation>{1,1}</StopLocation> <Note>{0,unbounded}</Note> </ObservationExtent> </pre>
Source	<xsd:element name="ObservationExtent" type="ObservationExtent"/>

Element StartLocation

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The initial position in space.
Diagram	<pre> classDiagram class StartLocation { xsd:string } StartLocation < -- StartLocation </pre> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type ObservationExtent
Source	<pre> <xsd:element name="StartLocation" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The initial position in space.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element StopLocation

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The final position in space.
Diagram	<pre> classDiagram class StopLocation { xsd:string } StopLocation < -- StopLocation </pre> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple

Used by	Complex Type	ObservationExtent
Source	<pre><xsd:element name="StopLocation" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The final position in space.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element AtomicNumber

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	The number of protons in the nucleus of an atom.	
Diagram	<p>The diagram shows a UML class named "AtomicNumber" with a multiplicity of 0..1. It has a directed association to another class named "xsd:double" with a multiplicity of 1..1. A callout box under "AtomicNumber" states: "The number of protons in the nucleus of an atom." A callout box under "xsd:double" states: "Built-in primitive type. The double datatype corresponds to IEEE double-precision 64-bit floating point type [IEEE...]."</p>	
Type	xsd:double	
Properties	content:	simple
Used by	Complex Types	InputPopulation, Particle
Source	<pre><xsd:element name="AtomicNumber" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The number of protons in the nucleus of an atom.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ParentID

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	The resource identifier for a resource that a resource is a part of. The resource inherits the attributes of the referenced resource. Attributes defined in the resource override attributes of the parent in the manner prescribed by the containing resource.	
Diagram	<p>The diagram shows a UML class named "ParentID" with a multiplicity of 0..1. It has a directed association to another class named "xsd:string" with a multiplicity of 1..1. A callout box under "ParentID" states: "The resource identifier for a resource that a resource is a part of. The resource inherits the attributes of the..." A callout box under "xsd:string" states: "Built-in primitive type. The string datatype represents character strings in XML."</p>	
Type	xsd:string	
Properties	content:	simple
Used by	Complex Type	Granule
Source	<pre><xsd:element name="ParentID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The resource identifier for a resource that a resource is a part of. The resource inherits the attributes of the referenced resource. Attributes defined in the resource override attributes of the parent in the manner prescribed by the containing resource.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ParticleQuantity

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	A characterization of the physical properties of the particle.	
Diagram	<p>The diagram shows a UML class named "ParticleQuantity" with a multiplicity of 0..1. It has a directed association to another class named "enumParticleQuantity" with a multiplicity of 1..1. A callout box under "ParticleQuantity" states: "A characterization of the physical properties of the particle." A callout box under "enumParticleQuantity" states: "Identifiers for the characterization of the physical properties of the particle."</p>	
Type	enumParticleQuantity	

Properties	content:	simple	
Facets	enumeration	ArrivalDirection	An angular measure of the direction from which an energetic particle or photon was incident on a detector. The angles may be measured in any coordinate system.
	enumeration	AtomicNumberDetected	The number of protons in the nucleus of an atom as determined by a detector.
	enumeration	AverageChargeState	A measure of the composite deficit (positive) or excess (negative) of electrons with respect to protons.
	enumeration	ChargeState	Charge of a fully or partially stripped ion, in units of the charge of a proton. Charge state of a bare proton = 1.
	enumeration	CountRate	The number of events per unit time.
	enumeration	Counts	The number of detection events occurring in a detector over the detector accumulation time.
	enumeration	Energy	The capacity for doing work as measured by the capability of doing work (potential energy) or the conversion of this capability to motion (kinetic energy)
	enumeration	EnergyDensity	The amount of energy per unit volume.
	enumeration	EnergyFlux	The amount of energy passing through a unit area in a unit time.
	enumeration	FlowSpeed	The rate at which particles or energy is passing through a unit area in a unit time.
	enumeration	FlowVelocity	The volume of matter passing through a unit area perpendicular to the direction of flow in a unit of time.
	enumeration	Fluence	The time integral of a flux. A fluence does not have any "per unit time" in its units.
	enumeration	Gyrofrequency	The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.
	enumeration	HeatFlux	Flow of thermal energy through a gas or plasma; typically computed as third moment of a distribution function.
	enumeration	Mass	The measure of inertia (mass) of individual objects (e.g., aerosols).
	enumeration	MassDensity	The mass of particles per unit volume.
	enumeration	MassNumber	The total number of protons and neutrons (together known as nucleons) in an atomic nucleus.
	enumeration	NumberDensity	The number of particles per unit volume.
	enumeration	NumberFlux	The number of particles passing a unit area in unit time, possibly also per unit energy (or equivalent) and/or per unit look direction.
	enumeration	ParticleRadius	The mean radius for a Gaussian distribution of particles with an axial ratio of 2 and a distribution width that varies as 0.5 radius. A value of zero means no cloud was detected.
	enumeration	PhaseSpaceDensity	The number of particles per unit volume in the six-dimensional space of position and velocity.
	enumeration	PlasmaFrequency	A number-density-dependent characteristic frequency of a plasma.
	enumeration	Pressure	The force per unit area exerted by a particle distribution or field.
	enumeration	SonicMachNumber	The ratio of the bulk flow speed to the speed of sound in the medium.
	enumeration	SoundSpeed	The speed at which sound travels through a medium.
	enumeration	Temperature	A measure of the kinetic energy of random motion with respect to the average. Temperature is properly defined only for an equilibrium particle distribution (Maxwellian distribution).

	enumeration	ThermalSpeed	For a Maxwellian distribution, the difference between the mean speed and the speed within which ~69% (one sigma) of all the members of the speed distribution occur.
	enumeration	Velocity	Rate of change of position. Also used for the average velocity of a collection of particles, also referred to as "bulk velocity".
Used by	Complex Type	Particle	
Source	<pre><xsd:element name="ParticleQuantity" type="enumParticleQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the physical properties of the particle.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		


Element RelativeStopDate

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	An indication of the nominal end date relative to the present.
Diagram	<p>The diagram illustrates the UML class structure for the <code>RelativeStopDate</code> element. It shows <code>RelativeStopDate</code> as a class with a multiplicity of 1..1, associated with the type <code>xsd:duration</code>. A note indicates that <code>xsd:duration</code> is a built-in primitive type representing a duration of time. This type is part of a substitution group named <code>StopDateEntity</code>, which is marked as abstract and true.</p>
Type	xsd:duration
Properties	content: simple
Substitution Group Affiliation	• StopDateEntity
Source	<pre><xsd:element name="RelativeStopDate" type="xsd:duration" substitutionGroup="StopDateEntity"> <xsd:annotation> <xsd:documentation xml:lang="en">An indication of the nominal end date relative to the present.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Granule

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	Granule
Properties	content: complex
Substitution Group Affiliation	<ul style="list-style-type: none"> ResourceEntity
Model	<code>ResourceID , ReleaseDate , ExpirationDate{0,1} , ParentID , PriorID* , (StartDate RegionBegin) , (StopDate RegionEnd) , Source+</code>
Children	ExpirationDate, ParentID, PriorID, RegionBegin, RegionEnd, ReleaseDate, ResourceID, Source, StartDate, StopDate
Instance	<pre><Granule xmlns="http://impex-fp7.oewa.ac.at"> <ResourceID>{1,1}</ResourceID> <ReleaseDate>{1,1}</ReleaseDate> <ExpirationDate>{0,1}</ExpirationDate> <ParentID>{1,1}</ParentID> <PriorID>{0,unbounded}</PriorID> <StartDate>{1,1}</StartDate> <RegionBegin>{1,1}</RegionBegin> <StopDate>{1,1}</StopDate> <RegionEnd>{1,1}</RegionEnd> <Source>{1,unbounded}</Source> </Granule></pre>
Source	<code><xsd:element name="Granule" type="Granule" substitutionGroup="ResourceEntity" /></code>

Element RegionBegin

Namespace	http://impexfp7.oeaw.ac.at
Diagram	<pre> graph LR RB[RegionBegin Type: FloatSequence] --> FS[FloatSequence] subgraph Info [A list of real values.] FS end </pre>
Type	FloatSequence
Properties	content: simple
Used by	Complex Type Granule Element Group CubesDescription
Source	<code><xsd:element name="RegionBegin" type="FloatSequence" /></code>


Element RegionEnd

Namespace	http://impexfp7.oeaw.ac.at
Diagram	<pre> graph LR RE[RegionEnd Type: FloatSequence] --> FS[FloatSequence] subgraph Info [A list of real values.] FS end </pre>
Type	FloatSequence
Properties	content: simple
Used by	Complex Type Granule Element Group CubesDescription
Source	<code><xsd:element name="RegionEnd" type="FloatSequence" /></code>

Element NumericalOutput

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram



Type	NumericalOutput
Properties	content: complex
Substitution Group Affiliation	• ResourceEntity
Model	ResourceID , ResourceHeader , AccessInformation+ , ProcessingLevel{0,1} , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , SimulatedInstrumentID* , MeasurementType+ , (TemporalDescription{0,1} SpatialDescription{0,1}) , SpectralRange* , SimulatedRegion* , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , SimulationProduct , Property* , Extension{0,1}
Children	AccessInformation, Caveats, Extension, InputResourceID, Keyword, MeasurementType, Parameter, ProcessingLevel, Property, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SimulatedInstrumentID, SimulatedRegion, SimulationProduct, SpatialDescription, SpectralRange, TemporalDescription
Instance	<pre><NumericalOutput xmlns="http://impexfp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessInformation>{1,unbounded}</AccessInformation> <ProcessingLevel>{0,1}</ProcessingLevel> <ProviderResourceName>{0,1}</ProviderResourceName> <ProviderProcessingLevel>{0,1}</ProviderProcessingLevel> <ProviderVersion>{0,1}</ProviderVersion> <SimulatedInstrumentID>{0,unbounded}</SimulatedInstrumentID> <MeasurementType>{1,unbounded}</MeasurementType> <TemporalDescription>{0,1}</TemporalDescription> <SpatialDescription>{0,1}</SpatialDescription> <SpectralRange>{0,unbounded}</SpectralRange> <SimulatedRegion>{0,unbounded}</SimulatedRegion> <Caveats>{0,1}</Caveats> <Keyword>{0,unbounded}</Keyword> <InputResourceID>{0,unbounded}</InputResourceID> <Parameter>{0,unbounded}</Parameter> <SimulationProduct>{1,1}</SimulationProduct> <Property>{0,unbounded}</Property> <Extension>{0,1}</Extension> </NumericalOutput></pre>
Source	<code><xsd:element name="NumericalOutput" type="NumericalOutput" substitutionGroup="ResourceEntity" /></code>


Element SimulatedInstrumentID

Namespace	http://impexfp7.oeaw.ac.at
Diagram	<p>The diagram shows a class named "SimulatedInstrumentID" with a multiplicity of 0..1. It has a directed association to a "xsd:string" type, indicated by a line with an open circle at the start and a filled circle at the end. A tooltip for "xsd:string" states: "Built-in primitive type. The string datatype represents character strings in XML."</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Types DisplayOutput, NumericalOutput
Source	<code><xsd:element name="SimulatedInstrumentID" type="xsd:string" /></code>

Element SpatialDescription

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram



Type	<code>SpatialDescription</code>
Properties	content: complex
Used by	Complex Types DisplayOutput, NumericalOutput, SimulationModel
Model	Dimension , CoordinateSystem , Units , UnitsConversion{0,1} , CoordinatesLabel{0,1} , ((PlaneNormalVector , PlanePoint) (RegionBegin , RegionEnd)) , Step{0,1}
Children	CoordinateSystem, CoordinatesLabel, Dimension, PlaneNormalVector, PlanePoint, RegionBegin, RegionEnd, Step, Units, UnitsConversion
Instance	<pre> <SpatialDescription xmlns="http://impex-fp7.oeaw.ac.at"> <Dimension>{1,1}</Dimension> <CoordinateSystem>{1,1}</CoordinateSystem> <Units>{1,1}</Units> <UnitsConversion>{0,1}</UnitsConversion> <CoordinatesLabel>{0,1}</CoordinatesLabel> <PlaneNormalVector>{1,1}</PlaneNormalVector> <PlanePoint>{1,1}</PlanePoint> <RegionBegin>{1,1}</RegionBegin> <RegionEnd>{1,1}</RegionEnd> <Step>{0,1}</Step> </SpatialDescription> </pre>
Source	<code><xsd:element name="SpatialDescription" type="SpatialDescription"/></code>

Element Dimension

Namespace	http://impex-fp7.oeaw.ac.at
-----------	---

Diagram	
Type	xsd:integer
Properties	content: simple
Used by	Complex Type SpatialDescription
Source	<xsd:element name="Dimension" type="xsd:integer"/>

Element CoordinatesLabel

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A string list of the labels of each dimension of the spatial domain.
Diagram	
Type	StringSequence
Properties	content: simple
Used by	Complex Types SimulationDomain, SpatialDescription
Source	<xsd:element name="CoordinatesLabel" type="StringSequence"><xsd:annotation><xsd:documentation xml:lang="en">A string list of the labels of each dimension of the spatial domain.</xsd:documentation></xsd:annotation></xsd:element>

Element PlaneNormalVector

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A string list of the component in each dimension of the vector normal to a plane.
Diagram	
Type	PlaneNormalVector
Type hierarchy	<ul style="list-style-type: none"> • xsd:float • FloatSequence • PlaneNormalVector
Properties	content: simple
Used by	Element Group CutsDescription
Source	<xsd:element name="PlaneNormalVector" type="PlaneNormalVector"><xsd:annotation><xsd:documentation xml:lang="en">A string list of the component in each dimension of the vector normal to a plane.</xsd:documentation></xsd:annotation></xsd:element>

Element PlanePoint

Namespace	http://impexfp7.oeaw.ac.at
Diagram	

Type	PlanePoint
Type hierarchy	<ul style="list-style-type: none"> xsd:float FloatSequence PlanePoint
Properties	content: simple
Used by	Element Group CutsDescription
Source	<code><xsd:element name="PlanePoint" type="PlanePoint"/></code>

Element Step


Namespace	http://impexfp7.oeaw.ac.at
Annotations	Spatial step between two elements of the diagnosis.
Diagram	<p>Spatial step between two elements of the diagnosis.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type SpatialDescription
Source	<code><xsd:element name="Step" type="xsd:string"></code> <code> <xsd:annotation></code> <code> <xsd:documentation>Spatial step between two elements of the diagnosis.</xsd:documentation></code> <code> </xsd:annotation></code> <code></xsd:element></code>

Element SimulatedRegion

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The portion of space simulated by the code at the time of a diagnosis. A region is distinguished by certain natural features or physical characteristics. It is the location of the observatory for in situ data, the location or region sensed by remote sensing observatories and the location-of-relevance for parameters that are derived from observational data.
Diagram	<p>The portion of space simulated by the code at the time of a diagnosis. A region is distinguished by certain natural...</p> <p>Same as Spase's enum Region: identifiers for areas of the physical world which may be occupied or observed + some IMPEX...</p>
Type	enumImpexRegion
Properties	content: simple
Used by	Complex Types DisplayOutput, InputField, InputParameter, InputPopulation, InputProcess, NumericalOutput, RegionParameter, SimulationModel, SimulationRun
Source	<code><xsd:element name="SimulatedRegion" type="enumImpexRegion"></code> <code> <xsd:annotation></code> <code> <xsd:documentation>The portion of space simulated by the code at the time of a diagnosis. A region is distinguished by certain natural features or physical characteristics. It is the location of the observatory for in situ data, the location or region sensed by remote sensing observatories and the location-of-relevance for parameters that are derived from observational data.</xsd:documentation></code> <code> </xsd:annotation></code> <code></xsd:element></code>

Element SimulationProduct


Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram	
Type	enumProduct
Properties	content: simple
Facets	enumeration 3DCubes enumeration 2DCuts enumeration TimeSeries enumeration SpatialSeries enumeration Lines enumeration Spectra
Used by	Complex Types DisplayOutput, NumericalOutput
Source	<code><xsd:element name="SimulationProduct" type="enumProduct"/></code>

Element DisplayOutput

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram



Type	DisplayOutput
Properties	content: complex
Substitution Group Affiliation	• ResourceEntity
Model	ResourceID , ResourceHeader , AccessInformation+ , ProcessingLevel{0,1} , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , SimulatedInstrumentID* , MeasurementType+ , (TemporalDescription{0,1} SpatialDescription{0,1}) , SpectralRange* , DisplayCadence{0,1} , SimulatedRegion* , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , SimulationProduct , Property* , Extension{0,1}
Children	AccessInformation, Caveats, DisplayCadence, Extension, InputResourceID, Keyword, MeasurementType, Parameter, ProcessingLevel, Property, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SimulatedInstrumentID, SimulatedRegion, SimulationProduct, SpatialDescription, SpectralRange, TemporalDescription
Instance	<pre><DisplayOutput xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessInformation>{1,unbounded}</AccessInformation> <ProcessingLevel>{0,1}</ProcessingLevel> <ProviderResourceName>{0,1}</ProviderResourceName> <ProviderProcessingLevel>{0,1}</ProviderProcessingLevel> <ProviderVersion>{0,1}</ProviderVersion> <SimulatedInstrumentID>{0,unbounded}</SimulatedInstrumentID> <MeasurementType>{1,unbounded}</MeasurementType> <TemporalDescription>{0,1}</TemporalDescription> <SpatialDescription>{0,1}</SpatialDescription> <SpectralRange>{0,unbounded}</SpectralRange> <DisplayCadence>{0,1}</DisplayCadence> <SimulatedRegion>{0,unbounded}</SimulatedRegion> <Caveats>{0,1}</Caveats> <Keyword>{0,unbounded}</Keyword> <InputResourceID>{0,unbounded}</InputResourceID> <Parameter>{0,unbounded}</Parameter> <SimulationProduct>{1,1}</SimulationProduct> <Property>{0,unbounded}</Property> <Extension>{0,1}</Extension> </DisplayOutput></pre>
Source	<xsd:element name="DisplayOutput" type="DisplayOutput" substitutionGroup="ResourceEntity" />

Element SimulationModel

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	<pre> classDiagram class SimulationModel { ResourceID ResourceHeader Versions SimulationType CodeLanguage TemporalDependence SpatialDescription SimulatedRegion InputProperties OutputParameters ModelURL } class ResourceEntity { Abstract: true } SimulationModel < -- ResourceEntity </pre>
Type	SimulationModel
Properties	content: complex
Substitution Group Affiliation	<ul style="list-style-type: none"> ResourceEntity
Model	ResourceID , ResourceHeader , Versions{0,1} , SimulationType , CodeLanguage{0,1} , TemporalDependence{0,1} , SpatialDescription{0,1} , SimulatedRegion* , InputProperties{0,1} , OutputParameters{0,1} , ModelURL{0,1}
Children	CodeLanguage, InputProperties, ModelURL, OutputParameters, ResourceHeader, ResourceID, SimulatedRegion, SimulationType, SpatialDescription, TemporalDependence, Versions
Instance	<pre> <SimulationModel xmlns="http://impex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <Versions>{0,1}</Versions> <SimulationType>{1,1}</SimulationType> <CodeLanguage>{0,1}</CodeLanguage> <TemporalDependence>{0,1}</TemporalDependence> <SpatialDescription>{0,1}</SpatialDescription> <SimulatedRegion>{0,unbounded}</SimulatedRegion> <InputProperties>{0,1}</InputProperties> <OutputParameters>{0,1}</OutputParameters> <ModelURL>{0,1}</ModelURL> </pre>

	</SimulationModel>
Source	<xsd:element name="SimulationModel" type="SimulationModel" substitutionGroup="ResourceEntity" />

Element SimulationModel / Versions

Namespace	http://impexfp7.oeaw.ac.at				
Diagram	<pre> classDiagram class Versions { <<Versions>> <<Type>> <<Versions>> } class ModelVersion { <<ModelVersion>> <<Type>> <<ModelVersion>> } Versions "1..>" --> "1..>" ModelVersion </pre>				
Type	Versions				
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>minOccurs:</td> <td>0</td> </tr> </table>	content:	complex	minOccurs:	0
content:	complex				
minOccurs:	0				
Model	ModelVersion+				
Children	ModelVersion				
Instance	<Versions xmlns="http://impexfp7.oeaw.ac.at"> <ModelVersion>{1,unbounded}</ModelVersion> </Versions>				
Source	<xsd:element name="Versions" type="Versions" minOccurs="0" />				

Element Versions / ModelVersion

Namespace	http://impexfp7.oeaw.ac.at				
Diagram	<pre> classDiagram class ModelVersion { <<ModelVersion>> <<Type>> <<ModelVersion>> } class VersionID { <<VersionID>> <<Type xsd:string>> } class ReleaseDate { <<ReleaseDate>> <<Type xsd:dateTime>> } class Description { <<Description>> <<Type xsd:string>> } class Caveats { <<Caveats>> <<Type xsd:string>> } ModelVersion "1..>" --> VersionID ModelVersion "1..>" --> ReleaseDate ModelVersion "1..>" --> Description ModelVersion "1..>" --> Caveats </pre> <p>The date and time when a resource is made available. The availability of a resource coincides with the release of a...</p> <p>A narrative explanation with detail appropriate for the item it describes. For example a description of data resource...</p> <p>Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies,...</p>				
Type	ModelVersion				
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>maxOccurs:</td> <td>unbounded</td> </tr> </table>	content:	complex	maxOccurs:	unbounded
content:	complex				
maxOccurs:	unbounded				
Model	VersionID , ReleaseDate , Description{0,1} , Caveats{0,1}				
Children	Caveats, Description, ReleaseDate, VersionID				
Instance	<ModelVersion xmlns="http://impexfp7.oeaw.ac.at"> <VersionID>{1,1}</VersionID> <ReleaseDate>{1,1}</ReleaseDate> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> </ModelVersion>				
Source	<xsd:element name="ModelVersion" type="ModelVersion" maxOccurs="unbounded" />				

Element ModelVersion / VersionID

Namespace	http://impexfp7.oeaw.ac.at
Diagram	<pre> classDiagram class VersionID { <<VersionID>> <<Type xsd:string>> } class xsd:string { <<xsd:string>> <<Built-in primitive type. The string datatype represents character strings in XML.>> } VersionID "1..>" --> xsd:string </pre>

Type	xsd:string
Properties	content: simple
Source	<xsd:element name="VersionID" type="xsd:string" />

Element SimulationType

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	A characterization of the numerical scheme used in the simulation	
Diagram	<pre> classDiagram class SimulationType { <<SimulationType>> <<Type enumSimulationType>> } class enumSimulationType { <<enumSimulationType>> } SimulationType "1" -- "1" enumSimulationType </pre> <p>A characterization of the numerical scheme used in the simulation</p> <p>Identifiers for the characterization of the numerical scheme used in the simulation.</p>	
Type	enumSimulationType	
Properties	content:	simple
Facets	enumeration Analytic enumeration Hybrid enumeration MHD enumeration PIC enumeration Test_Particle enumeration Paraboloid	Analytic A numerical scheme simulating ions as particles and electrons as a fluid. MHD A numerical scheme simulating the plasma as a fluid. PIC A numerical scheme simulating ions and electrons as macroparticles. Test_Particle A numerical scheme simulating the motion of charged particles in a prescribed field. Paraboloid
Used by	Complex Type	SimulationModel
Source	<xsd:element name="SimulationType" type="enumSimulationType"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the numerical scheme used in the simulation</xsd:documentation> </xsd:annotation> </xsd:element>	

Element CodeLanguage

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Language in which a numerical code is written.	
Diagram	<pre> classDiagram class CodeLanguage { <<CodeLanguage>> <<Type xsd:string>> } class xsd:string { <<xsd:string>> } CodeLanguage "1" -- "1" xsd:string </pre> <p>Language in which a numerical code is written.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	xsd:string	
Properties	content:	simple
Used by	Complex Type	SimulationModel
Source	<xsd:element name="CodeLanguage" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Language in which a numerical code is written.</xsd:documentation> </xsd:annotation> </xsd:element>	

Element TemporalDependence

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Whether the simulation results are obtained from a stationary solution or are dynamically computed.	

Diagram	
Type	enumYN
Properties	<p>content: simple</p> <p>default: No</p>
Facets	<p>enumeration Yes</p> <p>enumeration No</p>
Used by	Complex Types SimulationModel, SimulationRun
Source	<pre><xsd:element name="TemporalDependence" type="enumYN" default="No"> <xsd:annotation> <xsd:documentation xml:lang="en">Whether the simulation results are obtained from a stationary solution or are dynamically computed.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element InputProperties

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	
Type	InputProperties
Properties	content: complex
Used by	Complex Type SimulationModel
Model	Property*
Children	Property
Instance	<pre><InputProperties xmlns="http://impex-fp7.oeaw.ac.at"> <Property>{0,unbounded}</Property> </InputProperties></pre>
Source	<pre><xsd:element name="InputProperties" type="InputProperties"/></pre>


Element OutputParameters

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	
Type	OutputParameters
Properties	content: complex
Used by	Complex Type SimulationModel
Model	Parameter*
Children	Parameter
Instance	<pre><OutputParameters xmlns="http://impex-fp7.oeaw.ac.at"> <Parameter>{0,unbounded}</Parameter> </OutputParameters></pre>
Source	<pre><xsd:element name="OutputParameters" type="OutputParameters"/></pre>

Element SimulationRun

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	SimulationRun
Properties	content: complex
Substitution Group Affiliation	• ResourceEntity
Model	ResourceID , ResourceHeader , AccessInformation* , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , Model , TemporalDependence{0,1} , SimulatedRegion+ , LikelihoodRating , Caveats{0,1} , Keyword* , InputResourceID* , SimulationTime , SimulationDomain , InputEntity+ , Extension*
Children	AccessInformation, Caveats, Extension, InputEntity, InputResourceID, Keyword, LikelihoodRating, Model, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SimulatedRegion, SimulationDomain, SimulationTime, TemporalDependence
Instance	<pre><SimulationRun xmlns="http://imdex-fp7.oeaw.ac.at"> <ResourceID>{1,1}</ResourceID> <ResourceHeader>{1,1}</ResourceHeader> <AccessInformation>{0,unbounded}</AccessInformation> <ProviderResourceName>{0,1}</ProviderResourceName> <ProviderProcessingLevel>{0,1}</ProviderProcessingLevel> <ProviderVersion>{0,1}</ProviderVersion> <Model>{1,1}</Model> <TemporalDependence>{0,1}</TemporalDependence> <SimulatedRegion>{1,unbounded}</SimulatedRegion> <LikelihoodRating>{1,1}</LikelihoodRating> <Caveats>{0,1}</Caveats> <Keyword>{0,unbounded}</Keyword> <InputResourceID>{0,unbounded}</InputResourceID> <SimulationTime>{1,1}</SimulationTime> <SimulationDomain>{1,1}</SimulationDomain> <InputEntity>{1,unbounded}</InputEntity> <Extension>{0,unbounded}</Extension> </SimulationRun></pre>
Source	<xsd:element name="SimulationRun" type="SimulationRun" substitutionGroup="ResourceEntity"/>

Element Model

Namespace	http://imdex-fp7.oeaw.ac.at
Diagram	<p>The diagram shows a class named 'Model' with two attributes: 'ModelID' and 'VersionID', both of type 'xsd:string'. A note below the class says: 'A string defining the ID of the model.'</p>
Type	Model
Properties	content: complex
Used by	Complex Type SimulationRun
Model	ModelID , VersionID{0,1}
Children	ModelID, VersionID
Instance	<pre><Model xmlns="http://imdex-fp7.oeaw.ac.at"> <ModelID>{1,1}</ModelID> <VersionID>{0,1}</VersionID> </Model></pre>
Source	<xsd:element name="Model" type="Model"/>

Element ModelID

Namespace	http://imdex-fp7.oeaw.ac.at
Annotations	A string defining the ID of the model.
Diagram	<p>The diagram shows the 'ModelID' attribute as a primitive type 'xsd:string'. A note below the attribute says: 'A string defining the ID of the model.'</p>

Type	xsd:string
Properties	content: simple
Used by	Complex Type Model
Source	<pre><xsd:element name="ModelID" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A string defining the ID of the model.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element VersionID

Namespace	http://impexfp7.oeaw.ac.at
Diagram	<pre> graph LR VersionID[VersionID] --> Type[xsd:string] subgraph Callout [Built-in primitive type. The string datatype represents character strings in XML.] end </pre>
Type	xsd:string
Properties	content: simple
Used by	Complex Type Model
Source	<pre><xsd:element name="VersionID" type="xsd:string" /></pre>

Element LikelihoodRating

Namespace	http://impexfp7.oeaw.ac.at												
Diagram	<pre> graph LR LikelihoodRating[LikelihoodRating] --> Type[enumConfidenceRating] subgraph Callout [Identifiers for the classification of the certainty of an assertion.] end </pre>												
Type	enumConfidenceRating												
Properties	content: simple												
Facets	<table> <tr> <td>enumeration</td> <td>Probable</td> <td>Likely given the available evidence. Considered in the range of 4-7 on a scale of 0-10.</td> </tr> <tr> <td>enumeration</td> <td>Strong</td> <td>Highly likely given the available evidence. Considered in the range of 7-10 on a scale of 0-10.</td> </tr> <tr> <td>enumeration</td> <td>Unlikely</td> <td>Not likely given the available evidence. Considered in the range of 0 on a scale of 0-10.</td> </tr> <tr> <td>enumeration</td> <td>Weak</td> <td>Slightly likely given the available evidence. Considered in the range of 1-4 on a scale of 0-10.</td> </tr> </table>	enumeration	Probable	Likely given the available evidence. Considered in the range of 4-7 on a scale of 0-10.	enumeration	Strong	Highly likely given the available evidence. Considered in the range of 7-10 on a scale of 0-10.	enumeration	Unlikely	Not likely given the available evidence. Considered in the range of 0 on a scale of 0-10.	enumeration	Weak	Slightly likely given the available evidence. Considered in the range of 1-4 on a scale of 0-10.
enumeration	Probable	Likely given the available evidence. Considered in the range of 4-7 on a scale of 0-10.											
enumeration	Strong	Highly likely given the available evidence. Considered in the range of 7-10 on a scale of 0-10.											
enumeration	Unlikely	Not likely given the available evidence. Considered in the range of 0 on a scale of 0-10.											
enumeration	Weak	Slightly likely given the available evidence. Considered in the range of 1-4 on a scale of 0-10.											
Used by	Complex Type SimulationRun												
Source	<pre><xsd:element name="LikelihoodRating" type="enumConfidenceRating" /></pre>												

Element SimulationTime

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Diagram	<pre> classDiagram class SimulationTime { Description {xsd:string} Caveats {xsd:string} Duration {xsd:duration} TimeStart {xsd:time} TimeStop {xsd:time} TimeStep {xsd:duration} DiagnosisTimeStep {DiagnosisTimeStep} } </pre> <p>Parameters associated to the simulation time.</p>
Type	SimulationTime
Properties	content: complex
Used by	Complex Type SimulationRun
Model	Description{0,1} , Caveats{0,1} , Duration{0,1} , TimeStart{0,1} , TimeStop{0,1} , TimeStep{0,1} , DiagnosisTimeStep{0,1}
Children	Caveats, Description, DiagnosisTimeStep, Duration, TimeStart, TimeStep, TimeStop
Instance	<SimulationTime xmlns="http://imdex-fp7.oeaw.ac.at"> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <Duration>{0,1}</Duration> <TimeStart>{0,1}</TimeStart> <TimeStop>{0,1}</TimeStop> <TimeStep>{0,1}</TimeStep> <DiagnosisTimeStep Duration="" TimeStart="">{0,1}</DiagnosisTimeStep> </SimulationTime>
Source	<xsd:element name="SimulationTime" type="SimulationTime"/>

Element Duration

Namespace	http://imdex-fp7.oeaw.ac.at
Annotations	Duration of the simulation.
Diagram	<pre> classDiagram class Duration { xsd:duration } </pre> <p>Built-in primitive type. The duration datatype represents a duration of time.</p>
Type	xsd:duration
Properties	content: simple
Used by	Complex Type SimulationTime
Source	<xsd:element name="Duration" type="xsd:duration"> <xsd:annotation> <xsd:documentation xml:lang="en">Duration of the simulation.</xsd:documentation> </xsd:annotation> </xsd:element>

<pre></xsd:element></pre>

Element TimeStart

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Time at which the coverage by the element start.	
Diagram	<p>TimeStart Type xsd:time</p> <p>Time at which the coverage by the element start.</p>	<p>Built-in primitive type. The time datatype represents an instant of time that recurs every day.</p>
Type	xsd:time	
Properties	content: simple	
Used by	Complex Type	SimulationTime
Source	<pre><xsd:element name="TimeStart" type="xsd:time"> <xsd:annotation> <xsd:documentation xml:lang="en">Time at which the coverage by the element start.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element TimeStop

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Time at which the coverage by the element stop.	
Diagram	<p>TimeStop Type xsd:time</p> <p>Time at which the coverage by the element stop.</p>	<p>Built-in primitive type. The time datatype represents an instant of time that recurs every day.</p>
Type	xsd:time	
Properties	content: simple	
Used by	Complex Type	SimulationTime
Source	<pre><xsd:element name="TimeStop" type="xsd:time"> <xsd:annotation> <xsd:documentation xml:lang="en">Time at which the coverage by the element stop.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element TimeStep

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Time Step.	
Diagram	<p>TimeStep Type xsd:duration</p> <p>Time Step.</p>	<p>Built-in primitive type. The duration datatype represents a duration of time.</p>
Type	xsd:duration	
Properties	content: simple	
Used by	Complex Type	SimulationTime
Source	<pre><xsd:element name="TimeStep" type="xsd:duration"> <xsd:annotation> <xsd:documentation xml:lang="en">Time Step.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element DiagnosisTimeStep

Namespace	http://impexfp7.oeaw.ac.at	
-----------	----------------------------	--

Diagram	<pre> classDiagram class DiagnosisTimeStep { @ Attributes @ TimeStart : xsd:time @ Duration : xsd:duration *-->0..∞ SavedQuantity : ImpexSavedQuantities } class SavedQuantity { Type ImpexSavedQuantities } note over DiagnosisTimeStep: Quantities that are saved during a given diagnosis. note over SavedQuantity: Time at which a diagnosis is performed and quantity saved. </pre>									
Type	DiagnosisTimeStep									
Properties	content: complex									
Used by	Complex Type SimulationTime									
Model	SavedQuantity*									
Children	SavedQuantity									
Instance	<pre> <DiagnosisTimeStep Duration="" TimeStart="" xmlns="http://impex-fp7.oeaw.ac.at"> <SavedQuantity>{0,unbounded}</SavedQuantity> </DiagnosisTimeStep> </pre>									
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>Duration</td> <td>xsd:duration</td> <td>optional</td> </tr> <tr> <td>TimeStart</td> <td>xsd:time</td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Use	Duration	xsd:duration	optional	TimeStart	xsd:time	optional
QName	Type	Use								
Duration	xsd:duration	optional								
TimeStart	xsd:time	optional								
Source	<pre> <xsd:element name="DiagnosisTimeStep" type="DiagnosisTimeStep"/> </pre>									


Element SavedQuantity

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Quantities that are saved during a given diagnosis.
Diagram	<pre> classDiagram class SavedQuantity { Type ImpexSavedQuantities } class ImpexSavedQuantities Note over SavedQuantity: Quantities that are saved during a given diagnosis. </pre>
Type	ImpexSavedQuantities
Properties	content: simple
Used by	Complex Type DiagnosisTimeStep
Source	<pre> <xsd:element name="SavedQuantity" type="ImpexSavedQuantities"> <xsd:annotation> <xsd:documentation>Quantities that are saved during a given diagnosis.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element SimulationDomain

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	SimulationDomain
------	------------------

Properties	content:	complex
Used by	Complex Type	SimulationRun
Model	CoordinateSystem , Description{0,1} , Caveats{0,1} , SpatialDimension , VelocityDimension{0,1} , FieldDimension{0,1} , Units , UnitsConversion{0,1} , CoordinatesLabel{0,1} , ValidMin{0,1} , ValidMax{0,1} , GridStructure{0,1} , GridCellSize{0,1} , Symmetry{0,1} , BoundaryConditions{0,1}	
Children	BoundaryConditions, Caveats, CoordinateSystem, CoordinatesLabel, Description, FieldDimension, GridCellSize, GridStructure, SpatialDimension, Symmetry, Units, UnitsConversion, ValidMax, ValidMin, VelocityDimension	
Instance	<pre><SimulationDomain xmlns="http://impex-fp7.oeaw.ac.at"> <CoordinateSystem>{1,1}</CoordinateSystem> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <SpatialDimension>{1,1}</SpatialDimension> <VelocityDimension>{0,1}</VelocityDimension> <FieldDimension>{0,1}</FieldDimension> <Units>{1,1}</Units> <UnitsConversion>{0,1}</UnitsConversion> <CoordinatesLabel>{0,1}</CoordinatesLabel> <ValidMin>{0,1}</ValidMin> <ValidMax>{0,1}</ValidMax> <GridStructure>{0,1}</GridStructure> <GridCellSize>{0,1}</GridCellSize> <Symmetry>{0,1}</Symmetry> <BoundaryConditions>{0,1}</BoundaryConditions> </SimulationDomain></pre>	
Source	<pre><xsd:element name="SimulationDomain" type="SimulationDomain" /></pre>	

Element SpatialDimension

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Number of spatial dimensions in the simulation domain.
Diagram	<p>The diagram shows a UML class named 'SpatialDimension' with a multiplicity of 1..1. A directed association line connects it to a box labeled 'xsd:integer'. A callout bubble next to the association line states: 'Number of spatial dimensions in the simulation domain.' Another callout bubble next to the 'xsd:integer' box states: 'Built-in derived type. The integer datatype is derived from decimal by fixing the value of fractionDigits to be 0. This...'.</p>
Type	xsd:integer
Properties	content: simple
Used by	Complex Type SimulationDomain
Source	<pre><xsd:element name="SpatialDimension" type="xsd:integer"> <xsd:annotation> <xsd:documentation xml:lang="en">Number of spatial dimensions in the simulation domain.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element VelocityDimension

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Number of velocity dimensions in the simulation domain.
Diagram	<p>The diagram shows a UML class named 'VelocityDimension' with a multiplicity of 1..1. A directed association line connects it to a box labeled 'xsd:integer'. A callout bubble next to the association line states: 'Number of velocity dimensions in the simulation domain.' Another callout bubble next to the 'xsd:integer' box states: 'Built-in derived type. The integer datatype is derived from decimal by fixing the value of fractionDigits to be 0. This...'.</p>
Type	xsd:integer
Properties	content: simple
Used by	Complex Type SimulationDomain
Source	<pre><xsd:element name="VelocityDimension" type="xsd:integer"> <xsd:annotation> <xsd:documentation xml:lang="en">Number of velocity dimensions in the simulation domain.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element FieldDimension

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Number of field dimensions in the simulation domain.	
Diagram		<p>Number of field dimensions in the simulation domain.</p> <p>Built-in derived type. The integer datatype is derived from decimal by fixing the value of fractionDigits to be 0. This...</p>
Type	xsd:integer	
Properties	content: simple	
Used by	Complex Type	SimulationDomain
Source	<pre><xsd:element name="FieldDimension" type="xsd:integer"> <xsd:annotation> <xsd:documentation xml:lang="en">Number of field dimensions in the simulation domain.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element GridStructure


Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Structure of the simulation grid.	
Diagram		<p>Structure of the simulation grid.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	SimulationDomain
Source	<pre><xsd:element name="GridStructure" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Structure of the simulation grid.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element GridCellSize


Namespace	http://impexfp7.oeaw.ac.at	
Annotations	A string list of the cell sizes in each dimension.	
Diagram		<p>A string list of the cell sizes in each dimension.</p> <p>A list of real values.</p>
Type	FloatSequence	
Properties	content: simple	
Used by	Complex Type	SimulationDomain
Source	<pre><xsd:element name="GridCellSize" type="FloatSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">A string list of the cell sizes in each dimension.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Symmetry

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Symmetry of the simulation domain.	

Diagram													
Type	enumSymmetry												
Properties	content: simple												
Facets	<table> <tr> <td>enumeration</td> <td>None</td> <td>No Symmetry.</td> </tr> <tr> <td>enumeration</td> <td>Axial</td> <td>Axial symmetry.</td> </tr> <tr> <td>enumeration</td> <td>Plane</td> <td>Symmetry across a plane.</td> </tr> <tr> <td>enumeration</td> <td>Central</td> <td>Central Symmetry.</td> </tr> </table>	enumeration	None	No Symmetry.	enumeration	Axial	Axial symmetry.	enumeration	Plane	Symmetry across a plane.	enumeration	Central	Central Symmetry.
enumeration	None	No Symmetry.											
enumeration	Axial	Axial symmetry.											
enumeration	Plane	Symmetry across a plane.											
enumeration	Central	Central Symmetry.											
Used by	Complex Type SimulationDomain												
Source	<pre><xsd:element name="Symmetry" type="enumSymmetry"> <xsd:annotation> <xsd:documentation xml:lang="en">Symmetry of the simulation domain.</xsd:documentation> </xsd:annotation> </xsd:element></pre>												

Element BoundaryConditions

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	
Type	BoundaryConditions
Properties	content: complex
Used by	Complex Type SimulationDomain
Model	ParticleBoundary{0,1} , FieldBoundary{0,1}
Children	FieldBoundary, ParticleBoundary
Instance	<pre><BoundaryConditions xmlns="http://impex-fp7.oeaw.ac.at"> <ParticleBoundary>{0,1}</ParticleBoundary> <FieldBoundary>{0,1}</FieldBoundary> </BoundaryConditions></pre>
Source	<pre><xsd:element name="BoundaryConditions" type="BoundaryConditions"/></pre>

Element ParticleBoundary

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	<pre> classDiagram class ElementBoundary { Caveats Type xsd:string Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies, ... FrontWall Type xsd:string Front wall of the simulation domain by which the plasma flow may be injected. BackWall Type xsd:string Back wall of the simulation domain by which the plasma flow may exit the simulation. SideWall Type xsd:string Side walls of the simulation domain. Obstacle Type xsd:string Obstacle in the simulation domain. } class ParticleBoundary { Type ElementBoundary } ParticleBoundary < -- ElementBoundary </pre> <p>Parameters associated to the simulation Boundaries.</p>
Type	ElementBoundary
Properties	content: complex
Used by	Complex Type BoundaryConditions
Model	Caveats{0,1} , FrontWall{0,1} , BackWall{0,1} , SideWall{0,1} , Obstacle{0,1}
Children	BackWall, Caveats, FrontWall, Obstacle, SideWall
Instance	<pre> <ParticleBoundary xmlns="http://impex-fp7.oeaw.ac.at"> <Caveats>{0,1}</Caveats> <FrontWall>{0,1}</FrontWall> <BackWall>{0,1}</BackWall> <SideWall>{0,1}</SideWall> <Obstacle>{0,1}</Obstacle> </ParticleBoundary> </pre>
Source	<code><xsd:element name="ParticleBoundary" type="ElementBoundary"/></code>

Element FrontWall

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Front wall of the simulation domain by which the plasma flow may be injected.
Diagram	<pre> classDiagram class FrontWall { Type xsd:string } class xsd:string FrontWall < -- xsd:string </pre> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type ElementBoundary
Source	<pre> <xsd:element name="FrontWall" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Front wall of the simulation domain by which the plasma flow may be injected.</xsd:documentation> </xsd:annotation> </xsd:element> </pre>

Element BackWall

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Annotations	Back wall of the simulation domain by which the plasma flow may exit the simulation.
Diagram	<p>BackWall Type xsd:string</p> <p>Back wall of the simulation domain by which the plasma flow may exit the simulation.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type ElementBoundary
Source	<pre><xsd:element name="BackWall" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Back wall of the simulation domain by which the plasma flow may exit the simulation.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element SideWall

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Side walls of the simulation domain.
Diagram	<p>SideWall Type xsd:string</p> <p>Side walls of the simulation domain.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type ElementBoundary
Source	<pre><xsd:element name="SideWall" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Side walls of the simulation domain.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element Obstacle

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Obstacle in the simulation domain.
Diagram	<p>Obstacle Type xsd:string</p> <p>Obstacle in the simulation domain.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type ElementBoundary
Source	<pre><xsd:element name="Obstacle" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Obstacle in the simulation domain.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element FieldBoundary

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	<pre> classDiagram class ElementBoundary { Caveats Type xsd:string Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies, ... FrontWall Type xsd:string Front wall of the simulation domain by which the plasma flow may be injected. BackWall Type xsd:string Back wall of the simulation domain by which the plasma flow may exit the simulation. SideWall Type xsd:string Side walls of the simulation domain. Obstacle Type xsd:string Obstacle in the simulation domain. } class FieldBoundary { Type ElementBoundary } FieldBoundary < -- ElementBoundary </pre> <p>Parameters associated to the simulation Boundaries.</p>
Type	ElementBoundary
Properties	content: complex
Used by	Complex Type BoundaryConditions
Model	Caveats{0,1} , FrontWall{0,1} , BackWall{0,1} , SideWall{0,1} , Obstacle{0,1}
Children	BackWall, Caveats, FrontWall, Obstacle, SideWall
Instance	<pre> <FieldBoundary xmlns="http://impex-fp7.oeaw.ac.at"> <Caveats>{0,1}</Caveats> <FrontWall>{0,1}</FrontWall> <BackWall>{0,1}</BackWall> <SideWall>{0,1}</SideWall> <Obstacle>{0,1}</Obstacle> </FieldBoundary> </pre>
Source	<xsd:element name="FieldBoundary" type="ElementBoundary"/>

Element InputEntity

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class InputEntity { Abstract true } class InputField { Type InputField } class InputParameter { Type InputParameter } class InputPopulation { Type InputPopulation } class InputProcess { Type InputProcess } class RegionParameter { Type RegionParameter } InputEntity < -- InputField InputEntity < -- InputParameter InputEntity < -- InputPopulation InputEntity < -- InputProcess InputEntity < -- RegionParameter </pre>
Properties	abstract: true
Substitution Group	<ul style="list-style-type: none"> RegionParameter InputParameter InputPopulation

	<ul style="list-style-type: none"> • InputField • InputProcess
Used by	Complex Type SimulationRun
Source	<code><xsd:element name="InputEntity" abstract="true" /></code>

Element RegionParameter

Namespace	http://imdex-fp7.oeaw.ac.at
Diagram	<p>The diagram shows the UML class <code>RegionParameter</code> with the following attributes:</p> <ul style="list-style-type: none"> SimulatedRegion: Type <code>enumImpexRegion</code>. Description: The portion of space simulated by the code at the time of a diagnosis. A region is distinguished by certain natural... Description: Type <code>xsd:string</code>. Description: A narrative explanation with detail appropriate for the item it describes. For example a description of data resource... Caveats: Type <code>xsd:string</code>. Description: Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies,... Radius: Type <code>InputValue</code>. Description: Radius of the Region in the simulation. SubLongitude: Type <code>InputValue</code>. Description: SubLongitude of the Parent of the Region body, in the body's planetocentric frame: Sun for planets and objects in the... Period: Type <code>InputValue</code>. Description: Rotation period of the object referenced as Simulation Region. ObjectMass: Type <code>InputValue</code>. Description: Mass of an object referenced as a simulated region. InputTableURL: Type <code>xsd:anyURI</code>. Description: Link to a VOTable containing the value of the fields varying with time. These VOTable must have a column with time (ISO... Property: Type <code>Property</code>. Description: 0..∞ properties. <p>A self-referencing association loop is shown from <code>RegionParameter</code> back to itself.</p> <p>Substitution Group</p> <ul style="list-style-type: none"> InputEntity: Abstract true.
Type	RegionParameter
Properties	content: complex
Substitution Group Affiliation	<ul style="list-style-type: none"> • InputEntity
Model	SimulatedRegion , Description{0,1} , Caveats{0,1} , Radius{0,1} , SubLongitude{0,1} , Period{0,1} , ObjectMass{0,1} , InputTableURL{0,1} , Property*
Children	Caveats, Description, InputTableURL, ObjectMass, Period, Property, Radius, SimulatedRegion, SubLongitude
Instance	<code><RegionParameter xmlns="http://imdex-fp7.oeaw.ac.at"></code>

	<pre> <SimulatedRegion>{1,1}</SimulatedRegion> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <Radius Units="" UnitsConversion="">{0,1}</Radius> <SubLongitude Units="" UnitsConversion="">{0,1}</SubLongitude> <Period Units="" UnitsConversion="">{0,1}</Period> <ObjectMass Units="" UnitsConversion="">{0,1}</ObjectMass> <InputTableURL>{0,1}</InputTableURL> <Property>{0,unbounded}</Property> </RegionParameter> </pre>
Source	<xsd:element name="RegionParameter" substitutionGroup="InputEntity" type="RegionParameter"/>

Element Radius

Namespace	http://impexfp7.oeaw.ac.at														
Diagram	<p>The diagram shows the UML representation of the Radius element. It is defined as a complex type named 'inputValue'. It has two attributes: 'Units' of type 'xsd:string' and 'UnitsConversion' of type 'xsd:string'. A tooltip for 'Units' describes it as a standardized measurement increment. A tooltip for 'UnitsConversion' describes it as a multiplicative factor for converting a unit into SI units.</p>														
Type	InputValue														
Properties	content: complex mixed: true														
Used by	Complex Type RegionParameter														
Model															
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Use</th> <th></th> </tr> </thead> <tbody> <tr> <td>Units</td> <td>xsd:string</td> <td>optional</td> <td></td> </tr> <tr> <td>UnitsConversion</td> <td>xsd:string</td> <td>optional</td> <td></td> </tr> </tbody> </table>	QName	Type	Use		Units	xsd:string	optional		UnitsConversion	xsd:string	optional		<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>	
QName	Type	Use													
Units	xsd:string	optional													
UnitsConversion	xsd:string	optional													

	QName	Type	Use
		F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.	
Source	<xsd:element name="Radius" type="InputValue"/>		

Element SubLongitude

Namespace	http://impex-fp7.oeaw.ac.at		
Diagram	<p>The diagram illustrates the UML representation of the <code>SubLongitude</code> element. It is defined as a <code>Mixed</code> type with a base type of <code>inputValue</code>. It contains two attributes: <code>Units</code> (xsd:string) and <code>UnitsConversion</code> (xsd:string). The <code>Units</code> attribute is described as a standardized measurement increment. The <code>UnitsConversion</code> attribute is described as a multiplicative factor for converting a unit into International System of Units (SI) units.</p>		
Type	InputValue		
Properties	content: complex mixed: true		
Used by	Complex Type RegionParameter		
Model			
Attributes	QName	Type	Use
	Units	xsd:string	optional
		A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see < http://www.bipm.fr/ >) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: < http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols > and those for common derived units can be found at: < http://www.bipm.fr/en/si/derived_units/2-2-2.html >	
	UnitsConversion	xsd:string	optional
		The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not	

QName	Type	Use
	SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.	
Source	<xsd:element name="SubLongitude" type="InputValue"/>	

Element Period

Namespace	http://impex-fp7.oeaw.ac.at											
Diagram	<p>The diagram shows the UML representation of the Period element. It is a complex type (mixed) with two attributes: Units (xsd:string) and UnitsConversion (xsd:string). The Units attribute is described as a "description of the standardized measurement increments in which a value is specified. The description is represented...". The UnitsConversion attribute is described as "the multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed...".</p>											
Type	InputValue											
Properties	content: complex mixed: true											
Used by	Complex Type RegionParameter											
Model												
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>Units</td> <td>xsd:string</td> <td>optional</td> </tr> <tr> <td>UnitsConversion</td> <td>xsd:string</td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Use	Units	xsd:string	optional	UnitsConversion	xsd:string	optional	<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>	<p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which</p>
QName	Type	Use										
Units	xsd:string	optional										
UnitsConversion	xsd:string	optional										

QName	Type	Use
	converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.	
Source	<code><xsd:element name="Period" type="InputValue"/></code>	

Element ObjectMass

Namespace	http://impex-fp7.oeaw.ac.at										
Annotations	Mass of an object referenced as a simulated region.										
Diagram	<p>The diagram shows a UML class named 'ObjectMass' which is a subtype of 'InputValue'. The 'InputValue' class has attributes: '@ Units' (xsd:string) with a note 'A description of the standardized measurement increments in which a value is specified. The description is represented...'; and '@ UnitsConversion' (xsd:string) with a note 'The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed...'. The 'ObjectMass' class also has a note: 'Mass of an object referenced as a simulated region.'</p>										
Type	InputValue										
Properties	content: complex mixed: true										
Used by	Complex Type	RegionParameter									
Model											
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>Units</td> <td>xsd:string</td> <td>optional</td> </tr> <tr> <td>UnitsConversion</td> <td>xsd:string</td> <td>optional</td> </tr> </tbody> </table>		QName	Type	Use	Units	xsd:string	optional	UnitsConversion	xsd:string	optional
QName	Type	Use									
Units	xsd:string	optional									
UnitsConversion	xsd:string	optional									
	<p>Units A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>										
	<p>UnitsConversion The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which</p>										

	QName	Type	Use
		converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.	
Source		<xsd:element name="ObjectMass" type="InputValue"> <xsd:annotation>Mass of an object referenced as a simulated region.</xsd:documentation> </xsd:annotation> </xsd:element>	

Element InputTableURL


Namespace	http://impexfp7.oeaw.ac.at	
Diagram	<p>The diagram shows the <code>InputTableURL</code> element with its type set to <code>xsd:anyURI</code>. A callout box provides the definition: "Built-in primitive type. The anyURI datatype represents a Uniform Resource Identifier Reference (URI)."</p>	
Type	xsd:anyURI	
Properties	content:	simple
Used by	Complex Types	InputField, InputParameter, InputPopulation, RegionParameter
Source	<xsd:element name="InputTableURL" type="xsd:anyURI"/>	

Element InputParameter

Namespace	http://impexfp7.oeaw.ac.at	
Diagram	<p>The diagram illustrates the structure of the <code>InputParameter</code> element. It includes fields for Name (xsd:string), Description (xsd:string), and Caveats (xsd:string). It also features associations with <code>SimulatedRegion</code> (0..∞, enumImpexRegion), <code>Qualifier</code> (0..∞, enumQualifier), <code>InputTableURL</code> (xsd:anyURI), <code>ParameterQuantity</code> (ImpexFixedListQuantities), and <code>Property</code> (1..∞, Property). A <code>Substitution Group</code> is defined with <code>InputEntity</code> (Abstract: true).</p>	

Type	InputParameter
Properties	content: complex
Substitution Group Affiliation	• InputEntity
Model	Name , Description{0,1} , Caveats{0,1} , SimulatedRegion* , Qualifier* , InputTableURL{0,1} , ParameterQuantity , Property+ ,
Children	Caveats, Description, InputTableURL, Name, ParameterQuantity, Property, Qualifier, SimulatedRegion
Instance	<pre><InputParameter xmlns="http://impex-fp7.oeaw.ac.at"> <Name>{1,1}</Name> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <SimulatedRegion>{0,unbounded}</SimulatedRegion> <Qualifiers>{0,unbounded}</Qualifiers> <InputTableURL>{0,1}</InputTableURL> <ParameterQuantity>{1,1}</ParameterQuantity> <Property>{1,unbounded}</Property> </InputParameter></pre>
Source	<code><xsd:element name="InputParameter" type="InputParameter" substitutionGroup="InputEntity"/></code>

Element ParameterQuantity


Namespace	http://impex-fp7.oeaw.ac.at
Diagram	
Type	ImpexLargeListQuantities
Properties	content: simple
Used by	Complex Type InputParameter
Source	<code><xsd:element name="ParameterQuantity" type="ImpexLargeListQuantities"/></code>

Element InputPopulation

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram

InputPopulation



Type	InputPopulation
Properties	content: complex
Substitution Group Affiliation	• InputEntity
Model	Name , Set* , ParameterKey{0,1} , Description{0,1} , Caveats{0,1} , SimulatedRegion* , Qualifier* , ParticleType , ChemicalFormula{0,1} , AtomicNumber{0,1} , PopulationMassNumber{0,1} , PopulationChargeState{0,1} , PopulationDensity{0,1} , PopulationTemperature{0,1} , PopulationFlowSpeed{0,1} , Distribution{0,1} , ProductionRate{0,1} , TotalProductionRate{0,1} , InputTableURL{0,1} , Profile{0,1} , ModelURL{0,1}
Children	AtomicNumber, Caveats, ChemicalFormula, Description, Distribution, InputTableURL, ModelURL, Name, ParameterKey, ParticleType, PopulationChargeState, PopulationDensity, PopulationFlowSpeed, PopulationMassNumber, PopulationTemperature, ProductionRate, Profile, Qualifier, Set, SimulatedRegion, TotalProductionRate
Instance	<pre><InputPopulation xmlns="http://impex-fp7.oeaw.ac.at"> <Name>{1,1}</Name> <Set>{0,unbounded}</Set> <ParameterKey>{0,1}</ParameterKey> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <SimulatedRegion>{0,unbounded}</SimulatedRegion> <Qualifier>{0,unbounded}</Qualifier> <ParticleType>{1,1}</ParticleType> <ChemicalFormula>{0,1}</ChemicalFormula> <AtomicNumber>{0,1}</AtomicNumber> <PopulationMassNumber>{0,1}</PopulationMassNumber> <PopulationChargeState>{0,1}</PopulationChargeState> <PopulationDensity Units="" UnitsConversion="">{0,1}</PopulationDensity> <PopulationTemperature Units="" UnitsConversion="">{0,1}</PopulationTemperature> <PopulationFlowSpeed Units="" UnitsConversion="">{0,1}</PopulationFlowSpeed> <Distribution>{0,1}</Distribution> <ProductionRate Units="" UnitsConversion="">{0,1}</ProductionRate> <TotalProductionRate Units="" UnitsConversion="">{0,1}</TotalProductionRate> <InputTableURL>{0,1}</InputTableURL> <Profile>{0,1}</Profile> <ModelURL>{0,1}</ModelURL> </InputPopulation></pre>
Source	<xsd:element name="InputPopulation" type="InputPopulation" substitutionGroup="InputEntity"/>

Element ChemicalFormula

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Chemical formula representing a population of particle.
Diagram	<p>Chemical formula representing a population of particle.</p>
Type	ChemicalFormula
Properties	content: simple
Used by	Complex Types InputPopulation, Particle
Source	<pre><xsd:element name="ChemicalFormula" type="ChemicalFormula"> <xsd:annotation> <xsd:documentation>Chemical formula representing a population of particle.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element PopulationMassNumber

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The total number of protons and neutrons (together known as nucleons) in an atomic nucleus.
Diagram	<p>The total number of protons and neutrons (together known as nucleons) in an atomic nucleus.</p>
Type	xsd:double

Properties	content: simple	
Used by	Complex Types	InputPopulation, Particle
Source	<pre><xsd:element name="PopulationMassNumber" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">The total number of protons and neutrons (together known as nucleons) in an atomic nucleus.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element PopulationChargeState

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Charge of a particle in a population, in units of the charge of a proton. Charge state of a bare proton = 1.	
Diagram	<p>PopulationChargeState Type xsd:double</p> <p>Charge of a particle in a population, in units of the charge of a proton. Charge state of a bare proton = 1.</p>	
Type	xsd:double	
Properties	content: simple	
Used by	Complex Types	InputPopulation, Particle
Source	<pre><xsd:element name="PopulationChargeState" type="xsd:double"> <xsd:annotation> <xsd:documentation xml:lang="en">Charge of a particle in a population, in units of the charge of a proton. Charge state of a bare proton = 1.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element PopulationDensity

Namespace	http://impexfp7.oeaw.ac.at			
Annotations	The number of particles per unit volume.			
Diagram	<p>PopulationDensity Type inputValue</p> <p>The number of particles per unit volume.</p> <p>InputValue Mixed true</p> <p>@ Attributes</p> <p>@ Units Type xsd:string</p> <p>A description of the standardized measurement increments in which a value is specified. The description is represented...</p> <p>@ UnitsConversion Type xsd:string</p> <p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed...</p>			
Type	InputValue			
Properties	content: complex mixed: true			
Used by	Complex Type	InputPopulation		
Model				
Attributes	QName Units	Type xsd:string	Use optional	
		A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical...		

QName	Type	Use
	phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html>	
UnitsConversion	xsd:string	optional
Source		<pre><xsd:element name="PopulationDensity" type="InputValue"> <xsd:annotation> <xsd:documentation xml:lang="en">The number of particles per unit volume.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element PopulationTemperature

Namespace	http://impex-fp7.oeaw.ac.at				
Annotations	A measure of the kinetic energy of random motion with respect to the average. Temperature is properly defined only for an equilibrium particle distribution (Maxwellian distribution).				
Diagram	<p>The diagram shows a UML class named PopulationTemperature which is a subtype of InputValue. The PopulationTemperature class has a note: "A measure of the kinetic energy of random motion with respect to the average. Temperature is properly defined only for...".</p> <p>Associated with InputValue are two annotations:</p> <ul style="list-style-type: none"> @ Units: Type <code>xsd:string</code>. Description: "A description of the standardized measurement increments in which a value is specified. The description is represented...". @ UnitsConversion: Type <code>xsd:string</code>. Description: "The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed...". 				
Type	InputValue				
Properties	<table border="1"> <tr> <td>content:</td> <td>complex</td> </tr> <tr> <td>mixed:</td> <td>true</td> </tr> </table>	content:	complex	mixed:	true
content:	complex				
mixed:	true				
Used by	Complex Type InputPopulation				
Model					

Attributes	QName	Type	Use
	Units	xsd:string	optional
	<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see http://www.bipm.fr/) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>		
	UnitsConversion	xsd:string	optional
	<p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p>		
Source	<pre><xsd:element name="PopulationTemperature" type="InputValue"> <xsd:annotation> <xsd:documentation xml:lang="en">A measure of the kinetic energy of random motion with respect to the average. Temperature is properly defined only for an equilibrium particle distribution (Maxwellian distribution).</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element PopulationFlowSpeed

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The rate at which particles or energy is passing through a unit area in a unit time.
Diagram	<pre> classDiagram class PopulationFlowSpeed { <<Type InputValue>> } class InputValue { <<Mixed true>> } PopulationFlowSpeed < -- InputValue PopulationFlowSpeed < -- Attributes class Attributes { <<@ Units Type xsd:string >> } class UnitsConversion { <<@ UnitsConversion Type xsd:string >> } PopulationFlowSpeed --> Attributes PopulationFlowSpeed --> UnitsConversion </pre> <p>The rate at which particles or energy is passing through a unit area in a unit time.</p>
Type	InputValue
Properties	content: complex

	mixed:	true	
Used by	Complex Type	InputPopulation	
Model			
Attributes	QName	Type	Use
	Units	xsd:string	optional
		A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see < http://www.bipm.fr/ >) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: < http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols > and those for common derived units can be found at: < http://www.bipm.fr/en/si/derived_units/2-2-2.html >	
	UnitsConversion	xsd:string	optional
		The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.	
Source	<pre><xsd:element name="PopulationFlowSpeed" type="InputValue"> <xsd:annotation> <xsd:documentation xml:lang="en">The rate at which particles or energy is passing through a unit area in a unit time.</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element Distribution


Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Velocity distribution of the particles in a population.
Diagram	<p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type InputPopulation
Source	<pre><xsd:element name="Distribution" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Velocity distribution of the particles in a population.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element ProductionRate

Namespace	http://impex-fp7.oeaw.ac.at		
Diagram	<p>The diagram illustrates the UML class structure for the <code>ProductionRate</code> element. It is defined as a type of <code>InputValue</code>. The class has two attributes: <code>Units</code> (xsd:string) and <code>UnitsConversion</code> (xsd:string). A note for <code>Units</code> states: "A description of the standardized measurement increments in which a value is specified. The description is represented...". A note for <code>UnitsConversion</code> states: "The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed...".</p>		
Type	InputValue		
Properties	content: complex mixed: true		
Used by	Complex Type InputPopulation		
Model			
Attributes	QName	Type	Use
	Units	xsd:string	optional
		<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>	
	UnitsConversion	xsd:string	optional
		<p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p>	
Source	<xsd:element name="ProductionRate" type="InputValue"/>		

Element TotalProductionRate

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram																					
Type	InputValue																				
Properties	<p>content: complex</p> <p>mixed: true</p>																				
Used by	Complex Type InputPopulation																				
Model																					
Attributes	<table border="1"> <thead> <tr> <th>QName</th><th>Type</th><th>Use</th><th></th></tr> </thead> <tbody> <tr> <td>Units</td><td>xsd:string</td><td>optional</td><td></td></tr> <tr> <td></td><td colspan="3"> <p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p> </td></tr> <tr> <td>UnitsConversion</td><td>xsd:string</td><td>optional</td><td></td></tr> <tr> <td></td><td colspan="3"> <p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p> </td></tr> </tbody> </table>	QName	Type	Use		Units	xsd:string	optional			<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>			UnitsConversion	xsd:string	optional			<p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p>		
QName	Type	Use																			
Units	xsd:string	optional																			
	<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>																				
UnitsConversion	xsd:string	optional																			
	<p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p>																				
Source	<code><xsd:element name="TotalProductionRate" type="InputValue"/></code>																				

Element Profile


Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Density profile of the particles in a population.

Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Type InputPopulation
Source	<pre><xsd:element name="Profile" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Density profile of the particles in a population.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element InputField

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	InputField
Properties	content: complex
Substitution Group Affiliation	• InputEntity
Model	Name , Set* , ParameterKey{0,1} , Description{0,1} , Caveats{0,1} , SimulatedRegion* , CoordinateSystem{0,1} , Qualifier* , FieldQuantity , Units{0,1} , UnitsConversion{0,1} , InputLabel{0,1} , FieldValue{0,1} , InputTableURL{0,1} , ValidMin{0,1} , ValidMax{0,1} , FieldModel{0,1} , ModelURL{0,1}
Children	Caveats, CoordinateSystem, Description, FieldModel, FieldQuantity, FieldValue, InputLabel, InputTableURL, ModelURL, Name, ParameterKey, Qualifier, Set, SimulatedRegion, Units, UnitsConversion, ValidMax, ValidMin
Instance	<pre><InputField xmlns="http://impex-fp7.oeaw.ac.at"> <Name>{1,1}</Name> <Set>{0,unbounded}</Set> <ParameterKey>{0,1}</ParameterKey> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <SimulatedRegion>{0,unbounded}</SimulatedRegion> <CoordinateSystem>{0,1}</CoordinateSystem> <Qualifier>{0,unbounded}</Qualifier> <FieldQuantity>{1,1}</FieldQuantity> <Units>{0,1}</Units> <UnitsConversion>{0,1}</UnitsConversion> <InputLabel>{0,1}</InputLabel> <FieldValue>{0,1}</FieldValue> <InputTableURL>{0,1}</InputTableURL> <ValidMin>{0,1}</ValidMin> <ValidMax>{0,1}</ValidMax> <FieldModel>{0,1}</FieldModel> <ModelURL>{0,1}</ModelURL> </InputField></pre>
Source	<pre><xsd:element name="InputField" type="InputField" substitutionGroup="InputEntity"/></pre>

Element InputLabel

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A string list of the labels of each dimension of the input parameter.
Diagram	
Type	StringSequence
Properties	content: simple
Used by	Complex Type InputField
Source	<pre><xsd:element name="InputLabel" type="StringSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">A string list of the labels of each dimension of the input parameter.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element FieldValue

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A string list of the values of the input parameter.
Diagram	
Type	StringSequence
Properties	content: simple
Used by	Complex Type InputField

Source	<pre><xsd:element name="FieldValue" type="StringSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">A string list of the values of the input parameter.</xsd:documentation> </xsd:annotation> </xsd:element></pre>
--------	---


Element FieldModel

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Field model imposed in the simulation run.
Diagram	<p>Field model imposed in the simulation run.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Properties	content: simple
Used by	Complex Type InputField
Source	<pre><xsd:element name="FieldModel" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Field model imposed in the simulation run.</xsd:documentation> </xsd:annotation> </xsd:element></pre>

Element InputProcess

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	InputProcess
------	--------------

Properties	content: complex
Substitution Group Affiliation	• InputEntity
Model	Name , Set* , ParameterKey{0,1} , Description{0,1} , Caveats{0,1} , SimulatedRegion* , ProcessType , Units{0,1} , UnitsConversion{0,1} , ProcessCoefficient{0,1} , ProcessCoeffType{0,1} , ProcessModel{0,1} , ModelURL{0,1}
Children	Caveats, Description, ModelURL, Name, ParameterKey, ProcessCoeffType, ProcessCoefficient, ProcessModel, ProcessType, Set, SimulatedRegion, Units, UnitsConversion
Instance	<pre><InputProcess xmlns="http://impex-fp7.oeaw.ac.at"> <Name>{1,1}</Name> <Set>{0,unbounded}</Set> <ParameterKey>{0,1}</ParameterKey> <Description>{0,1}</Description> <Caveats>{0,1}</Caveats> <SimulatedRegion>{0,unbounded}</SimulatedRegion> <ProcessType>{1,1}</ProcessType> <Units>{0,1}</Units> <UnitsConversion>{0,1}</UnitsConversion> <ProcessCoefficient>{0,1}</ProcessCoefficient> <ProcessCoeffType>{0,1}</ProcessCoeffType> <ProcessModel>{0,1}</ProcessModel> <ModelURL>{0,1}</ModelURL> </InputProcess></pre>
Source	<code><xsd:element name="InputProcess" type="InputProcess" substitutionGroup="InputEntity"/></code>

Element ProcessType

Namespace	http://impex-fp7.oeaw.ac.at												
Annotations	Type of chemical process.												
Diagram	<pre> classDiagram class ProcessType { <<enumeration>> } class enumProcessType { <<xsd:string>> } ProcessType "0..1" o-- "1..1" enumProcessType enumProcessType --> "1..1" Type enumProcessType --> "1..1" Type </pre> <p>Type of chemical process.</p>												
Type	enumProcessType												
Properties	content: simple												
Facets	<table> <tr> <td>enumeration</td> <td>ChargeExchange</td> <td>Chemical process involving a charge transfer from an ion (which becomes neutral) to a neutral (which becomes ionized).</td> </tr> <tr> <td>enumeration</td> <td>ElectronImpact</td> <td>Chemical process by which a neutral is ionized thanks to the energy from the impact of an electron.</td> </tr> <tr> <td>enumeration</td> <td>PhotoIonization</td> <td>Chemical process by which a neutral is ionized thanks to the energy from a photon.</td> </tr> <tr> <td>enumeration</td> <td>DissociativeRecombination</td> <td>Chemical process by which an ion is neutralized by capturing an electron, and splits in two new neutral species.</td> </tr> </table>	enumeration	ChargeExchange	Chemical process involving a charge transfer from an ion (which becomes neutral) to a neutral (which becomes ionized).	enumeration	ElectronImpact	Chemical process by which a neutral is ionized thanks to the energy from the impact of an electron.	enumeration	PhotoIonization	Chemical process by which a neutral is ionized thanks to the energy from a photon.	enumeration	DissociativeRecombination	Chemical process by which an ion is neutralized by capturing an electron, and splits in two new neutral species.
enumeration	ChargeExchange	Chemical process involving a charge transfer from an ion (which becomes neutral) to a neutral (which becomes ionized).											
enumeration	ElectronImpact	Chemical process by which a neutral is ionized thanks to the energy from the impact of an electron.											
enumeration	PhotoIonization	Chemical process by which a neutral is ionized thanks to the energy from a photon.											
enumeration	DissociativeRecombination	Chemical process by which an ion is neutralized by capturing an electron, and splits in two new neutral species.											
Used by	Complex Type InputProcess												
Source	<pre><xsd:element name="ProcessType" type="enumProcessType"> <xsd:annotation> <xsd:documentation xml:lang="en">Type of chemical process.</xsd:documentation> </xsd:annotation> </xsd:element></pre>												

Element ProcessCoefficient

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Coefficient associated to a chemical process.
Diagram	<pre> classDiagram class ProcessCoefficient { <<xsd:string>> } ProcessCoefficient --> "1..1" xsd:string </pre> <p>Coefficient associated to a chemical process.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string

Properties	content:	simple
Used by	Complex Type	InputProcess
Source	<pre><xsd:element name="ProcessCoefficient" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Coefficient associated to a chemical process.</ xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element ProcessCoeffType

Namespace	http://impexfp7.oeaw.ac.at													
Annotations	Whether the simulation results are obtained from a stationnary solution or are dynamically computed.													
Diagram	<p>Designation of the Process Coefficient type.</p>													
Type	enumProcCoefType													
Properties	content: simple													
Facets	<table> <tr> <td>enumeration</td> <td>CrossSection</td> <td>Cross section of the reaction, when the reaction implies the collision of two particles.</td> </tr> <tr> <td>enumeration</td> <td>Frequency</td> <td>Reaction frequency: number of reaction per unit of time.</td> </tr> <tr> <td>enumeration</td> <td>Rate</td> <td>Reaction rate: reaction production per unit of time.</td> </tr> <tr> <td>enumeration</td> <td>Other</td> <td>Anything else.</td> </tr> </table>		enumeration	CrossSection	Cross section of the reaction, when the reaction implies the collision of two particles.	enumeration	Frequency	Reaction frequency: number of reaction per unit of time.	enumeration	Rate	Reaction rate: reaction production per unit of time.	enumeration	Other	Anything else.
enumeration	CrossSection	Cross section of the reaction, when the reaction implies the collision of two particles.												
enumeration	Frequency	Reaction frequency: number of reaction per unit of time.												
enumeration	Rate	Reaction rate: reaction production per unit of time.												
enumeration	Other	Anything else.												
Used by	Complex Type	InputProcess												
Source	<pre><xsd:element name="ProcessCoeffType" type="enumProcCoefType"> <xsd:annotation> <xsd:documentation xml:lang="en">Whether the simulation results are obtained from a stationnary solution or are dynamically computed.</xsd:documentation> </xsd:annotation> </xsd:element></pre>													


Element ProcessModel

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Model used to describe a chemical process.	
Diagram	<p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	InputProcess
Source	<pre><xsd:element name="ProcessModel" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">Model used to describe a chemical process.</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element Particle

Namespace	http://impexfp7.oeaw.ac.at	
-----------	----------------------------	--

Diagram



Type	Particle
Properties	content: complex
Substitution Group Affiliation	<ul style="list-style-type: none"> ParameterEntity
Model	PopulationID{0,1} , ParticleType+ , Qualifier* , ParticleQuantity , ChemicalFormula{0,1} , AtomicNumber* , PopulationMassNumber* , PopulationChargeState* , EnergyRange{0,1} , AzimuthalAngleRange{0,1} , PolarAngleRange{0,1}
Children	AtomicNumber, AzimuthalAngleRange, ChemicalFormula, EnergyRange, ParticleQuantity, ParticleType, PolarAngleRange, PopulationChargeState, PopulationID, PopulationMassNumber, Qualifier
Instance	<pre><Particle xmlns="http://impex-fp7.oewa.ac.at"> <PopulationID>{0,1}</PopulationID> <ParticleType>{1,unbounded}</ParticleType> <Qualifier>{0,unbounded}</Qualifier> <ParticleQuantity>{1,1}</ParticleQuantity> <ChemicalFormula>{0,1}</ChemicalFormula> <AtomicNumber>{0,unbounded}</AtomicNumber> <PopulationMassNumber>{0,unbounded}</PopulationMassNumber></pre>

	<pre><PopulationChargeState>{0,unbounded}</PopulationChargeState> <EnergyRange>{0,1}</EnergyRange> <AzimuthalAngleRange>{0,1}</AzimuthalAngleRange> <PolarAngleRange>{0,1}</PolarAngleRange> </Particle></pre>
Source	<code><xsd:element name="Particle" substitutionGroup="ParameterEntity" type="Particle"/></code>

Element Particle / PopulationID

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class Particle { <<PopulationID>> } class PopulationID { <<Type>> } Particle "1" -- "1" PopulationID : <<PopulationID>> PopulationID "1" -- "1" PopulationID : <<PopulationID>> </pre> <p>Unique Name of a particle population, for references.</p>
Type	PopulationID
Properties	content: simple minOccurs: 0
Source	<code><xsd:element minOccurs="0" name="PopulationID" type="PopulationID"/></code>

Element PopulationID

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class PopulationID { <<Type>> } class PopulationID { <<PopulationID>> } PopulationID "1" -- "1" PopulationID : <<PopulationID>> </pre> <p>Unique Name of a particle population, for references.</p>
Type	PopulationID
Properties	content: simple
Source	<code><xsd:element name="PopulationID" type="PopulationID"/></code>

Complex Type(s)

Complex Type Spase

Namespace	http://impex-fp7.oeaw.ac.at								
Annotations	Space Physics Archive Search and Extract (SPASE). The outermost container or envelope for SPASE metadata. This indicates the start of the SPASE metadata.								
Diagram	<pre> classDiagram class Spase { <<Space Physics Archive Search and Extract (SPASE). The outermost container or envelope for SPASE metadata. This...>> @Attributes @lang Type xsd:string Default en Version Type enumVersion 1..> ResourceEntity Abstract true } </pre> <p>Indicates the release identifier. When used to indicate the release of the SPASE data model, it is in the form...</p>								
Used by	Element Spase								
Model	Version , ResourceEntity+								
Children	ResourceEntity, Version								
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Default</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>lang</td> <td>xsd:string</td> <td>en</td> <td>optional</td> </tr> </tbody> </table>	QName	Type	Default	Use	lang	xsd:string	en	optional
QName	Type	Default	Use						
lang	xsd:string	en	optional						
Source	<pre><xsd:complexType name="Spase"> <xsd:annotation> <xsd:documentation xml:lang="en">Space Physics Archive Search and Extract (SPASE). The outermost container or envelope for SPASE metadata. This indicates the start of the SPASE metadata.</xsd:documentation> </xsd:annotation> </xsd:complexType></pre>								

```

<xsd:sequence>
  <xsd:element ref="Version" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="ResourceEntity" minOccurs="1" maxOccurs="unbounded"/>
</xsd:sequence>
<xsd:attribute name="lang" type="xsd:string" default="en"/>
</xsd:complexType>

```

Complex Type Catalog


Namespace	http://impexfp7.oeaw.ac.at
Annotations	<p>A tabular listing of events or observational notes, especially those that have utility in aiding a user in locating data. Catalogues include lists of events, files in a product, and data availability. A Catalog resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.</p>
Diagram	<pre> classDiagram class Catalog { <<A tabular listing of events or observational notes, especially those that have utility in aiding a user in locating...>> } class ResourceID class ResourceHeader class AccessInformation class ProviderResourceName class ProviderVersion class InstrumentID class PhenomenonType class TimeSpan class Caveats class Keyword class InputResourceID class Parameter class Extension Catalog < -- ResourceID Catalog < -- ResourceHeader Catalog "1..oo" --> AccessInformation Catalog < -- ProviderResourceName Catalog < -- ProviderVersion Catalog "0..oo" --> InstrumentID Catalog "1..oo" --> PhenomenonType Catalog --> TimeSpan Catalog --> Caveats Catalog "0..oo" --> Keyword Catalog "0..oo" --> InputResourceID Catalog "0..oo" --> Parameter Catalog "0..oo" --> Extension </pre> <p>The diagram illustrates the structure of the Catalog complex type. It consists of a central Catalog class with various attributes and associations:</p> <ul style="list-style-type: none"> ResourceID: An attribute of type <code>xsd:string</code>. ResourceHeader: An attribute of type <code>xsd:string</code>. AccessInformation: A collection of type <code>AccessInformation</code> (multiplicity 1..oo). ProviderResourceName: An attribute of type <code>xsd:string</code>. ProviderVersion: An attribute of type <code>xsd:string</code>. InstrumentID: A collection of type <code>xsd:string</code> (multiplicity 0..oo). PhenomenonType: A collection of type <code>enumPhenomenonType</code> (multiplicity 1..oo). TimeSpan: An attribute of type <code>TimeSpan</code>. Caveats: An attribute of type <code>xsd:string</code>. Keyword: A collection of type <code>xsd:string</code> (multiplicity 0..oo). InputResourceID: A collection of type <code>xsd:string</code> (multiplicity 0..oo). Parameter: A collection of type <code>Parameter</code> (multiplicity 0..oo). Extension: A collection of type <code>Extension</code> (multiplicity 0..oo).

Used by	Element	Catalog
Model	ResourceID , ResourceHeader , AccessInformation+ , ProviderResourceName{0,1} , ProviderVersion{0,1} , InstrumentID* , PhenomenonType+ , TimeSpan{0,1} , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , Extension*	
Children	AccessInformation, Caveats, Extension, InputResourceID, InstrumentID, Keyword, Parameter, PhenomenonType, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, TimeSpan	
Source		<pre> <xsd:complexType name="Catalog"> <xsd:annotation> <xsd:documentation xml:lang="en">A tabular listing of events or observational notes, especially those that have utility in aiding a user in locating data. Catalogues include lists of events, files in a product, and data availability. A Catalog resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessInformation" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="ProviderResourceName" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderVersion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="InstrumentID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="PhenomenonType" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="TimeSpan" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Keyword" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="InputResourceID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Parameter" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type ResourceHeader

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Attributes of a resource which pertain to the provider of the resource and descriptive information about the resource.

Diagram



Used by	Element	ResourceHeader
Model		ResourceName , AlternateName* , ReleaseDate , ExpirationDate{0,1} , Description , Acknowledgement{0,1} , Contact+ , InformationURL* , Association* , PriorID*
Children		Acknowledgement, AlternateName, Association, Contact, Description, ExpirationDate, InformationURL, PriorID, ReleaseDate, ResourceName
Source		<pre> <xsd:complexType name="ResourceHeader"> <xsd:annotation> <xsd:documentation xml:lang="en">Attributes of a resource which pertain to the provider of the resource and descriptive information about the resource.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceName" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AlternateName" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="ReleaseDate" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ExpirationDate" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Description" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Acknowledgement" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Contact" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="InformationURL" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Association" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="PriorID" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Contact

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The person or organization who may be able

	<p>to provide special assistance or serve as a channel for communication for additional information about a resource.</p>
Diagram	<pre> classDiagram class Contact { <<The person or organization who may be able to provide special assistance or serve as a channel for communication for...>> } class PersonID { <<The identifier assigned to a Person description.>> } class Role { <<The assigned or assumed function or position of an individual.>> } Contact "1..>" PersonID Contact "1..>" Role </pre>
Used by	Element Contact
Model	PersonID , Role+
Children	PersonID, Role
Source	<pre> <xsd:complexType name="Contact"> <xsd:annotation> <xsd:documentation xml:lang="en">The person or organization who may be able to provide special assistance or serve as a channel for communication for additional information about a resource.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="PersonID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Role" minOccurs="1" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type InformationURL

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Attributes of the method of acquiring additional information.
Diagram	<pre> classDiagram class InformationURL { <<Attributes of the method of acquiring additional information.>> } class Name { <<A language unit by which a person or thing is known.>> } class URL { <<Uniform Resource Locator (URL) is the global address of documents and other resources on the World Wide Web. The first...>> } class Description { <<A narrative explanation with detail appropriate for the item it describes. For example a description of data resource...>> } class Language { <<The two character indicator of language selected from the ISO 639-1 codes for the representation of names of languages.>> } InformationURL "1..>" Name InformationURL "1..>" URL InformationURL "1..>" Description InformationURL "1..>" Language </pre>
Used by	Element InformationURL
Model	Name{0,1} , URL , Description{0,1} , Language{0,1}
Children	Description, Language, Name, URL
Source	<pre> <xsd:complexType name="InformationURL"> <xsd:annotation> <xsd:documentation xml:lang="en">Attributes of the method of acquiring additional information.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Name" minOccurs="0" maxOccurs="1"/> <xsd:element ref="URL" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Language" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>


Complex Type Association

Namespace	http://impexfp7.oeaw.ac.at
Annotations	Attributes of a relationship a resource has with another resource.
Diagram	<pre> classDiagram class Association { <<Attributes of a relationship a resource has with another resource.>> +AssociationID : xsd:string +AssociationType : enumAssociationType +Note : xsd:string } </pre> <p>The diagram illustrates the structure of the <code>Association</code> complex type. It features a central node labeled <code>Association</code> with three outgoing associations to other nodes. The first association points to <code>AssociationID</code>, which is described as "The resource identifier for a resource with which this resource is closely associated." The second association points to <code>AssociationType</code>, described as "A characterization of the role or purpose of an associated resource." The third association points to <code>Note</code>, described as "Information which is useful or important for the understanding of a value or parameter."</p>
Used by	Element Association
Model	AssociationID , AssociationType , Note{0,1}
Children	AssociationID, AssociationType, Note
Source	<pre> <xsd:complexType name="Association"> <xsd:annotation> <xsd:documentation xml:lang="en">Attributes of a relationship a resource has with another resource.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="AssociationID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AssociationType" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Note" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type AccessInformation

Namespace	http://impexfp7.oeaw.ac.at
Annotations	Attributes of the resource which pertain to how to accessing the resource, availability and storage format.

Diagram



Used by	Element	AccessInformation
Model	RepositoryID , Availability{0,1} , AccessRights{0,1} , AccessURL+ , Format , Encoding{0,1} , DataExtent{0,1} , Acknowledgement{0,1}	
Children	AccessRights, AccessURL, Acknowledgement, Availability, DataExtent, Encoding, Format, RepositoryID	
Source	<pre> <xsd:complexType name="AccessInformation"> <xsd:annotation> <xsd:documentation xml:lang="en">Attributes of the resource which pertain to how to accessing the resource, availability and storage format.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="RepositoryID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Availability" minOccurs="0" maxOccurs="1"/> <xsd:element ref="AccessRights" minOccurs="0" maxOccurs="1"/> <xsd:element ref="AccessURL" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="Format" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Encoding" minOccurs="0" maxOccurs="1"/> <xsd:element ref="DataExtent" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Acknowledgement" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>	

Complex Type AccessURL

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Attributes of the method for accessing a resource including a URL, name and description.

Diagram	<p>AccessURL</p> <ul style="list-style-type: none"> Name Type <code>xsd:string</code>: A language unit by which a person or thing is known. URL Type <code>xsd:string</code>: Uniform Resource Locator (URL) is the global address of documents and other resources on the World Wide Web. The first... ProductKey Type <code>xsd:string</code>: The key (identifier) of the resource within a Repository. This is a local identifier which can be used to retrieve or... Description Type <code>xsd:string</code>: A narrative explanation with detail appropriate for the item it describes. For example a description of data resource... Language Type <code>xsd:string</code>: The two character indicator of language selected from the ISO 639-1 codes for the representation of names of languages.
Used by	Element AccessURL
Model	Name{0,1} , URL , ProductKey* , Description{0,1} , Language{0,1}
Children	Description, Language, Name, ProductKey, URL
Source	<pre><xsd:complexType name="AccessURL"> <xsd:annotation> <xsd:documentation xml:lang="en">Attributes of the method for accessing a resource including a URL, name and description.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Name" minOccurs="0" maxOccurs="1"/> <xsd:element ref="URL" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ProductKey" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Language" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type DataExtent

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The area of storage in a file system required to store the contents of a resource. The default units for data extent is bytes.
Diagram	<p>DataExtent</p> <ul style="list-style-type: none"> Quantity Type <code>xsd:double</code>: A value that describes a characteristic of a system. Units Type <code>xsd:string</code>: A description of the standardized measurement increments in which a value is specified. The description is represented... Per Type <code>xsd:duration</code>: The time interval over which a characterization applies. For example, the number of bytes generated each day.
Used by	Element DataExtent
Model	Quantity , Units{0,1} , Per{0,1}
Children	Per, Quantity, Units
Source	<pre><xsd:complexType name="DataExtent"> <xsd:annotation></pre>

```

<xsd:documentation xml:lang="en">The area of storage in a file system required to store the
contents of a resource. The default units for data extent is bytes.</xsd:documentation>
</xsd:annotation>
<xsd:sequence>
  <xsd:element ref="Quantity" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="Units" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Per" minOccurs="0" maxOccurs="1"/>
</xsd:sequence>
</xsd:complexType>

```


Complex Type TimeSpan

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The duration of an interval in time.
Diagram	<pre> classDiagram class TimeSpan { <<The duration of an interval in time.>> } class StartDate { <<The specification of a starting point in time.>> <<Type xsd:dateTime>> } class StopDateEntity { <<Abstract true>> } class Note { <<Information which is useful or important for the understanding of a value or parameter.>> <<Type xsd:string>> } TimeSpan "0..1" -- "1" StartDate : TimeSpan "0..1" -- "1" StopDateEntity : TimeSpan "0..1" -- "unbounded" Note : </pre>
Used by	Element TimeSpan
Model	StartDate , StopDateEntity , Note*
Children	Note, StartDate, StopDateEntity
Source	<pre> <xsd:complexType name="TimeSpan"> <xsd:annotation> <xsd:documentation xml:lang="en">The duration of an interval in time.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="StartDate" minOccurs="1" maxOccurs="1"/> <xsd:element ref="StopDateEntity" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Note" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Parameter

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A container of information regarding a parameter whose values are part of the product. Every product contains or can be related to one or more parameters.

Diagram



Used by	Element	Parameter
Model	Name , Set* , ParameterKey{0,1} , Description{0,1} , Caveats{0,1} , Cadence{0,1} , Units{0,1} , UnitsConversion{0,1} , CoordinateSystem{0,1} , RenderingHints* , Structure{0,1} , ValidMin{0,1} , ValidMax{0,1} , FillValue{0,1} , ParameterEntity , Property*	
Children	Cadence, Caveats, CoordinateSystem, Description, FillValue, Name, ParameterEntity, ParameterKey, Property, RenderingHints, Set, Structure, Units, UnitsConversion, ValidMax, ValidMin	

Source	<pre> <xsd:complexType name="Parameter"> <xsd:annotation> <xsd:documentation xml:lang="en">A container of information regarding a parameter whose values are part of the product. Every product contains or can be related to one or more parameters.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Name" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Set" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="ParameterKey" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Cadence" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="0" maxOccurs="1"/> <xsd:element ref="UnitsConversion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="CoordinateSystem" minOccurs="0" maxOccurs="1"/> <xsd:element ref="RenderingHints" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Structure" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ValidMin" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ValidMax" minOccurs="0" maxOccurs="1"/> <xsd:element ref="FillValue" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ParameterEntity" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Property" maxOccurs="unbounded" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>
--------	--


Complex Type CoordinateSystem

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	The specification of the orientation of a set of (typically) orthogonal base axes.	
Diagram	<p>The specification of the orientation of a set of (typically) orthogonal base axes.</p> <p>The method or form for specifying a given point or vector in a given coordinate system.</p> <p>Identifies the coordinate system in which the position, direction or observation has been expressed.</p>	
Used by	Element	CoordinateSystem
Model	CoordinateRepresentation , CoordinateSystemName	
Children	CoordinateRepresentation, CoordinateSystemName	
Source	<pre> <xsd:complexType name="CoordinateSystem"> <xsd:annotation> <xsd:documentation xml:lang="en">The specification of the orientation of a set of (typically) orthogonal base axes.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="CoordinateRepresentation" minOccurs="1" maxOccurs="1"/> <xsd:element ref="CoordinateSystemName" minOccurs="1" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>	

Complex Type RenderingHints

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	Attributes to aid in the rendering of parameter.	

Diagram



Used by	Element	RenderingHints
Model		DisplayType{0,1} , AxisLabel{0,1} , RenderingAxis{0,1} , Index{0,1} , ValueFormat{0,1} , ScaleMin{0,1} , ScaleMax{0,1} , ScaleType{0,1}
Children		AxisLabel, DisplayType, Index, RenderingAxis, ScaleMax, ScaleMin, ScaleType, ValueFormat
Source		<pre><xsd:complexType name="RenderingHints"> <xsd:annotation> <xsd:documentation xml:lang="en">Attributes to aid in the rendering of parameter.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="DisplayType" minOccurs="0" maxOccurs="1"/> <xsd:element ref="AxisLabel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="RenderingAxis" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Index" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ValueFormat" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ScaleMin" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ScaleMax" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ScaleType" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type Structure

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The organization and relationship of individual values within a quantity.

Diagram	<pre> classDiagram class Structure { <<The organization and relationship of individual values within a quantity.>> } class Size { <<The number of elements in each dimension of a multi-dimensional array. A scalar has a size of 1. A multi-dimensional...>> } class Description { <<A narrative explanation with detail appropriate for the item it describes. For example a description of data resource...>> } class Element { <<0..>> } Structure "0..1" -- "1" Size : Structure "0..1" -- "1" Description : Structure "0..>" -- "1..>" Element : </pre>
Used by	Element Structure
Model	Size , Description{0,1} , Element*
Children	Description, Element, Size
Source	<pre> <xsd:complexType name="Structure"> <xsd:annotation> <xsd:documentation xml:lang="en">The organization and relationship of individual values within a quantity.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Size" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Element" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Element


Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A component or individual unit of a multiple value quantity such as an array or vector.

Diagram	<pre> classDiagram class Element { Name Qualifier* Index ParameterKey Units UnitsConversion ValidMin ValidMax FillValue RenderingHints } class Element { <<Element>> <<A component or individual unit of a multiple value quantity such as an array or vector.>> } Element --> Element Element < -- Name Element < -- Qualifier Element < -- Index Element < -- ParameterKey Element < -- Units Element < -- UnitsConversion Element < -- ValidMin Element < -- ValidMax Element < -- FillValue Element < -- RenderingHints </pre>
Used by	Element Element
Model	Name , Qualifier* , Index , ParameterKey{0,1} , Units{0,1} , UnitsConversion{0,1} , ValidMin{0,1} , ValidMax{0,1} , FillValue{0,1} , RenderingHints{0,1}
Children	FillValue, Index, Name, ParameterKey, Qualifier, RenderingHints, Units, UnitsConversion, ValidMax, ValidMin
Source	<pre> <xsd:complexType name="Element"> <xsd:annotation> <xsd:documentation xml:lang="en">A component or individual unit of a multiple value quantity such as an array or vector.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Name" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Qualifier" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Index" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ParameterKey" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="0" maxOccurs="1"/> <xsd:element ref="UnitsConversion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ValidMin" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ValidMax" minOccurs="0" maxOccurs="1"/> <xsd:element ref="FillValue" minOccurs="0" maxOccurs="1"/> <xsd:element ref="RenderingHints" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Property

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A container of information regarding a property of an input parameter.

Diagram



Used by	Element	Property
Model		Name{0,1} , Description{0,1} , Caveats{0,1} , PropertyQuantity , Qualifier* , Units{0,1} , UnitsConversion{0,1} , PropertyLabel{0,1} , PropertyValue{0,1} , PropertyTableURL{0,1} , ValidMin{0,1} , ValidMax{0,1} , PropertyModel{0,1} , ModelURL{0,1}
Children		Caveats, Description, ModelURL, Name, PropertyLabel, PropertyModel, PropertyQuantity, PropertyTableURL, PropertyValue, Qualifier, Units, UnitsConversion, ValidMax, ValidMin
Source		<code><xsd:complexType name="Property"></code> <code><xsd:annotation></code>

```

<xsd:documentation xml:lang="en">A container of information regarding a property of an input parameter.</xsd:documentation>
</xsd:annotation>
<xsd:sequence>
  <xsd:element ref="Name" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="PropertyQuantity" minOccurs="1" maxOccurs="1"/>
  <xsd:element maxOccurs="unbounded" minOccurs="0" ref="Qualifier"/>
  <xsd:element ref="Units" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="UnitsConversion" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="PropertyLabel" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="PropertyValue" minOccurs="0" maxOccurs="1"/>
  <xsd:element minOccurs="0" ref="PropertyTableURL"/>
  <xsd:element ref="ValidMin" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="ValidMax" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="PropertyModel" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="ModelURL" minOccurs="0" maxOccurs="1"/>
</xsd:sequence>
</xsd:complexType>

```

Complex Type Extension

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A container of other metadata which is not part of the SPASE data model. The contents of this element are defined by individual usage. The organization and content are constrained by the implementation. For example, in an XML representation of the SPASE metadata the content must conform to the XML specifications.
Diagram	<p>A container of other metadata which is not part of the SPASE data model. The contents of this element are defined by individual usage.</p>
Used by	Element Extension
Model	ANY element from ANY namespace
Source	<pre> <xsd:complexType name="Extension"> <xsd:annotation> <xsd:documentation xml:lang="en">A container of other metadata which is not part of the SPASE data model. The contents of this element are defined by individual usage. The organization and content are constrained by the implementation. For example, in an XML representation of the SPASE metadata the content must conform to the XML specifications.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:any minOccurs="0" /> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Field

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The space around a radiating body within which its electromagnetic attributes can exert force on another similar body that is not in direct contact.
Diagram	<p>Characterizes the refinement to apply to a type or attribute of a quantity.</p> <p>The physical attribute of the field.</p> <p>The space around a radiating body within which its electromagnetic attributes can exert force on another similar body...</p>

Used by	Element	Field
Model	Qualifier*, FieldQuantity , FrequencyRange{0,1}	
Children	FieldQuantity, FrequencyRange, Qualifier	
Source		<pre><xsd:complexType name="Field"> <xsd:annotation> <xsd:documentation xml:lang="en">The space around a radiating body within which its electromagnetic attributes can exert force on another similar body that is not in direct contact.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Qualifier" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="FieldQuantity" minOccurs="1" maxOccurs="1"/> <xsd:element ref="FrequencyRange" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type FrequencyRange

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	The range of possible values for the observed frequency.	
Diagram	<pre> classDiagram class FrequencyRange { <<The range of possible values for the observed frequency.>> } class SpectralRange { <<The general term used to describe wavelengths or frequencies within a given span of values for those quantities.>> } class Low { <<The smallest value within a range of possible values.>> } class High { <<The largest value within a range of possible values.>> } class Units { <<A description of the standardized measurement increments in which a value is specified. The description is represented...>> } class Bin { <<0..>> <<Bin*>> } FrequencyRange "3" -- "1" SpectralRange : FrequencyRange "3" -- "1" Low : FrequencyRange "3" -- "1" High : FrequencyRange "3" -- "1" Units : FrequencyRange "3" -- "1" Bin : </pre>	
Used by	Element	FrequencyRange
Model	SpectralRange{0,1} , Low , High , Units , Bin*	
Children	Bin, High, Low, SpectralRange, Units	
Source		<pre><xsd:complexType name="FrequencyRange"> <xsd:annotation> <xsd:documentation xml:lang="en">The range of possible values for the observed frequency.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="SpectralRange" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Low" minOccurs="1" maxOccurs="1"/> <xsd:element ref="High" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Bin" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type Bin

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	A grouping of observations according to a band or window of a common attribute.	

Diagram	
Used by	Element Bin
Model	BandName{0,1} , Low , High
Children	BandName, High, Low
Source	<pre><xsd:complexType name="Bin"> <xsd:annotation> <xsd:documentation xml:lang="en">A grouping of observations according to a band or window of a common attribute.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="BandName" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Low" minOccurs="1" maxOccurs="1"/> <xsd:element ref="High" minOccurs="1" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type EnergyRange

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The minimum and maximum energy values of the particles represented by a given "physical parameter" description.
Diagram	
Used by	Element EnergyRange
Model	Low , High , Units , Bin*
Children	Bin, High, Low, Units
Source	<pre><xsd:complexType name="EnergyRange"> <xsd:annotation> <xsd:documentation xml:lang="en">The minimum and maximum energy values of the particles represented by a given "physical parameter" description.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Low" minOccurs="1" maxOccurs="1"/> <xsd:element ref="High" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Bin" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type AzimuthalAngleRange

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Annotations	The range of possible azimuthal angles for a group of energy observations. Default units are degrees.
Diagram	<pre> classDiagram class AzimuthalAngleRange { <<The range of possible azimuthal angles for a group of energy observations. Default units are degrees.>> } class Low { <<The smallest value within a range of possible values.>> } class High { <<The largest value within a range of possible values.>> } class Units { <<A description of the standardized measurement increments in which a value is specified. The description is represented...>> } class Bin { <<0..>> } AzimuthalAngleRange < -- Bin AzimuthalAngleRange < -- Low AzimuthalAngleRange < -- High AzimuthalAngleRange < -- Units </pre>
Used by	Element AzimuthalAngleRange
Model	Low , High , Units , Bin*
Children	Bin, High, Low, Units
Source	<pre> <xsd:complexType name="AzimuthalAngleRange"> <xsd:annotation> <xsd:documentation xml:lang="en">The range of possible azimuthal angles for a group of energy observations. Default units are degrees.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Low" minOccurs="1" maxOccurs="1"/> <xsd:element ref="High" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Bin" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type PolarAngleRange

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The range of possible polar angles for a group of energy observations. Defaults units are degrees.
Diagram	<pre> classDiagram class PolarAngleRange { <<The range of possible polar angles for a group of energy observations. Defaults units are degrees.>> } class Low { <<The smallest value within a range of possible values.>> } class High { <<The largest value within a range of possible values.>> } class Units { <<A description of the standardized measurement increments in which a value is specified. The description is represented...>> } class Bin { <<0..>> } PolarAngleRange < -- Bin PolarAngleRange < -- Low PolarAngleRange < -- High PolarAngleRange < -- Units </pre>
Used by	Element PolarAngleRange
Model	Low , High , Units , Bin*
Children	Bin, High, Low, Units
Source	<pre> <xsd:complexType name="PolarAngleRange"> <xsd:annotation> <xsd:documentation xml:lang="en">The range of possible polar angles for a group of energy observations. Defaults units are degrees.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Low" minOccurs="1" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>

```

<xsd:element ref="High" minOccurs="1" maxOccurs="1"/>
<xsd:element ref="Units" minOccurs="1" maxOccurs="1"/>
<xsd:element ref="Bin" minOccurs="0" maxOccurs="unbounded" />
</xsd:sequence>
</xsd:complexType>

```

Complex Type Wave

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Periodic or quasi-periodic (AC) variations of physical quantities in time and space, capable of propagating or being trapped within particular regimes.
Diagram	
Used by	Element Wave
Model	WaveType , Qualifier* , WaveQuantity , EnergyRange{0,1} , FrequencyRange{0,1} , WavelengthRange{0,1}
Children	EnergyRange, FrequencyRange, Qualifier, WaveQuantity, WaveType, WavelengthRange
Source	<pre> <xsd:complexType name="Wave"> <xsd:annotation> <xsd:documentation xml:lang="en">Periodic or quasi-periodic (AC) variations of physical quantities in time and space, capable of propagating or being trapped within particular regimes.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="WaveType" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Qualifier" minOccurs="0" maxOccurs="unbounded" /> <xsd:element ref="WaveQuantity" minOccurs="1" maxOccurs="1"/> <xsd:element ref="EnergyRange" minOccurs="0" maxOccurs="1"/> <xsd:element ref="FrequencyRange" minOccurs="0" maxOccurs="1"/> <xsd:element ref="WavelengthRange" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type WavelengthRange

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The range of possible values for the observed wavelength.

Diagram	<pre> classDiagram class WavelengthRange { <<The range of possible values for the observed wavelength.>> } class SpectralRange { <<The general term used to describe wavelengths or frequencies within a given span of values for those quantities.>> } class Low { <<The smallest value within a range of possible values.>> } class High { <<The largest value within a range of possible values.>> } class Units { <<A description of the standardized measurement increments in which a value is specified. The description is represented...>> } class Bin { <<Bin>> <<Type Bin</type>> } WavelengthRange < -- SpectralRange WavelengthRange < -- Low WavelengthRange < -- High WavelengthRange < -- Units WavelengthRange < -- Bin </pre>
Used by	Element WavelengthRange
Model	SpectralRange{0,1} , Low , High , Units , Bin*
Children	Bin, High, Low, SpectralRange, Units
Source	<pre> <xsd:complexType name="WavelengthRange"> <xsd:annotation> <xsd:documentation xml:lang="en">The range of possible values for the observed wavelength.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="SpectralRange" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Low" minOccurs="1" maxOccurs="1"/> <xsd:element ref="High" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Bin" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Mixed

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A parameter derived from more than one of the type of parameter. For example, plasma beta, the ratio of plasma particle energy density to the energy density of the magnetic field permeating the plasma, is "mixed."
Diagram	<pre> classDiagram class Mixed { <<A parameter derived from more than one of the type of parameter. For example, plasma beta, the ratio of plasma particle...>> } class MixedQuantity { <<A characterization of the combined attributes of a quantity.>> } class ParticleType { <<A characterization of the kind of particle observed by the measurement.>> } class Qualifier { <<Characterizes the refinement to apply to a type or attribute of a quantity.>> } Mixed < -- MixedQuantity Mixed < -- ParticleType Mixed < -- Qualifier </pre>
Used by	Element Mixed
Model	MixedQuantity , ParticleType* , Qualifier*
Children	MixedQuantity, ParticleType, Qualifier
Source	<pre> <xsd:complexType name="Mixed"> <xsd:annotation> <xsd:documentation xml:lang="en">A parameter derived from more than one of the type of parameter. For example, plasma beta, the ratio of plasma particle energy density to the energy density of the magnetic field permeating the plasma, is "mixed."</xsd:documentation> </xsd:annotation> </pre>

```

</xsd:annotation>
<xsd:sequence>
  <xsd:element ref="MixedQuantity" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="ParticleType" minOccurs="0" maxOccurs="unbounded"/>
  <xsd:element ref="Qualifier" minOccurs="0" maxOccurs="unbounded"/>
</xsd:sequence>
</xsd:complexType>

```


Complex Type Support

Namespace	http://impexfp7.oeaw.ac.at
Annotations	Information useful in understanding the context of an observation, typically observed or measured coincidentally with a physical observation.
Diagram	<pre> classDiagram class Support { <<Information useful in understanding the context of an observation, typically observed or measured coincidentally with a physical observation.>> } class Qualifier { <<Characterizes the refinement to apply to a type or attribute of a quantity.>> <<enumQualifier>> } class SupportQuantity { <<A characterization of the support information.>> <<enumSupportQuantity>> } Support "0..∞" -- "1" Qualifier Support "0..∞" -- "1" SupportQuantity </pre> <p>The diagram illustrates the UML class structure for the 'Support' complex type. It consists of three classes: 'Support', 'Qualifier', and 'SupportQuantity'. The 'Support' class is annotated with a note: 'Information useful in understanding the context of an observation, typically observed or measured coincidentally with a physical observation.'. It has two associations: one with 'Qualifier' (multiplicity 0..∞ at Support, 1 at Qualifier) and another with 'SupportQuantity' (multiplicity 0..∞ at Support, 1 at SupportQuantity). Both 'Qualifier' and 'SupportQuantity' are annotated with their respective enum types: 'enumQualifier' and 'enumSupportQuantity'. A callout box provides a detailed description of 'Qualifier': 'Characterizes the refinement to apply to a type or attribute of a quantity.'</p>
Used by	Element Support
Model	Qualifier*, SupportQuantity
Children	Qualifier, SupportQuantity
Source	<pre> <xsd:complexType name="Support"> <xsd:annotation> <xsd:documentation xml:lang="en">Information useful in understanding the context of an observation, typically observed or measured coincidentally with a physical observation.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Qualifier" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="SupportQuantity" minOccurs="1" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type DisplayData

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A graphical representation of data wherein the underlying numeric values are not (readily) accessible for analysis.. Examples are line plots and spectrograms. A Display Data resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.

Diagram



Used by	Element	DisplayData
Model	ResourceID , ResourceHeader , AccessInformation+ , ProcessingLevel{0,1} , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , InstrumentID* , MeasurementType+ , TemporalDescription{0,1} , SpectralRange* , DisplayCadence{0,1} , ObservedRegion* , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , Extension*	
Children	AccessInformation, Caveats, DisplayCadence, Extension, InputResourceID, InstrumentID, Keyword, MeasurementType, ObservedRegion, Parameter, ProcessingLevel, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SpectralRange, TemporalDescription	
Source		<pre> <xsd:complexType name="DisplayData"> <xsd:annotation> <xsd:documentation xml:lang="en">A graphical representation of data wherein the underlying numeric values are not (readily) accessible for analysis.. Examples are line plots and spectrograms. A Display Data resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessInformation" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="ProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderResourceName" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderVersion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="InstrumentID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="MeasurementType" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="TemporalDescription" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SpectralRange" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="DisplayCadence" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ObservedRegion" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Keyword" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="InputResourceID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Parameter" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType></pre>


Complex Type TemporalDescription

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	A characterization of the time over which the measurement was taken.	
Diagram	<pre> classDiagram class TemporalDescription { <<A characterization of the time over which the measurement was taken.>> } class TimeSpan { <<The time interval over which an individual measurement is taken.>> } class Cadence { <<The time interval between the start of successive measurements.>> } class Exposure TemporalDescription < -- Cadence TemporalDescription < -- Exposure TemporalDescription < -- TimeSpan </pre>	
Used by	Element	TemporalDescription
Model	TimeSpan , Cadence{0,1} , Exposure{0,1}	
Children	Cadence, Exposure, TimeSpan	
Source		<pre> <xsd:complexType name="TemporalDescription"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the time over which the measurement was taken.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="TimeSpan" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Cadence" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Exposure" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type NumericalData

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Data stored as numerical values in a specified format. A Numerical Data resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.

Diagram



Used by

Element NumericalData

Model	ResourceID , ResourceHeader , AccessInformation+ , ProcessingLevel{0,1} , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , InstrumentID* , MeasurementType+ , TemporalDescription{0,1} , SpectralRange* , ObservedRegion* , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , Extension*
Children	AccessInformation, Caveats, Extension, InputResourceID, InstrumentID, Keyword, MeasurementType, ObservedRegion, Parameter, ProcessingLevel, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SpectralRange, TemporalDescription
Source	<pre> <xsd:complexType name="NumericalData"> <xsd:annotation> <xsd:documentation xml:lang="en">Data stored as numerical values in a specified format. A Numerical Data resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessInformation" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="ProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderResourceName" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="InstrumentID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="MeasurementType" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="TemporalDescription" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SpectralRange" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="ObservedRegion" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Keyword" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="InputResourceID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Parameter" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type Document

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A set of information designed and presented as an individual entity. A document may contain plain or formatted text, in-line graphics, sound, other multimedia data, or hypermedia references. A Document resource is intended for use on digital objects that have no other identifier (e.g., DOI or ISBN).
Diagram	<p>The diagram illustrates the structure of the <code>Document</code> complex type. It consists of several attributes:</p> <ul style="list-style-type: none"> <code>ResourceID</code>: Type <code>ResourceID</code>, multiplicity 1..oo. <code>ResourceHeader</code>: Type <code>ResourceHeader</code>, multiplicity 1..oo. <code>AccessInformation</code>: Type <code>AccessInformation</code>, multiplicity 1..oo. <code>Keyword</code>: Type <code>xsd:string</code>, multiplicity 0..oo. Description: A word or phrase that is relevant to the resource but does not exist in other documentary information. <code>DocumentType</code>: Type <code>enumDocumentType</code>. <code>MIMETYPE</code>: Type <code>xsd:boolean</code>, Default <code>true</code>. Description: Multipurpose Internet Mail Extensions (MIME) type and sub-type which characterizes the format of a file. MIME media... <code>InputResourceID</code>: Type <code>xsd:string</code>, multiplicity 0..oo. Description: The resource identifier for a resource which was used to generate this resource.

Used by	Element	Document
Model	ResourceID , ResourceHeader , AccessInformation+ , Keyword* , DocumentType , MIMEType , InputResourceID*	
Children	AccessInformation, DocumentType, InputResourceID, Keyword, MIMEType, ResourceHeader, ResourceID	
Source		<pre><xsd:complexType name="Document"> <xsd:annotation> <xsd:documentation xml:lang="en">A set of information designed and presented as an individual entity. A document may contain plain or formatted text, in-line graphics, sound, other multimedia data, or hypermedia references. A Document resource is intended for use on digital objects that have no other identifier (e.g., DOI or ISBN).</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessInformation" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="Keyword" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="DocumentType" minOccurs="1" maxOccurs="1"/> <xsd:element ref="MIMEType" minOccurs="1" maxOccurs="1"/> <xsd:element ref="InputResourceID" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type Source

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	The location and attributes of an object.	
Diagram	<pre> classDiagram class Source { SourceType URL MirrorURL Checksum DataExtent } class SourceType { enumSourceType } class URL { xsd:string } class MirrorURL { xsd:string } class Checksum { Checksum } class DataExtent { DataExtent } Source < -- SourceType Source < -- URL Source < -- MirrorURL Source < -- Checksum Source < -- DataExtent </pre> <p>The diagram shows a class named "Source" which contains five attributes: "SourceType", "URL", "MirrorURL", "Checksum", and "DataExtent". Each attribute is associated with a specific type: "enumSourceType", "xsd:string", "xsd:string", "Checksum", and "DataExtent" respectively. The "SourceType" attribute is annotated with a note: "A characterization of the function or purpose of the source." The "URL" attribute is annotated with a note: "Uniform Resource Locator (URL) is the global address of documents and other resources on the World Wide Web. The first...". The "MirrorURL" attribute is annotated with a note: "A Uniform Resource Locator (URL) to an alternate location of a resource.". The "Checksum" and "DataExtent" attributes do not have visible annotations.</p>	
Used by	Element	Source
Model	SourceType , URL , MirrorURL* , Checksum{0,1} , DataExtent{0,1}	
Children	Checksum, DataExtent, MirrorURL, SourceType, URL	
Source		<pre><xsd:complexType name="Source"> <xsd:annotation> <xsd:documentation xml:lang="en">The location and attributes of an object.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="SourceType" minOccurs="1" maxOccurs="1"/> <xsd:element ref="URL" minOccurs="1" maxOccurs="1"/> <xsd:element ref="MirrorURL" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Checksum" minOccurs="0" maxOccurs="1"/> <xsd:element ref="DataExtent" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type Checksum

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A computed value that is dependent upon the contents of a digital data object. Primarily used to check whether errors or alterations have occurred during the transmission or storage

	of a data object.
Diagram	<pre> classDiagram class Checksum { HashValue HashFunction } HashValue { Type xsd:string } HashFunction { Type enumHashFunction } HashValue < --> Checksum HashFunction < --> Checksum </pre> <p>The value calculated by a hash function, e.g. the message digest of a digital data object.</p> <p>A function or algorithm that converts a digital data object into a hash value. Typically the hash value is small and...</p>
Used by	Element Checksum
Model	HashValue , HashFunction
Children	HashFunction, HashValue
Source	<pre> <xsd:complexType name="Checksum"> <xsd:annotation> <xsd:documentation xml:lang="en">A computed value that is dependent upon the contents of a digital data object. Primarily used to check whether errors or alterations have occurred during the transmission or storage of a data object.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="HashValue" minOccurs="1" maxOccurs="1"/> <xsd:element ref="HashFunction" minOccurs="1" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Instrument

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A device that makes measurements used to characterize a physical phenomenon, or a family of like devices.
Diagram	<pre> classDiagram class Instrument { ResourceID ResourceHeader 1..> InstrumentType 1..> InvestigationName 1..> OperatingSpan 1..> ObservatoryID 1..> Caveats 0..> Extension } ResourceID { Type ResourceID } ResourceHeader { Type ResourceHeader } InstrumentType { Type enumInstrumentType } InvestigationName { Type xsd:string } OperatingSpan { Type OperatingSpan } ObservatoryID { Type xsd:string } Caveats { Type xsd:string } Extension { Type Extension } ResourceID < --> Instrument ResourceHeader < --> Instrument InstrumentType < --> Instrument InvestigationName < --> Instrument OperatingSpan < --> Instrument ObservatoryID < --> Instrument Caveats < --> Instrument Extension < --> Instrument </pre> <p>A characterization of an integrated collection of software and hardware containing one or more sensors and associated...</p> <p>The name given to the contract or engagement which enabled the data to be produced. Each investigation is associated...</p> <p>The identifier of an Observatory resource.</p> <p>Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies,...</p>
Used by	Element Instrument
Model	ResourceID , ResourceHeader , InstrumentType+ , InvestigationName+ , OperatingSpan{0,1} , ObservatoryID , Caveats{0,1} , Extension*
Children	Caveats, Extension, InstrumentType, InvestigationName, ObservatoryID, OperatingSpan, ResourceHeader, ResourceID
Source	<pre> <xsd:complexType name="Instrument"> <xsd:annotation> </pre>

```

<xsd:documentation xml:lang="en">A device that makes measurements used to characterize a physical phenomenon, or a family of like devices.</xsd:documentation>
</xsd:annotation>
<xsd:sequence>
  <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="InstrumentType" minOccurs="1" maxOccurs="unbounded"/>
  <xsd:element ref="InvestigationName" minOccurs="1" maxOccurs="unbounded"/>
  <xsd:element ref="OperatingSpan" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="ObservatoryID" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/>
</xsd:sequence>
</xsd:complexType>

```

Complex Type OperatingSpan

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The interval in time from the first point at which an instrument or spacecraft was producing and sending data until the last such time, ignoring possible gaps.
Diagram	<p>The diagram illustrates the structure of the <code>OperatingSpan</code> complex type. It features a central node labeled <code>OperatingSpan</code> with three outgoing associations. The first association, labeled <code>StartDate</code> and <code>Type xsd:dateTime</code>, has a note below it stating: "The specification of a starting point in time." The second association, labeled <code>StopDate</code> and <code>Type xsd:dateTime</code>, also has a note stating: "The specification of a stopping point in time." The third association, labeled <code>Note</code> and <code>Type xsd:string</code>, has a note stating: "Information which is useful or important for the understanding of a value or parameter."</p>
Used by	Element <code>OperatingSpan</code>
Model	<code>StartDate</code> , <code>StopDate{0,1}</code> , <code>Note*</code>
Children	<code>Note</code> , <code>StartDate</code> , <code>StopDate</code>
Source	<pre> <xsd:complexType name="OperatingSpan"> <xsd:annotation> <xsd:documentation xml:lang="en">The interval in time from the first point at which an instrument or spacecraft was producing and sending data until the last such time, ignoring possible gaps.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="StartDate" minOccurs="1" maxOccurs="1"/> <xsd:element ref="StopDate" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Note" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Observatory

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The host (spacecraft, network, facility) for instruments making observations, or a family of closely related hosts.

Diagram	<p>The host (spacecraft, network, facility) for instruments making observations, or a family of closely related hosts.</p> <p>The identifier of an Observatory resource which the referring resource is a member of.</p> <p>The host (spacecraft, network, facility) for instruments making observations, or a family of closely related hosts.</p>
Used by	Element Observatory
Model	ResourceID , ResourceHeader , ObservatoryGroupID* , Location , OperatingSpan{0,1} , Extension*
Children	Extension, Location, ObservatoryGroupID, OperatingSpan, ResourceHeader, ResourceID
Source	<pre><xsd:complexType name="Observatory"> <xsd:annotation> <xsd:documentation xml:lang="en">The host (spacecraft, network, facility) for instruments making observations, or a family of closely related hosts.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ObservatoryGroupID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Location" minOccurs="1" maxOccurs="1"/> <xsd:element ref="OperatingSpan" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type Location

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A position in space definable by a regional referencing system and geographic coordinates.
Diagram	<p>A position in space definable by a regional referencing system and geographic coordinates.</p> <p>A spatial location distinguished by certain natural features or physical characteristics where an observatory is...</p> <p>Identifies the coordinate system in which the position, direction or observation has been expressed.</p> <p>The angular distance north (positive) or south (negative) from the equator, measured along the meridian passing through...</p> <p>The angular distance measured west (positive) or east (negative) from a north-south line called the Prime Meridian.</p> <p>The distance in meters above (positive) or below (negative) the "zero elevation" defined by the World Geodetic System...</p>
Used by	Element Location
Model	ObservatoryRegion+ , CoordinateSystemName{0,1} , Latitude{0,1} , Longitude{0,1} , Elevation{0,1}

Children	CoordinateSystemName, Elevation, Latitude, Longitude, ObservatoryRegion
Source	<pre><xsd:complexType name="Location"> <xsd:annotation> <xsd:documentation xml:lang="en">A position in space definable by a regional referencing system and geographic coordinates.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ObservatoryRegion" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="CoordinateSystemName" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Latitude" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Longitude" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Elevation" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type Person

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	An individual human being.
Diagram	<p>The diagram illustrates the structure of the Person complex type. It starts with a central Person class, which is annotated with "An individual human being.". This class has several associations:</p> <ul style="list-style-type: none"> A single association labeled "ResourceID" with multiplicity "0..1" pointing to a ResourceID attribute. A single association labeled "ReleaseDate" with multiplicity "0..1" pointing to a ReleaseDate attribute. A single association labeled "PersonName" with multiplicity "0..1" pointing to a PersonName attribute. A single association labeled "OrganizationName" with multiplicity "0..1" pointing to an OrganizationName attribute. A single association labeled "Address" with multiplicity "0..1" pointing to an Address attribute. A multiple association labeled "Email" with multiplicity "0..>" pointing to an Email attribute. A multiple association labeled "PhoneNumber" with multiplicity "0..>" pointing to a PhoneNumber attribute. A multiple association labeled "FaxNumber" with multiplicity "0..>" pointing to a FaxNumber attribute. A multiple association labeled "Note" with multiplicity "0..>" pointing to a Note attribute. A multiple association labeled "Extension" with multiplicity "0..>" pointing to an Extension attribute. <p>Each attribute is annotated with its type (xsd:string or xsd:dateTime) and a detailed description.</p>
Used by	Element Person
Model	ResourceID , ReleaseDate{0,1} , PersonName{0,1} , OrganizationName , Address{0,1} , Email* , PhoneNumber* , FaxNumber{0,1} , Note{0,1} , Extension*
Children	Address, Email, Extension, FaxNumber, Note, OrganizationName, PersonName, PhoneNumber, ReleaseDate, ResourceID
Source	<pre><xsd:complexType name="Person"></pre>

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">An individual human being.</xsd:documentation>
</xsd:annotation>
<xsd:sequence>
  <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="ReleaseDate" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="PersonName" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="OrganizationName" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="Address" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Email" minOccurs="0" maxOccurs="unbounded"/>
  <xsd:element ref="PhoneNumber" minOccurs="0" maxOccurs="unbounded"/>
  <xsd:element ref="FaxNumber" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Note" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/>
</xsd:sequence>
</xsd:complexType>

```

Complex Type Registry

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A location or facility where resources are cataloged.
Diagram	<pre> classDiagram class Registry { <<A location or facility where resources are cataloged.>> } class ResourceID class ResourceHeader class AccessURL class Extension Registry "1" -- "1" ResourceID : Registry "1" -- "1" ResourceHeader : Registry "1" -- "1..>" AccessURL : Registry "1" -- "0..>" Extension : </pre>
Used by	Element Registry
Model	ResourceID , ResourceHeader , AccessURL , Extension*
Children	AccessURL, Extension, ResourceHeader, ResourceID
Source	<pre> <xsd:complexType name="Registry"> <xsd:annotation> <xsd:documentation xml:lang="en">A location or facility where resources are cataloged.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessURL" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Repository

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A location or facility where resources are stored.
Diagram	<pre> classDiagram class Repository { <<A location or facility where resources are stored.>> } class ResourceID class ResourceHeader class AccessURL class Extension Repository "1" -- "1" ResourceID : Repository "1" -- "1" ResourceHeader : Repository "1" -- "1..>" AccessURL : Repository "1" -- "0..>" Extension : </pre>
Used by	Element Repository
Model	ResourceID , ResourceHeader , AccessURL , Extension*
Children	AccessURL, Extension, ResourceHeader, ResourceID

Source	<pre> <xsd:complexType name="Repository"> <xsd:annotation> <xsd:documentation xml:lang="en">A location or facility where resources are stored.</ xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessURL" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>
--------	--

Complex Type Service

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A location or facility that can perform a well defined task.
Diagram	<pre> classDiagram class Service { <<A location or facility that can perform a well defined task.>> } class ResourceID { <<ResourceID</>> <<Type ResourceID</>> } class ResourceHeader { <<ResourceHeader</>> <<Type ResourceHeader</>> } class AccessURL { <<AccessURL</>> <<Type AccessURL</>> } class Extension { <<Extension</>> <<Type Extension</>> } Service < -- ResourceID Service < -- ResourceHeader Service < -- AccessURL Service < -- Extension </pre>
Used by	Element Service
Model	ResourceID , ResourceHeader , AccessURL , Extension*
Children	AccessURL, Extension, ResourceHeader, ResourceID
Source	<pre> <xsd:complexType name="Service"> <xsd:annotation> <xsd:documentation xml:lang="en">A location or facility that can perform a well defined task.</ xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessURL" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Annotation

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Information which is explanatory or descriptive which is associated with another resource.

Diagram	<pre> classDiagram class Annotation { <<Information which is explanatory or descriptive which is associated with another resource.>> } class ResourceID { <<Type ResourceID</>> } class ResourceHeader { <<Type ResourceHeader</>> } class ImageURL { <<A URL to graphic, image or movie.>> } class AnnotationType { <<A classification for an annotation.>> } class PhenomenonType { <<The characteristics or categorization of an event type.>> } class ClassificationMethod { <<The technique used to determine the characteristics of an object.>> } class ConfidenceRating { <<A classification of the certainty of an assertion.>> } class TimeSpan { <<0..>> <<Type TimeSpan</>> } class ObservationExtent { <<0..>> <<Type ObservationExtent</>> } class Extension { <<0..>> <<Type Extension</>> } Annotation < -- ResourceID Annotation < -- ResourceHeader Annotation < -- ImageURL Annotation < -- AnnotationType Annotation < -- PhenomenonType Annotation < -- ClassificationMethod Annotation < -- ConfidenceRating Annotation < -- TimeSpan Annotation < -- ObservationExtent Annotation < -- Extension </pre>
Used by	Element Annotation
Model	ResourceID , ResourceHeader , ImageURL{0,1} , AnnotationType , PhenomenonType{0,1} , ClassificationMethod{0,1} , ConfidenceRating{0,1} , TimeSpan* , ObservationExtent* , Extension*
Children	AnnotationType, ClassificationMethod, ConfidenceRating, Extension, ImageURL, ObservationExtent, PhenomenonType, ResourceHeader, ResourceID, TimeSpan
Source	<pre> <xsd:complexType name="Annotation"> <xsd:annotation> <xsd:documentation xml:lang="en">Information which is explanatory or descriptive which is associated with another resource.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ImageURL" minOccurs="0" maxOccurs="1"/> <xsd:element ref="AnnotationType" minOccurs="1" maxOccurs="1"/> <xsd:element ref="PhenomenonType" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ClassificationMethod" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ConfidenceRating" minOccurs="0" maxOccurs="1"/> <xsd:element ref="TimeSpan" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="ObservationExtent" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type ObservationExtent


Namespace	http://impex-fp7.oeaw.ac.at
Annotations	The spatial area encompassed by an observation.

Diagram	<pre> classDiagram class ObservationExtent { <<The spatial area encompassed by an observation.>> } class ObservedRegion { Type enumRegion <<The portion of space measured by the instrument at the time of an observation. A region is distinguished by certain...>> } class StartLocation { Type xsd:string <<The initial position in space.>> } class StopLocation { Type xsd:string <<The final position in space.>> } class Note { Type xsd:string <<Information which is useful or important for the understanding of a value or parameter.>> } ObservationExtent "0..1" --> ObservedRegion ObservationExtent "1" --> StartLocation ObservationExtent "1" --> StopLocation ObservationExtent "0..>" --> Note </pre>
Used by	Element ObservationExtent
Model	ObservedRegion{0,1} , StartLocation , StopLocation , Note*
Children	Note, ObservedRegion, StartLocation, StopLocation
Source	<pre> <xsd:complexType name="ObservationExtent"> <xsd:annotation> <xsd:documentation xml:lang="en">The spatial area encompassed by an observation.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ObservedRegion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="StartLocation" minOccurs="1" maxOccurs="1"/> <xsd:element ref="StopLocation" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Note" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Granule

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	<p>An accessible portion of another resource.</p> <p>A Granule may be composed of one or more physical pieces (files) which are considered inseparable.</p> <p>For example, a data storage format that maintains metadata and binary data in separate, but tightly coupled files. Granules should not be used to group files that have simple relationships or which are associated through a parent resource.</p> <p>For example, each file containing a time interval data for a Numerical Data resource would each be considered a Granule. The ParentID of a Granule resource must be a NumericalData resource.</p> <p>The attributes of a Granule supersede the corresponding attributes in the NumericalData resource.</p>

Diagram




Used by	Element	Granule
Model	ResourceID , ReleaseDate , ExpirationDate{0,1} , ParentID , PriorID* , (StartDate RegionBegin) , (StopDate RegionEnd) , Source+	
Children	ExpirationDate, ParentID, PriorID, RegionBegin, RegionEnd, ReleaseDate, ResourceID, Source, StartDate, StopDate	
Source	<pre> <xsd:complexType name="Granule"> <xsd:annotation> <xsd:documentation xml:lang="en">An accessible portion of another resource. A Granule may be composed of one or more physical pieces (files) which are considered inseparable. For example, a data storage format that maintains metadata and binary data in separate, but tightly coupled files. Granules should not be used to group files that have simple relationships or which are associated through a parent resource. For example, each file containing a time interval data for a Numerical Data resource would each be considered a Granule. The ParentID of a Granule resource must be a NumericalData resource. The attributes of a Granule supersede the corresponding attributes in the NumericalData resource.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ReleaseDate" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ExpirationDate" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ParentID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="PriorID" minOccurs="0" maxOccurs="unbounded"/> <xsd:choice> <xsd:element ref="StartDate" minOccurs="1" maxOccurs="1"/> <xsd:element ref="RegionBegin"/> </xsd:choice> <xsd:choice minOccurs="0"> <xsd:element ref="StopDate" minOccurs="1" maxOccurs="1"/> <xsd:element ref="RegionEnd" minOccurs="1"/> </xsd:choice> <xsd:element ref="Source" minOccurs="1" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </pre>	

Complex Type NumericalOutput

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Data stored as numerical values in a specified format. A Numerical Data resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.

Diagram




Used by	Element
Model	ResourceID , ResourceHeader , AccessInformation+ , ProcessingLevel{0,1} , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , SimulatedInstrumentID* , MeasurementType+ , (TemporalDescription{0,1} SpatialDescription{0,1}) , SpectralRange* , SimulatedRegion* , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , SimulationProduct , Property* , Extension{0,1}
Children	AccessInformation, Caveats, Extension, InputResourceID, Keyword, MeasurementType, Parameter, ProcessingLevel, Property, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SimulatedInstrumentID, SimulatedRegion, SimulationProduct, SpatialDescription, SpectralRange, TemporalDescription
Source	<pre> <xsd:complexType name="NumericalOutput"> <xsd:annotation> <xsd:documentation xml:lang="en">Data stored as numerical values in a specified format. A Numerical Data resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessInformation" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="ProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderResourceName" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderVersion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SimulatedInstrumentID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="MeasurementType" minOccurs="1" maxOccurs="unbounded"/> <xsd:choice> <xsd:element ref="TemporalDescription" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SpatialDescription" minOccurs="0" maxOccurs="1"/> </xsd:choice> <xsd:element ref="SpectralRange" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="SimulatedRegion" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Keyword" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="InputResourceID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Parameter" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="SimulationProduct"/> <xsd:element maxOccurs="unbounded" minOccurs="0" ref="Property"/> <xsd:element minOccurs="0" ref="Extension"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type SpatialDescription

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A characterization of the spatial extent over which the measurement was taken.

Diagram




Used by	Element	SpatialDescription
Model	Dimension , CoordinateSystem , Units , UnitsConversion{0,1} , CoordinatesLabel{0,1} , ((PlaneNormalVector , PlanePoint) (RegionBegin , RegionEnd)) , Step{0,1}	
Children	CoordinateSystem, CoordinatesLabel, Dimension, PlaneNormalVector, PlanePoint, RegionBegin, RegionEnd, Step, Units, UnitsConversion	
Source	<pre> <xsd:complexType name="SpatialDescription"> <xsd:annotation> <xsd:documentation xml:lang="en">A characterization of the spatial extent over which the measurement was taken.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Dimension" minOccurs="1" maxOccurs="1"/> <xsd:element ref="CoordinateSystem" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="1" maxOccurs="1"/> <xsd:element ref="UnitsConversion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="CoordinatesLabel" minOccurs="0" maxOccurs="1"/> <xsd:choice> <xsd:group ref="CutsDescription"/> <xsd:group ref="CubesDescription"/> </xsd:choice> <xsd:element ref="Step" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>	

Complex Type DisplayOutput

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A graphical representation of data wherein the underlying numeric values are not (readily) accessible for analysis.. Examples are line plots and spectrograms. A Display Data resource is a type of "data product" which is a set

of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.

Diagram



Used by	Element
Model	ResourceID , ResourceHeader , AccessInformation+ , ProcessingLevel{0,1} , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , SimulatedInstrumentID* , MeasurementType+ , (TemporalDescription{0,1} SpatialDescription{0,1}) , SpectralRange* , DisplayCadence{0,1} , SimulatedRegion* , Caveats{0,1} , Keyword* , InputResourceID* , Parameter* , SimulationProduct , Property* , Extension{0,1}
Children	AccessInformation, Caveats, DisplayCadence, Extension, InputResourceID, Keyword, MeasurementType, Parameter, ProcessingLevel, Property, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SimulatedInstrumentID, SimulatedRegion, SimulationProduct, SpatialDescription, SpectralRange, TemporalDescription
Source	<pre> <xsd:complexType name="DisplayOutput"> <xsd:annotation> <xsd:documentation xml:lang="en">A graphical representation of data wherein the underlying numeric values are not (readily) accessible for analysis.. Examples are line plots and spectrograms. A Display Data resource is a type of "data product" which is a set of data that is uniformly processed and formatted, from one or more instruments, typically spanning the full duration of the observations of the relevant instrument(s). A data product may consist of a collection of granules of successive time spans, but may be a single high-level entity.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessInformation" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="ProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderResourceName" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderVersion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SimulatedInstrumentID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="MeasurementType" minOccurs="1" maxOccurs="unbounded"/> <xsd:choice> <xsd:element ref="TemporalDescription" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SpatialDescription" minOccurs="0" maxOccurs="1"/> </xsd:choice> <xsd:element ref="SpectralRange" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="DisplayCadence" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SimulatedRegion" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Keyword" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="InputResourceID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="Parameter" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="SimulationProduct"/> <xsd:element maxOccurs="unbounded" minOccurs="0" ref="Property"/> <xsd:element minOccurs="0" ref="Extension"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type SimulationModel

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Descriptor of a simulation model: type of numerical scheme, versions,...

Diagram	<pre> classDiagram class SimulationModel { ResourceID ResourceHeader Versions SimulationType CodeLanguage TemporalDependence SpatialDescription SimulatedRegion InputProperties OutputParameters ModelURL } class ResourceID class ResourceHeader class Versions class SimulationType class CodeLanguage class TemporalDependence class SpatialDescription class SimulatedRegion class InputProperties class OutputParameters class ModelURL </pre> <p>The diagram illustrates the structure of the <code>SimulationModel</code> element. It consists of several attributes represented as rounded rectangles with a plus sign (+) in the top right corner, indicating they are complex types. The attributes are:</p> <ul style="list-style-type: none"> <code>ResourceID</code>: Type <code>ResourceID</code> <code>ResourceHeader</code>: Type <code>ResourceHeader</code> <code>Versions</code>: Type <code>Versions</code> <code>SimulationType</code>: Type <code>enumSimulationType</code> <code>CodeLanguage</code>: Type <code>xsd:string</code> <code>TemporalDependence</code>: Type <code>enumYN</code>, Default <code>No</code> <code>SpatialDescription</code>: Type <code>SpatialDescription</code> <code>SimulatedRegion</code>: Type <code>enumImpexRegion</code> <code>InputProperties</code>: Type <code>InputProperties</code> <code>OutputParameters</code>: Type <code>OutputParameters</code> <code>ModelURL</code>: Type <code>xsd:anyURI</code> <p>Associations are shown as lines connecting <code>SimulationModel</code> to each of these attributes. A callout box provides a detailed description of the <code>TemporalDependence</code> attribute.</p>
Used by	Element <code>SimulationModel</code>
Model	<code>ResourceID</code> , <code>ResourceHeader</code> , <code>Versions{0,1}</code> , <code>SimulationType</code> , <code>CodeLanguage{0,1}</code> , <code>TemporalDependence{0,1}</code> , <code>SpatialDescription{0,1}</code> , <code>SimulatedRegion*</code> , <code>InputProperties{0,1}</code> , <code>OutputParameters{0,1}</code> , <code>ModelURL{0,1}</code>
Children	<code>CodeLanguage</code> , <code>InputProperties</code> , <code>ModelURL</code> , <code>OutputParameters</code> , <code>ResourceHeader</code> , <code>ResourceID</code> , <code>SimulatedRegion</code> , <code>SimulationType</code> , <code>SpatialDescription</code> , <code>TemporalDependence</code> , <code>Versions</code>
Source	<pre> <xsd:complexType name="SimulationModel"> <xsd:annotation> <xsd:documentation>Descriptor of a simulation model: type of numerical scheme, versions,...</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element name="Versions" type="Versions" minOccurs="0"/> <xsd:element ref="SimulationType" minOccurs="1" maxOccurs="1"/> <xsd:element ref="CodeLanguage" minOccurs="0" maxOccurs="1"/> <xsd:element minOccurs="0" ref="TemporalDependence"/> <xsd:element minOccurs="0" ref="SpatialDescription"/> <xsd:element maxOccurs="unbounded" minOccurs="0" ref="SimulatedRegion"/> <xsd:element minOccurs="0" ref="InputProperties"/> <xsd:element minOccurs="0" ref="OutputParameters"/> <xsd:element minOccurs="0" ref="ModelURL"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type Versions

Namespace	http://impex-fp7.oeaw.ac.at
Diagram	<pre> classDiagram class Versions { ModelVersion* } class ModelVersion { ModelVersion } </pre> <p>The diagram shows the <code>Versions</code> element as a class with a multiplicity of <code>*</code> at its end. It is associated with the <code>ModelVersion</code> element, which is also defined as a class with a self-referencing association.</p>

Used by	Element	SimulationModel/Versions
Model	ModelVersion+	
Children	ModelVersion	
Source		<pre><xsd:complexType name="Versions"> <xsd:sequence> <xsd:element name="ModelVersion" type="ModelVersion" maxOccurs="unbounded" /> </xsd:sequence> </xsd:complexType></pre>

Complex Type ModelVersion

Namespace	http://impexfp7.oeaw.ac.at	
Diagram	<pre> classDiagram class ModelVersion class VersionID class ReleaseDate class Description class Caveats ModelVersion "0..1" -- "1..1" VersionID : VersionID ModelVersion "0..1" -- "1..1" ReleaseDate : ReleaseDate ModelVersion "0..1" -- "1..1" Description : Description ModelVersion "0..1" -- "1..1" Caveats : Caveats </pre>	
Used by	Element	Versions/ModelVersion
Model	VersionID , ReleaseDate , Description{0,1} , Caveats{0,1}	
Children	Caveats, Description, ReleaseDate, VersionID	
Source		<pre><xsd:complexType name="ModelVersion"> <xsd:sequence> <xsd:element name="VersionID" type="xsd:string" /> <xsd:element ref="ReleaseDate" minOccurs="1" maxOccurs="1" /> <xsd:element minOccurs="0" ref="Description" /> <xsd:element minOccurs="0" ref="Caveats" /> </xsd:sequence> </xsd:complexType></pre>

Complex Type InputProperties

Namespace	http://impexfp7.oeaw.ac.at	
Diagram	<pre> classDiagram class InputProperties class Property InputProperties "0..1" -- "0..1..∞" Property : Property </pre>	
Used by	Element	InputProperties
Model	Property*	
Children	Property	
Source		<pre><xsd:complexType name="InputProperties"> <xsd:sequence> <xsd:element maxOccurs="unbounded" minOccurs="0" ref="Property" /> </xsd:sequence> </xsd:complexType></pre>

Complex Type OutputParameters


Namespace	http://impexfp7.oeaw.ac.at	
Diagram	<pre> classDiagram class OutputParameters class Parameter OutputParameters "0..1" -- "0..1..∞" Parameter : Parameter </pre>	
Used by	Element	OutputParameters

Model	Parameter*
Children	Parameter
Source	<pre><xsd:complexType name="OutputParameters"> <xsd:sequence> <xsd:element ref="Parameter" maxOccurs="unbounded" minOccurs="0" /> </xsd:sequence> </xsd:complexType></pre>

Complex Type SimulationRun

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Description of a simulation run, including the code ID, the run spatial and temporal description, and all the relevant inputs.

Diagram



Used by	Element	SimulationRun
Model		ResourceID , ResourceHeader , AccessInformation* , ProviderResourceName{0,1} , ProviderProcessingLevel{0,1} , ProviderVersion{0,1} , Model , TemporalDependence{0,1} , SimulatedRegion+ , LikelihoodRating , Caveats{0,1} , Keyword* , InputResourceID* , SimulationTime , SimulationDomain , InputEntity+ , Extension*

Children	AccessInformation, Caveats, Extension, InputEntity, InputResourceID, Keyword, LikelihoodRating, Model, ProviderProcessingLevel, ProviderResourceName, ProviderVersion, ResourceHeader, ResourceID, SimulatedRegion, SimulationDomain, SimulationTime, TemporalDependence
Source	<pre> <xsd:complexType name="SimulationRun"> <xsd:annotation> <xsd:documentation xml:lang="en">Description of a simulation run, including the code ID, the run spatial and temporal description, and all the relevant inputs.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ResourceID" minOccurs="1" maxOccurs="1"/> <xsd:element ref="ResourceHeader" minOccurs="1" maxOccurs="1"/> <xsd:element ref="AccessInformation" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="ProviderResourceName" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderProcessingLevel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProviderVersion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Model"/> <xsd:element ref="TemporalDependence" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SimulatedRegion" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="LikelihoodRating"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Keyword" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="InputResourceID" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="SimulationTime"/> <xsd:element ref="SimulationDomain"/> <xsd:element ref="InputEntity" minOccurs="1" maxOccurs="unbounded"/> <xsd:element ref="Extension" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType></pre>


Complex Type Model

Namespace	http://impexfp7.oeaw.ac.at
Diagram	<p>The diagram shows a class named 'Model' with two associations. One association leads to a class named 'ModelID' with multiplicity 0..1 at the 'Model' end and 1..* at the 'ModelID' end. The other association leads to a class named 'VersionID' with multiplicity 0..1 at the 'Model' end and 1..* at the 'VersionID' end. Both associations have a '+' sign at the multiplicity end, indicating they are required.</p>
Used by	Element Model
Model	ModelID , VersionID{0,1}
Children	ModelID, VersionID
Source	<pre> <xsd:complexType name="Model"> <xsd:sequence> <xsd:element ref="ModelID" /> <xsd:element minOccurs="0" ref="VersionID" /> </xsd:sequence> </xsd:complexType></pre>

Complex Type SimulationTime

Namespace	http://impexfp7.oeaw.ac.at
Annotations	Parameters associated to the simulation time.

Diagram



Used by

Element SimulationTime

Model

Description{0,1} , Caveats{0,1} , Duration{0,1} , TimeStart{0,1} , TimeStop{0,1} , TimeStep{0,1} , DiagnosisTimeStep{0,1}

Children

Caveats, Description, DiagnosisTimeStep, Duration, TimeStart, TimeStep, TimeStop

Source

```

<xsd:complexType name="SimulationTime">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">Parameters associated to the simulation time.</
    xsd:documentation>
    </xsd:annotation>
    <xsd:sequence>
        <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/>
        <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/>
        <xsd:element ref="Duration" minOccurs="0" maxOccurs="1"/>
        <xsd:element ref="TimeStart" minOccurs="0" maxOccurs="1"/>
        <xsd:element ref="TimeStop" minOccurs="0" maxOccurs="1"/>
        <xsd:element ref="TimeStep" minOccurs="0" maxOccurs="1"/>
        <xsd:element ref="DiagnosisTimeStep" minOccurs="0"/>
    </xsd:sequence>
</xsd:complexType>

```

Complex Type DiagnosisTimeStep


Namespace

http://impex-fp7.oeaw.ac.at

Annotations

Time at which a diagnosis is performed and quantity saved.

Diagram



Used by

Element DiagnosisTimeStep

Model

SavedQuantity*

Children


SavedQuantity

Attributes	QName	Type	Use
	Duration	xsd:duration	optional
	TimeStart	xsd:time	optional
Source	<pre><xsd:complexType name="DiagnosisTimeStep"> <xsd:annotation> <xsd:documentation xml:lang="en">Time at which a diagnosis is performed and quantity saved.</ xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="SavedQuantity" minOccurs="0" maxOccurs="unbounded" /> </xsd:sequence> <xsd:attribute name="TimeStart" type="xsd:time" /> <xsd:attribute name="Duration" type="xsd:duration" /> </xsd:complexType></pre>		

Complex Type SimulationDomain

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Parameters associated to the simulation spatial domain.

Diagram



Used by	Element	SimulationDomain
Model		CoordinateSystem , Description{0,1} , Caveats{0,1} , SpatialDimension , VelocityDimension{0,1} , FieldDimension{0,1} , Units , UnitsConversion{0,1} , CoordinatesLabel{0,1} , ValidMin{0,1} , ValidMax{0,1} , GridStructure{0,1} , GridCellSize{0,1} , Symmetry{0,1} , BoundaryConditions{0,1}

Children	BoundaryConditions, Caveats, CoordinateSystem, CoordinatesLabel, Description, FieldDimension, GridCellSize, GridStructure, SpatialDimension, Symmetry, Units, UnitsConversion, ValidMax, ValidMin, VelocityDimension
Source	<pre> <xsd:complexType name="SimulationDomain"> <xsd:annotation> <xsd:documentation xml:lang="en">Parameters associated to the simulation spatial domain.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="CoordinateSystem" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SpatialDimension" minOccurs="1" maxOccurs="1"/> <xsd:element ref="VelocityDimension" minOccurs="0" maxOccurs="1"/> <xsd:element ref="FieldDimension" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="1" maxOccurs="1"/> <xsd:element ref="UnitsConversion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="CoordinatesLabel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ValidMin" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ValidMax" minOccurs="0" maxOccurs="1"/> <xsd:element ref="GridStructure" minOccurs="0" maxOccurs="1"/> <xsd:element ref="GridCellSize" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Symmetry" minOccurs="0" maxOccurs="1"/> <xsd:element ref="BoundaryConditions" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type BoundaryConditions

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Parameters associated to the simulation boundaries.
Diagram	<pre> classDiagram class BoundaryConditions { <<Parameters associated to the simulation boundaries.>> } class ParticleBoundary { <<Type ElementBoundary>> } class FieldBoundary { <<Type ElementBoundary>> } BoundaryConditions < -- ParticleBoundary BoundaryConditions < -- FieldBoundary </pre>
Used by	Element BoundaryConditions
Model	ParticleBoundary{0,1} , FieldBoundary{0,1}
Children	FieldBoundary, ParticleBoundary
Source	<pre> <xsd:complexType name="BoundaryConditions"> <xsd:annotation> <xsd:documentation xml:lang="en">Parameters associated to the simulation boundaries.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="ParticleBoundary" minOccurs="0" maxOccurs="1"/> <xsd:element ref="FieldBoundary" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type ElementBoundary

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Parameters associated to the simulation Boundaries.

Diagram	<pre> classDiagram class ElementBoundary { <<Parameters associated to the simulation Boundaries.>> Caveats FrontWall BackWall SideWall } class Caveats { <<Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies,...>> } class FrontWall { <<Front wall of the simulation domain by which the plasma flow may be injected.>> } class BackWall { <<Back wall of the simulation domain by which the plasma flow may exit the simulation.>> } class SideWall { <<Side walls of the simulation domain.>> } class Obstacle { <<Obstacle in the simulation domain.>> } </pre>
Used by	Elements FieldBoundary, ParticleBoundary
Model	Caveats{0,1} , FrontWall{0,1} , BackWall{0,1} , SideWall{0,1} , Obstacle{0,1}
Children	BackWall, Caveats, FrontWall, Obstacle, SideWall
Source	<pre> <xsd:complexType name="ElementBoundary"> <xsd:annotation> <xsd:documentation xml:lang="en">Parameters associated to the simulation Boundaries.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="FrontWall" minOccurs="0" maxOccurs="1"/> <xsd:element ref="BackWall" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SideWall" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Obstacle" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type RegionParameter

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram	<pre> classDiagram class RegionParameter { <<RegionParameter>> <<enumImpexRegion>> <<xsd:string>> <<xsd:string>> <<xsd:string>> <<InputValue>> <<InputValue>> <<InputValue>> <<InputValue>> <<InputValue>> <<xsd:anyURI>> <<Property>> <<Property>> } RegionParameter "0..1" --> SimulatedRegion : enumImpexRegion RegionParameter "0..1" --> Description : xsd:string RegionParameter "0..1" --> Caveats : xsd:string RegionParameter "0..1" --> Radius : InputValue RegionParameter "0..1" --> SubLongitude : InputValue RegionParameter "0..1" --> Period : InputValue RegionParameter "0..1" --> ObjectMass : InputValue RegionParameter "0..1" --> InputTableURL : xsd:anyURI RegionParameter "0..>" --> Property : Property </pre>
Used by	Element RegionParameter
Model	SimulatedRegion , Description{0,1} , Caveats{0,1} , Radius{0,1} , SubLongitude{0,1} , Period{0,1} , ObjectMass{0,1} , InputTableURL{0,1} , Property*
Children	Caveats, Description, InputTableURL, ObjectMass, Period, Property, Radius, SimulatedRegion, SubLongitude
Source	<pre> <xsd:complexType name="RegionParameter"> <xsd:sequence> <xsd:element ref="SimulatedRegion"/> <xsd:element minOccurs="0" ref="Description"/> <xsd:element minOccurs="0" ref="Caveats"/> <xsd:element minOccurs="0" ref="Radius"> <xsd:annotation> <xsd:documentation>Radius of the Region in the simulation.</xsd:documentation> </xsd:annotation> </xsd:element> <xsd:element minOccurs="0" ref="SubLongitude"> <xsd:annotation> <xsd:documentation>SubLongitude of the Parent of the Region body, in the body's planetocentric frame: Sun for planets and objects in the solar wind, Parent planet for satellites.</xsd:documentation> </xsd:annotation> </xsd:element> <xsd:element minOccurs="0" ref="Period"> <xsd:annotation> <xsd:documentation>Rotation period of the object referenced as Simulation Region.</xsd:documentation> </xsd:annotation> </xsd:element> <xsd:element minOccurs="0" ref="ObjectMass"/> <xsd:element minOccurs="0" ref="InputTableURL"> <xsd:annotation> <xsd:documentation>Link to a VOTable containing the value of the fields varying with time. These VOTable must have a column with time (ISO or Julian), defined by the correct ucd and</xsd:documentation> </xsd:annotation> </xsd:element> <xs:annotation> <xs:documentation>0..></xs:documentation> </xs:annotation> </xsd:sequence> </xsd:complexType> </pre>

```

xtype, and columns for each time-varying field which names corresponding to that of the field.</
xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element maxOccurs="unbounded" minOccurs="0" ref="Property" />
</xsd:sequence>
</xsd:complexType>

```

Complex Type inputValue

Namespace	http://impex-fp7.oeaw.ac.at															
Diagram	<p>The diagram illustrates the structure of the <code>inputValue</code> complex type. It shows two attributes: <code>Units</code> (xsd:string) and <code>UnitsConversion</code> (xsd:string). The <code>Units</code> attribute is described as a standardized measurement increment where a value is specified, represented as a mathematical phrase conforming to the International System of Units (SI). The <code>UnitsConversion</code> attribute is the multiplicative factor for converting a unit into International System of Units (SI) units, expressed as a number followed by a unit.</p>															
Properties	mixed: true															
Used by	Elements ObjectMass, Period, PopulationDensity, PopulationFlowSpeed, PopulationTemperature, ProductionRate, Radius, SubLongitude, TotalProductionRate															
Model																
Attributes	<table border="1"> <thead> <tr> <th>QName</th> <th>Type</th> <th>Use</th> </tr> </thead> <tbody> <tr> <td>Units</td> <td>xsd:string</td> <td>optional</td> </tr> <tr> <td></td> <td colspan="2"> <p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>)) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p> </td></tr> <tr> <td>UnitsConversion</td> <td>xsd:string</td> <td>optional</td> </tr> <tr> <td></td> <td colspan="2"> <p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p> </td></tr> </tbody> </table>	QName	Type	Use	Units	xsd:string	optional		<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>)) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>		UnitsConversion	xsd:string	optional		<p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p>	
QName	Type	Use														
Units	xsd:string	optional														
	<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>)) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>															
UnitsConversion	xsd:string	optional														
	<p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p>															
Source	<pre> <xsd:complexType mixed="true" name="InputValue"> <xsd:attribute name="Units" type="xsd:string"> <xsd:annotation> </pre>															

```

<xsd:documentation xml:lang="en">A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see <http://www.bipm.fr/>) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></xsd:documentation>
</xsd:annotation>
</xsd:attribute>
<xsd:attribute name="UnitsConversion" type="xsd:string">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3m/s" which converts a velocity expressed in kilometers per second to meters per second.</xsd:documentation>
  </xsd:annotation>
</xsd:attribute>
</xsd:complexType>

```

Complex Type InputParameter


Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A container of information regarding an input parameter of the simulation run. The parameter may contain many properties.
Diagram	<p>The diagram shows the UML class InputParameter. It has the following attributes and associations:</p> <ul style="list-style-type: none"> Name: Type <code>xsd:string</code>. Description: A language unit by which a person or thing is known. Description: Type <code>xsd:string</code>. Description: A narrative explanation with detail appropriate for the item it describes. For example a description of data resource... Caveats: Type <code>xsd:string</code>. Description: Information which may be important in the avoidance of the misuse of the resource, for instance instrument maladies... SimulatedRegion: Type <code>enumImpexRegion</code>. Multiplicity: 0..∞. Description: The portion of space simulated by the code at the time of a diagnosis. A region is distinguished by certain natural... Qualifier: Type <code>enumQualifier</code>. Multiplicity: 0..∞. Description: Characterizes the refinement to apply to a type or attribute of a quantity. InputTableURL: Type <code>xsd:anyURI</code>. ParameterQuantity: Type <code>ImpexLargeListQuantities</code>. Property: Type <code>Property</code>. Multiplicity: 1..∞.
Used by	Element InputParameter
Model	Name , Description{0,1} , Caveats{0,1} , SimulatedRegion* , Qualifier* , InputTableURL{0,1} , ParameterQuantity , Property+
Children	Caveats, Description, InputTableURL, Name, ParameterQuantity, Property, Qualifier, SimulatedRegion
Source	<pre> <xsd:complexType name="InputParameter"> <xsd:annotation> <xsd:documentation xml:lang="en">A container of information regarding an input parameter of the simulation run. The parameter may contain many properties.</xsd:documentation> </xsd:annotation> </pre>

```
<xsd:sequence>
  <xsd:element ref="Name" minOccurs="1" maxOccurs="1" />
  <xsd:element ref="Description" minOccurs="0" maxOccurs="1" />
  <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1" />
  <xsd:element ref="SimulatedRegion" minOccurs="0" maxOccurs="unbounded" />
  <xsd:element maxOccurs="unbounded" minOccurs="0" ref="Qualifier" />
  <xsd:element ref="InputTableURL" minOccurs="0" />
  <xsd:element ref="ParameterQuantity" />
  <xsd:element ref="Property" minOccurs="1" maxOccurs="unbounded" />
</xsd:sequence>
</xsd:complexType>
```

Complex Type InputPopulation

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Parameters associated to a simulated specie

Diagram




Used by	Element
Model	Name , Set* , ParameterKey{0,1} , Description{0,1} , Caveats{0,1} , SimulatedRegion* , Qualifier* , ParticleType , ChemicalFormula{0,1} , AtomicNumber{0,1} , PopulationMassNumber{0,1} , PopulationChargeState{0,1} , PopulationDensity{0,1} , PopulationTemperature{0,1} , PopulationFlowSpeed{0,1} , Distribution{0,1} , ProductionRate{0,1} , TotalProductionRate{0,1} , InputTableURL{0,1} , Profile{0,1} , ModelURL{0,1}
Children	AtomicNumber, Caveats, ChemicalFormula, Description, Distribution, InputTableURL, ModelURL, Name, ParameterKey, ParticleType, PopulationChargeState, PopulationDensity, PopulationFlowSpeed, PopulationMassNumber, PopulationTemperature, ProductionRate, Profile, Qualifier, Set, SimulatedRegion, TotalProductionRate
Source	<pre> <xsd:complexType name="InputPopulation"> <xsd:annotation> <xsd:documentation xml:lang="en">Parameters associated to a simulated specie</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Name" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Set" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="ParameterKey" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SimulatedRegion" minOccurs="0" maxOccurs="unbounded"/> <xsd:element maxOccurs="unbounded" minOccurs="0" ref="Qualifier"/> <xsd:element ref="ParticleType"/> <xsd:element minOccurs="0" ref="ChemicalFormula"/> <xsd:element minOccurs="0" ref="AtomicNumber"/> <xsd:element ref="PopulationMassNumber" minOccurs="0" maxOccurs="1"/> <xsd:element ref="PopulationChargeState" minOccurs="0" maxOccurs="1"/> <xsd:element ref="PopulationDensity" minOccurs="0" maxOccurs="1"/> <xsd:element ref="PopulationTemperature" minOccurs="0" maxOccurs="1"/> <xsd:element ref="PopulationFlowSpeed" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Distribution" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ProductionRate" minOccurs="0" maxOccurs="1"/> <xsd:element ref="TotalProductionRate" minOccurs="0" maxOccurs="1"/> <xsd:element ref="InputTableURL" minOccurs="0"/> <xsd:element ref="Profile" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ModelURL" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type InputField

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Parameters associated to a field imposed in the simulation

Diagram




Used by	Element InputField
Model	Name , Set* , ParameterKey{0,1} , Description{0,1} , Caveats{0,1} , SimulatedRegion* , CoordinateSystem{0,1} , Qualifier* , FieldQuantity , Units{0,1} , UnitsConversion{0,1} , InputLabel{0,1} , FieldValue{0,1} , InputTableURL{0,1} , ValidMin{0,1} , ValidMax{0,1} , FieldModel{0,1} , ModelURL{0,1}
Children	Caveats, CoordinateSystem, Description, FieldModel, FieldQuantity, FieldValue, InputLabel, InputTableURL, ModelURL, Name, ParameterKey, Qualifier, Set, SimulatedRegion, Units, UnitsConversion, ValidMax, ValidMin
Source	<pre> <xsd:complexType name="InputField"> <xsd:annotation> <xsd:documentation xml:lang="en">Parameters associated to a field imposed in the simulation</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="Name" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Set" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="ParameterKey" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/> <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/> <xsd:element ref="SimulatedRegion" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="CoordinateSystem" minOccurs="0" maxOccurs="1"/> <xsd:element maxOccurs="unbounded" minOccurs="0" ref="Qualifier"/> <xsd:element ref="FieldQuantity" minOccurs="1" maxOccurs="1"/> <xsd:element ref="Units" minOccurs="0" maxOccurs="1"/> <xsd:element ref="UnitsConversion" minOccurs="0" maxOccurs="1"/> <xsd:element ref="InputLabel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="FieldValue" minOccurs="0" maxOccurs="1"/> <xsd:element minOccurs="0" ref="InputTableURL"/> <xsd:element ref="ValidMin" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ValidMax" minOccurs="0" maxOccurs="1"/> <xsd:element ref="FieldModel" minOccurs="0" maxOccurs="1"/> <xsd:element ref="ModelURL" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type InputProcess

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Parameters associated to a chemical process happening in the simulation

Diagram



Used by	Element	InputProcess
Model		Name , Set* , ParameterKey{0,1} , Description{0,1} , Caveats{0,1} , SimulatedRegion* , ProcessType , Units{0,1} , UnitsConversion{0,1} , ProcessCoefficient{0,1} , ProcessCoeffType{0,1} , ProcessModel{0,1} , ModelURL{0,1}
Children		Caveats, Description, ModelURL, Name, ParameterKey, ProcessCoeffType, ProcessCoefficient, ProcessModel, ProcessType, Set, SimulatedRegion, Units, UnitsConversion
Source		<pre> <xsd:complexType name="InputProcess"> <xsd:annotation> <xsd:documentation xml:lang="en">Parameters associated to a chemical process happening in the simulation</xsd:documentation> </xsd:annotation> </pre>

```

<xsd:sequence>
  <xsd:element ref="Name" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="Set" minOccurs="0" maxOccurs="unbounded"/>
  <xsd:element ref="ParameterKey" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Description" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="Caveats" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="SimulatedRegion" minOccurs="0" maxOccurs="unbounded"/>
  <xsd:element ref="ProcessType" minOccurs="1" maxOccurs="1"/>
  <xsd:element ref="Units" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="UnitsConversion" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="ProcessCoefficient" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="ProcessCoeffType" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="ProcessModel" minOccurs="0" maxOccurs="1"/>
  <xsd:element ref="ModelURL" minOccurs="0" maxOccurs="1"/>
</xsd:sequence>
</xsd:complexType>

```

Complex Type Particle

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A description of the types of particles observed in the measurement. This includes both direct observations and inferred observations.
Diagram	
Used by	Element Particle
Model	PopulationID{0,1} , ParticleType+ , Qualifier* , ParticleQuantity , ChemicalFormula{0,1} , AtomicNumber* , PopulationMassNumber* , PopulationChargeState* , EnergyRange{0,1} , AzimuthalAngleRange{0,1} , PolarAngleRange{0,1}
Children	AtomicNumber, AzimuthalAngleRange, ChemicalFormula, EnergyRange, ParticleQuantity, ParticleType, PolarAngleRange, PopulationChargeState, PopulationID, PopulationMassNumber, Qualifier

Source	<pre> <xsd:complexType name="Particle"> <xsd:annotation> <xsd:documentation xml:lang="en">A description of the types of particles observed in the measurement. This includes both direct observations and inferred observations.</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element minOccurs="0" name="PopulationID" type="PopulationID"/> <xsd:element maxOccurs="unbounded" minOccurs="1" ref="ParticleType"/> <xsd:element maxOccurs="unbounded" minOccurs="0" ref="Qualifier"/> <xsd:element maxOccurs="1" minOccurs="1" ref="ParticleQuantity"/> <xsd:element minOccurs="0" ref="ChemicalFormula"/> <xsd:element maxOccurs="unbounded" minOccurs="0" ref="AtomicNumber"/> <xsd:element minOccurs="0" ref="PopulationMassNumber" maxOccurs="unbounded"/> <xsd:element minOccurs="0" ref="PopulationChargeState" maxOccurs="unbounded"/> <xsd:element maxOccurs="1" minOccurs="0" ref="EnergyRange"/> <xsd:element maxOccurs="1" minOccurs="0" ref="AzimuthalAngleRange"/> <xsd:element maxOccurs="1" minOccurs="0" ref="PolarAngleRange"/> </xsd:sequence> </xsd:complexType></pre>
--------	---

Simple Type(s)

Simple Type enumVersion

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	Version number.	
Diagram		
Type	restriction of xsd:string	
Facets	enumeration	2.2.2
Used by	Element	Version
Source	<pre> <xsd:simpleType name="enumVersion"> <xsd:annotation> <xsd:documentation xml:lang="en">Version number.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="2.2.2"/> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type ResourceID

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	A Resource ID is a URI that has the form "scheme://authority/path" where "scheme" is "spase" for those resources administered through the SPASE framework, "authority" is the unique identifier for the resource provider registered within the SPASE framework and "path" is the unique identifier of the resource within the context of the "authority". The resource ID must be unique within the SPASE framework.	
Diagram		
Type	xsd:string	
Used by	Element	ResourceID
Source	<pre> <xsd:simpleType name="ResourceID"> <xsd:annotation> <xsd:documentation xml:lang="en">A Resource ID is a URI that has the form "scheme://authority/path" where "scheme" is "spase" for those resources administered through the SPASE framework, "authority" is the unique identifier for the resource provider registered within the SPASE framework and "path" is the unique identifier of the resource within the context of the "authority". The resource ID must be unique within the SPASE framework.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"/></pre>	

<pre></xsd:simpleType></pre>

Simple Type enumRole

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	Identifiers for the assigned or assumed function or position of an individual.	
Diagram	 <p>Identifiers for the assigned or assumed function or position of an individual.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	restriction of xsd:string	
Facets	enumeration	ArchiveSpecialist An individual who is an expert on a collection of resources and may also be knowledgeable of the phenomenon and related physics represented by the resources. This includes librarians, curators, archive scientists and other experts.
	enumeration	CoInvestigator An individual who is a scientific peer and major participant in an investigation.
	enumeration	Contributor An entity responsible for making contributions to the content of the resource.
	enumeration	DataProducer An individual who generated the resource and is familiar with its provenance.
	enumeration	DeputyPI An individual who is an administrative or scientific leader for an investigation operating under the supervision of a Principal Investigator.
	enumeration	FormerPI An individual who had served as the administrative and scientific lead for an investigation, but no longer assumes that role.
	enumeration	GeneralContact An individual who can provide information on a range of subjects or who can direct you to a domain expert.
	enumeration	MetadataContact An individual who can affect a change in the metadata describing a resource.
	enumeration	PrincipalInvestigator An individual who is the administrative and scientific lead for an investigation.
	enumeration	ProjectScientist An individual who is an expert in the phenomenon and related physics explored by the project. A project scientist may also have a managerial role within the project.
	enumeration	Publisher An individual, organization, institution or government department responsible for the production and dissemination of a document.
	enumeration	Scientist An individual who is an expert in the phenomenon and related physics represented by the resource.
	enumeration	TeamLeader An individual who is the designated leader of an investigation.
	enumeration	TeamMember An individual who is a major participant in an investigation.
	enumeration	TechnicalContact An individual who can provide specific information with regard to the resource or supporting software
Used by	Element	Role
Source	<pre><xsd:simpleType name="enumRole"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the assigned or assumed function or position of an individual.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ArchiveSpecialist"> <xsd:annotation> <xsd:documentation xml:lang="en">An individual who is an expert on a collection of resources and may also be knowledgeable of the phenomenon and related physics represented by the resources. This includes librarians, curators, archive scientists and other experts.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

```

    </xsd:enumeration>
    <xsd:enumeration value="CoInvestigator">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who is a scientific peer and major participant in an investigation.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Contributor">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An entity responsible for making contributions to the content of the resource.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="DataProducer">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who generated the resource and is familiar with its provenance.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="DeputyPI">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who is an administrative or scientific leader for an investigation operating under the supervision of a Principal Investigator.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="FormerPI">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who had served as the administrative and scientific lead for an investigation, but no longer assumes that role.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="GeneralContact">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who can provide information on a range of subjects or who can direct you to a domain expert.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MetadataContact">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who can affect a change in the metadata describing a resource.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PrincipalInvestigator">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who is the administrative and scientific lead for an investigation.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ProjectScientist">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who is an expert in the phenomenon and related physics explored by the project. A project scientist may also have a managerial role within the project.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Publisher">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual, organization, institution or government department responsible for the production and dissemination of a document.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Scientist">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who is an expert in the phenomenon and related physics represented by the resource.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TeamLeader">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who is the designated leader of an investigation.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TeamMember">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An individual who is a major participant in an investigation.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TechnicalContact">
        <xsd:annotation>

```

```

<xsd:documentation xml:lang="en">An individual who can provide specific information with
regard to the resource or supporting software</xsd:documentation>
  </xsd:annotation>
  </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumAssociationType

Namespace	http://impexfp7.oeaw.ac.at																			
Annotations	Identifiers for resource associations.																			
Diagram	<pre> classDiagram enumAssociationType < -- xsd:string </pre> <p>Identifiers for resource associations. Built-in primitive type. The string datatype represents character strings in XML.</p>																			
Type	restriction of xsd:string																			
Facets	<table> <tr> <td>enumeration</td><td>ChildEventOf</td><td>A descendant or caused by another resource.</td></tr> <tr> <td>enumeration</td><td>DerivedFrom</td><td>A transformed or altered version of a resource instance.</td></tr> <tr> <td>enumeration</td><td>ObservedBy</td><td>Detected or originating from another resource.</td></tr> <tr> <td>enumeration</td><td>Other</td><td>Not classified with more specific terms. The context of its usage may be described in related text.</td></tr> <tr> <td>enumeration</td><td>PartOf</td><td>A portion of a larger resource.</td></tr> <tr> <td>enumeration</td><td>RevisionOf</td><td>A modified version of a resource instance.</td></tr> </table>		enumeration	ChildEventOf	A descendant or caused by another resource.	enumeration	DerivedFrom	A transformed or altered version of a resource instance.	enumeration	ObservedBy	Detected or originating from another resource.	enumeration	Other	Not classified with more specific terms. The context of its usage may be described in related text.	enumeration	PartOf	A portion of a larger resource.	enumeration	RevisionOf	A modified version of a resource instance.
enumeration	ChildEventOf	A descendant or caused by another resource.																		
enumeration	DerivedFrom	A transformed or altered version of a resource instance.																		
enumeration	ObservedBy	Detected or originating from another resource.																		
enumeration	Other	Not classified with more specific terms. The context of its usage may be described in related text.																		
enumeration	PartOf	A portion of a larger resource.																		
enumeration	RevisionOf	A modified version of a resource instance.																		
Used by	Element	AssociationType																		
Source	<pre> <xsd:simpleType name="enumAssociationType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for resource associations.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ChildEventOf"> <xsd:annotation> <xsd:documentation xml:lang="en">A descendant or caused by another resource.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="DerivedFrom"> <xsd:annotation> <xsd:documentation xml:lang="en">A transformed or altered version of a resource instance.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ObservedBy"> <xsd:annotation> <xsd:documentation xml:lang="en">Detected or originating from another resource.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Other"> <xsd:annotation> <xsd:documentation xml:lang="en">Not classified with more specific terms. The context of its usage may be described in related text.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="PartOf"> <xsd:annotation> <xsd:documentation xml:lang="en">A portion of a larger resource.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="RevisionOf"> <xsd:annotation> <xsd:documentation xml:lang="en">A modified version of a resource instance.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>																			

Simple Type enumAvailability

Namespace	http://impexfp7.oeaw.ac.at
-----------	----------------------------

Annotations	Identifiers for indicating the method or service which may be used to access the resource.								
Diagram	<pre> classDiagram enumAvailability < -- xsd:string </pre> <p>Identifiers for indicating the method or service which may be used to access the resource.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>								
Type	restriction of xsd:string								
Facets	<table> <tr> <td>enumeration</td> <td>Offline</td> <td>Not directly accessible electronically. This includes resources which may be moved to an on-line status in response to a given request.</td> </tr> <tr> <td>enumeration</td> <td>Online</td> <td>Directly accessible electronically.</td> </tr> </table>			enumeration	Offline	Not directly accessible electronically. This includes resources which may be moved to an on-line status in response to a given request.	enumeration	Online	Directly accessible electronically.
enumeration	Offline	Not directly accessible electronically. This includes resources which may be moved to an on-line status in response to a given request.							
enumeration	Online	Directly accessible electronically.							
Used by	Element Availability								
Source	<pre> <xsd:simpleType name="enumAvailability"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for indicating the method or service which may be used to access the resource.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Offline"> <xsd:annotation> <xsd:documentation xml:lang="en">Not directly accessible electronically. This includes resources which may be moved to an on-line status in response to a given request.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Online"> <xsd:annotation> <xsd:documentation xml:lang="en">Directly accessible electronically.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>								

Simple Type enumAccessRights

Namespace	http://impex-fp7.oeaw.ac.at								
Annotations	Identifiers for permissions granted or denied by the host of a product to allow other users to access and use the resource.								
Diagram	<pre> classDiagram enumAccessRights < -- xsd:string </pre> <p>Identifiers for permissions granted or denied by the host of a product to allow other users to access and use the...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>								
Type	restriction of xsd:string								
Facets	<table> <tr> <td>enumeration</td> <td>Open</td> <td>Access is granted to everyone.</td> </tr> <tr> <td>enumeration</td> <td>Restricted</td> <td>Access to the product is regulated and requires some form of identification.</td> </tr> </table>			enumeration	Open	Access is granted to everyone.	enumeration	Restricted	Access to the product is regulated and requires some form of identification.
enumeration	Open	Access is granted to everyone.							
enumeration	Restricted	Access to the product is regulated and requires some form of identification.							
Used by	Element AccessRights								
Source	<pre> <xsd:simpleType name="enumAccessRights"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for permissions granted or denied by the host of a product to allow other users to access and use the resource.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Open"> <xsd:annotation> <xsd:documentation xml:lang="en">Access is granted to everyone.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Restricted"> <xsd:annotation> <xsd:documentation xml:lang="en">Access to the product is regulated and requires some form of identification.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>								

Simple Type enumFormat

Namespace	http://impexfp7.oeaw.ac.at																																																							
Annotations	Identifiers for data organized according to preset specifications.																																																							
Diagram	<pre> classDiagram class enumFormat { <<Identifiers for data organized according to preset specifications.>> } class xsdString { <<Built-in primitive type. The string datatype represents character strings in XML.>> } enumFormat "1" -- "0..1" xsdString </pre>																																																							
Type	restriction of xsd:string																																																							
Facets	<table border="1"> <tr> <td>enumeration</td> <td>AVI</td> <td>Audio Video Interleave (AVI) a digital format for movies that conforms to the Microsoft Windows Resource Interchange File Format (RIFF).</td> </tr> <tr> <td>enumeration</td> <td>Binary</td> <td>A direct representation of the bits which may be stored in memory on a computer.</td> </tr> <tr> <td>enumeration</td> <td>CDF</td> <td>Common Data Format (CDF). A binary storage format developed at Goddard Space Flight Center (GSFC).</td> </tr> <tr> <td>enumeration</td> <td>CEF</td> <td>Cluster Exchange Format (CEF) is a self-documenting ASCII format designed for the exchange of data. There are two versions of CEF which are not totally compatible.</td> </tr> <tr> <td>enumeration</td> <td>CEF1</td> <td>Cluster Exchange Format (CEF), version 1, is a self-documenting ASCII format designed for the exchange of data. The metadata contains information compatible with the ISTP recommendations for CDF.</td> </tr> <tr> <td>enumeration</td> <td>CEF2</td> <td>Cluster Exchange Format (CEF), version 2, is a self-documenting ASCII format designed for the exchange of data and introduced for Cluster Active Archive. Compared to version 1, the metadata description of vectors and tensors is different.</td> </tr> <tr> <td>enumeration</td> <td>Excel</td> <td>A Microsoft spreadsheet format used to hold a variety of data in tables which can include calculations.</td> </tr> <tr> <td>enumeration</td> <td>FITS</td> <td>Flexible Image Transport System (FITS) is a digital format primarily designed to store scientific data sets consisting of multi-dimensional arrays (1-D spectra, 2-D images or 3-D data cubes) and 2-dimensional tables containing rows and columns of data.</td> </tr> <tr> <td>enumeration</td> <td>GIF</td> <td>Graphic Interchange Format (GIF) first introduced in 1987 by CompuServe. GIF uses LZW compression and images are limited to 256 colours.</td> </tr> <tr> <td>enumeration</td> <td>HDF</td> <td>Hierarchical Data Format</td> </tr> <tr> <td>enumeration</td> <td>HDF4</td> <td>Hierarchical Data Format, Version 4</td> </tr> <tr> <td>enumeration</td> <td>HDF5</td> <td>Hierarchical Data Format, Version 5</td> </tr> <tr> <td>enumeration</td> <td>HTML</td> <td>A text file containing structured information represented in the HyperText Mark-up Language (HTML). See <http://www.w3.org/MarkUp/></td> </tr> <tr> <td>enumeration</td> <td>Hardcopy</td> <td>A permanent reproduction, or copy in the form of a physical object, of any media suitable for direct use by a person.</td> </tr> <tr> <td>enumeration</td> <td>Hardcopy.Film</td> <td>An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.</td> </tr> <tr> <td>enumeration</td> <td>Hardcopy.Microfiche</td> <td>A sheet of microfilm on which many pages of material have been photographed; a magnification system is used to read the material.</td> </tr> <tr> <td>enumeration</td> <td>Hardcopy.Microfilm</td> <td>Film rolls on which materials are photographed at greatly reduced size; a magnification system is used to read the material.</td> </tr> <tr> <td>enumeration</td> <td>Hardcopy.Photograph</td> <td>An image (positive or negative) registered</td> </tr> </table>		enumeration	AVI	Audio Video Interleave (AVI) a digital format for movies that conforms to the Microsoft Windows Resource Interchange File Format (RIFF).	enumeration	Binary	A direct representation of the bits which may be stored in memory on a computer.	enumeration	CDF	Common Data Format (CDF). A binary storage format developed at Goddard Space Flight Center (GSFC).	enumeration	CEF	Cluster Exchange Format (CEF) is a self-documenting ASCII format designed for the exchange of data. There are two versions of CEF which are not totally compatible.	enumeration	CEF1	Cluster Exchange Format (CEF), version 1, is a self-documenting ASCII format designed for the exchange of data. The metadata contains information compatible with the ISTP recommendations for CDF.	enumeration	CEF2	Cluster Exchange Format (CEF), version 2, is a self-documenting ASCII format designed for the exchange of data and introduced for Cluster Active Archive. Compared to version 1, the metadata description of vectors and tensors is different.	enumeration	Excel	A Microsoft spreadsheet format used to hold a variety of data in tables which can include calculations.	enumeration	FITS	Flexible Image Transport System (FITS) is a digital format primarily designed to store scientific data sets consisting of multi-dimensional arrays (1-D spectra, 2-D images or 3-D data cubes) and 2-dimensional tables containing rows and columns of data.	enumeration	GIF	Graphic Interchange Format (GIF) first introduced in 1987 by CompuServe. GIF uses LZW compression and images are limited to 256 colours.	enumeration	HDF	Hierarchical Data Format	enumeration	HDF4	Hierarchical Data Format, Version 4	enumeration	HDF5	Hierarchical Data Format, Version 5	enumeration	HTML	A text file containing structured information represented in the HyperText Mark-up Language (HTML). See < http://www.w3.org/MarkUp/ >	enumeration	Hardcopy	A permanent reproduction, or copy in the form of a physical object, of any media suitable for direct use by a person.	enumeration	Hardcopy.Film	An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.	enumeration	Hardcopy.Microfiche	A sheet of microfilm on which many pages of material have been photographed; a magnification system is used to read the material.	enumeration	Hardcopy.Microfilm	Film rolls on which materials are photographed at greatly reduced size; a magnification system is used to read the material.	enumeration	Hardcopy.Photograph	An image (positive or negative) registered
enumeration	AVI	Audio Video Interleave (AVI) a digital format for movies that conforms to the Microsoft Windows Resource Interchange File Format (RIFF).																																																						
enumeration	Binary	A direct representation of the bits which may be stored in memory on a computer.																																																						
enumeration	CDF	Common Data Format (CDF). A binary storage format developed at Goddard Space Flight Center (GSFC).																																																						
enumeration	CEF	Cluster Exchange Format (CEF) is a self-documenting ASCII format designed for the exchange of data. There are two versions of CEF which are not totally compatible.																																																						
enumeration	CEF1	Cluster Exchange Format (CEF), version 1, is a self-documenting ASCII format designed for the exchange of data. The metadata contains information compatible with the ISTP recommendations for CDF.																																																						
enumeration	CEF2	Cluster Exchange Format (CEF), version 2, is a self-documenting ASCII format designed for the exchange of data and introduced for Cluster Active Archive. Compared to version 1, the metadata description of vectors and tensors is different.																																																						
enumeration	Excel	A Microsoft spreadsheet format used to hold a variety of data in tables which can include calculations.																																																						
enumeration	FITS	Flexible Image Transport System (FITS) is a digital format primarily designed to store scientific data sets consisting of multi-dimensional arrays (1-D spectra, 2-D images or 3-D data cubes) and 2-dimensional tables containing rows and columns of data.																																																						
enumeration	GIF	Graphic Interchange Format (GIF) first introduced in 1987 by CompuServe. GIF uses LZW compression and images are limited to 256 colours.																																																						
enumeration	HDF	Hierarchical Data Format																																																						
enumeration	HDF4	Hierarchical Data Format, Version 4																																																						
enumeration	HDF5	Hierarchical Data Format, Version 5																																																						
enumeration	HTML	A text file containing structured information represented in the HyperText Mark-up Language (HTML). See < http://www.w3.org/MarkUp/ >																																																						
enumeration	Hardcopy	A permanent reproduction, or copy in the form of a physical object, of any media suitable for direct use by a person.																																																						
enumeration	Hardcopy.Film	An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.																																																						
enumeration	Hardcopy.Microfiche	A sheet of microfilm on which many pages of material have been photographed; a magnification system is used to read the material.																																																						
enumeration	Hardcopy.Microfilm	Film rolls on which materials are photographed at greatly reduced size; a magnification system is used to read the material.																																																						
enumeration	Hardcopy.Photograph	An image (positive or negative) registered																																																						

		on a piece of photo-sensitive paper
enumeration	Hardcopy.PhotographicPlate	A rigid (typically glass) medium that functions like film. Its rigidity is for guarding against image distortion due to medium deformation (caused by heat and humidity). Photographic plates are often used for astronomical photography.
enumeration	Hardcopy.Print	A sheet of any written or printed material which may include notes or graphics. Multiple printed pages may be bound into a manuscript or book.
enumeration	IDFS	Instrument Data File Set (IDFS) is a set of files written in a prescribed format which contain data, timing data, and meta-data. IDFS was developed at Southwest Research Institute (SwRI).
enumeration	IDL	Interactive Data Language (IDL) save set. IDL is a proprietary format.
enumeration	JPEG	A binary format for still images defined by the Joint Photographic Experts Group
enumeration	MATLAB_4	MATLAB Workspace save set, version 4. MAT-files are double-precision, binary, MATLAB format files. MATLAB is a proprietary product of The MathWorks.
enumeration	MATLAB_6	MATLAB Workspace save set, version 6. MAT-files are double-precision, binary, MATLAB format files. MATLAB is a proprietary product of The MathWorks.
enumeration	MATLAB_7	MATLAB Workspace save set, version 7. MAT-files are double-precision, binary, MATLAB format files. Version 7 includes data compression and Unicode encoding. MATLAB is a proprietary product of The MathWorks.
enumeration	MPEG	A digital format for movies defined by the Motion Picture Experts Group
enumeration	NCAR	The National Center for Atmospheric Research (NCAR) format. A complete description of that standard is given in appendix C of the "Report on Establishment & Operation of the Incoherent-Scatter Data Base", dated August 23, 1984, obtainable from NCAR, P.O. Box 3000 Boulder, Colorado 80307-3000.
enumeration	NetCDF	Unidata Program Center's Network Common Data Form (NetCDF). A self-describing portable data format for array-oriented data access. See < http://my.unidata.ucar.edu/content/software/netcdf >
enumeration	PDF	A document expressed in the Portable Document Format (PDF) as defined by Adobe.
enumeration	PNG	A digital format for still images. Portable Network Graphics (PNG)
enumeration	Postscript	A page description programming language created by Adobe Systems Inc. that is a device-independent industry standard for representing text and graphics.
enumeration	QuickTime	A format for digital movies, as defined by Apple Computer. See < http://developer.apple.com/quicktime/ >
enumeration	TIFF	A binary format for still pictures. Tagged Image Format File (TIFF). Originally developed by Aldus and now controlled by Adobe.
enumeration	Text	A sequence of characters which may have an imposed structure or organization.
enumeration	Text.ASCII	A sequence of characters that adheres to American Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.
enumeration	Text.Unicode	Text in multi-byte Unicode format.
enumeration	UDF	Universal Data Format (UDF). The Optical Technology

		Storage Association's Universal Disk Format, based on ISO 13346. See < http://www.osta.org/specs/index.htm >
	enumeration	VOTable
	enumeration	eXtensible Markup Language (XML). A structured format for representing information. See < http://www.w3.org/XML/ >
Used by	Element	Format
Source		<pre> <xsd:simpleType name="enumFormat"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for data organized according to preset specifications.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="AVI"> <xsd:annotation> <xsd:documentation xml:lang="en">Audio Video Interleave (AVI) a digital format for movies that conforms to the Microsoft Windows Resource Interchange File Format (RIFF).</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Binary"> <xsd:annotation> <xsd:documentation xml:lang="en">A direct representation of the bits which may be stored in memory on a computer.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CDF"> <xsd:annotation> <xsd:documentation xml:lang="en">Common Data Format (CDF). A binary storage format developed at Goddard Space Flight Center (GSFC).</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CEF"> <xsd:annotation> <xsd:documentation xml:lang="en">Cluster Exchange Format (CEF) is a self-documenting ASCII format designed for the exchange of data. There are two versions of CEF which are not totally compatible.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CEF1"> <xsd:annotation> <xsd:documentation xml:lang="en">Cluster Exchange Format (CEF), version 1, is a self-documenting ASCII format designed for the exchange of data. The metadata contains information compatible with the ISTP recommendations for CDF.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CEF2"> <xsd:annotation> <xsd:documentation xml:lang="en">Cluster Exchange Format (CEF), version 2, is a self-documenting ASCII format designed for the exchange of data and introduced for Cluster Active Archive. Compared to version 1, the metadata description of vectors and tensors is different.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Excel"> <xsd:annotation> <xsd:documentation xml:lang="en">A Microsoft spreadsheet format used to hold a variety of data in tables which can include calculations.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="FITS"> <xsd:annotation> <xsd:documentation xml:lang="en">Flexible Image Transport System (FITS) is a digital format primarily designed to store scientific data sets consisting of multi-dimensional arrays (1-D spectra, 2-D images or 3-D data cubes) and 2-dimensional tables containing rows and columns of data.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="GIF"> <xsd:annotation> <xsd:documentation xml:lang="en">Graphic Interchange Format (GIF) first introduced in 1987 by CompuServe. GIF uses LZW compression and images are limited to 256 colours.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="HDF"> <xsd:annotation> <xsd:documentation xml:lang="en">Hierarchical Data Format</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>

```

<xsd:enumeration value="HDF4">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Hierarchical Data Format, Version 4</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HDF5">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Hierarchical Data Format, Version 5</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HTML">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A text file containing structured information represented
    in the HyperText Mark-up Language (HTML). See <a href="http://www.w3.org/MarkUp/"></a></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Hardcopy">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A permanent reproduction, or copy in the form of a physical
    object, of any media suitable for direct use by a person.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Hardcopy.Film">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An image recording medium on which usually a "negative"
    analog image is registered. A "positive" image can be recovered or reproduced from film, which is
    usually made of flexible materials for ease of storage and transportation.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Hardcopy.Microfiche">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A sheet of microfilm on which many pages of material have
    been photographed; a magnification system is used to read the material.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Hardcopy.Microfilm">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Film rolls on which materials are photographed at greatly
    reduced size; a magnification system is used to read the material.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Hardcopy.Photograph">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An image (positive or negative) registered on a piece of
    photo-sensitive paper</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Hardcopy.PhotographicPlate">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A rigid (typically glass) medium that functions like film.
    Its rigidity is for guarding against image distortion due to medium deformation (caused by heat and
    humidity). Photographic plates are often used for astronomical photography.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Hardcopy.Print">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A sheet of any written or printed material which may
    include notes or graphics. Multiple printed pages may be bound into a manuscript or book.</
    xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IDFS">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Instrument Data File Set (IDFS) is a set of files written
    in a prescribed format which contain data, timing data, and meta-data. IDFS was developed at
    Southwest Research Institute (SwRI).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IDL">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Interactive Data Language (IDL) save set. IDL is a
    proprietary format.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JPEG">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A binary format for still images defined by the Joint
    Photographic Experts Group</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MATLAB_4">
  <xsd:annotation>

```

```

<xsd:documentation xml:lang="en">MATLAB Workspace save set, version 4. MAT-files are
double-precision, binary, MATLAB format files. MATLAB is a proprietary product of The MathWorks.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MATLAB_6">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">MATLAB Workspace save set, version 6. MAT-files are
double-precision, binary, MATLAB format files. MATLAB is a proprietary product of The MathWorks.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MATLAB_7">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">MATLAB Workspace save set, version 7. MAT-files are double-
precision, binary, MATLAB format files. Version 7 includes data compression and Unicode encoding.
MATLAB is a proprietary product of The MathWorks.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MPEG">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A digital format for movies defined by the Motion Picture
Experts Group</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NCAR">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The National Center for Atmospheric Research (NCAR) format.
A complete description of that standard is given in appendix C of the "Report on Establishment &
Operation of the Incoherent- Scatter Data Base", dated August 23, 1984, obtainable from NCAR, P.O.
Box 3000 Boulder, Colorado 80307-3000.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NetCDF">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Unidata Program Center's Network Common Data Form
(NetCDF). A self-describing portable data format for array-oriented data access. See <http://
my.unidata.ucar.edu/content/software/netcdf></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PDF">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A document expressed in the Portable Document Format (PDF)
as defined by Adobe.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PNG">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A digital format for still images. Portable Network
Graphics (PNG)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Postscript">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A page description programming language created by Adobe
Systems Inc. that is a device-independent industry standard for representing text and graphics.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QuickTime">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A format for digital movies, as defined by Apple Computer.
See <http://developer.apple.com/quicktime/></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TIFF">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A binary format for still pictures. Tagged Image Format
File (TIFF). Originally developed by Aldus and now controlled by Adobe.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Text">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A sequence of characters which may have an imposed
structure or organization.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Text.ASCII">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A sequence of characters that adheres to American
Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.</
xsd:documentation>
  </xsd:annotation>

```

```

</xsd:enumeration>
<xsd:enumeration value="Text.Unicode">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Text in multi-byte Unicode format.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="UDF">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Universal Data Format (UDF). The Optical Technology
Storage Association's Universal Disk Format, based on ISO 13346. See <http://www.osta.org/specs/index.htm></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VOTable">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A proposed IVOA standard designed as a flexible storage and
exchange format for tabular data.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XML">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">eXtensible Markup Language (XML). A structured format for
representing information. See <http://www.w3.org/XML/></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumEncoding

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for unambiguous rules that establishes the representation of information within a file.		
Diagram	<pre> classDiagram class enumEncoding { <<Identifiers for unambiguous rules that establishes the representation of information within a file.>> } class xsd:string { <<Built-in primitive type. The string datatype represents character strings in XML.>> } enumEncoding < -- xsd:string </pre>		
Type	restriction of xsd:string		
Facets	enumeration	ASCII	A sequence of characters that adheres to American Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.
	enumeration	BZIP2	An open standard algorithm by Julian Seward using Burrows-Wheeler block sorting and Huffman coding. See < http://www.bzip.org/ >
	enumeration	Base64	A data encoding scheme whereby binary-encoded data is converted to printable ASCII characters. It is defined as a MIME content transfer encoding for use in Internet e-mail. The only characters used are the upper- and lower-case Roman alphabet characters (A-Z, a-z), the numerals (0-9), and the "+" and "/" symbols, with the "=" symbol as a special suffix (padding) code.
	enumeration	GZIP	An open standard algorithm distributed by GNU based on LZ77 and Huffman coding. See < http://www.gnu.org/software/gzip/gzip.html > or < http://www.gzip.org/ >
	enumeration	None	A lack or absence of anything.
	enumeration	S3_BUCKET	A container of objects that comply with the Amazon Simple Storage Service (S3) specifications. A bucket has a unique, user-assigned key (name). A bucket can contain any number of objects with an aggregate size of 5 gigabytes. A bucket may be accompanied by up to 2 kilobytes of metadata.
	enumeration	TAR	A file format used to collate collections of files into one larger file, for distribution or archiving, while preserving file system information such as user and group permissions, dates, and directory structures. The format was standardized by POSIX.1-1988 and later POSIX.1-2001.

	enumeration	Unicode	Text in multi-byte Unicode format.
	enumeration	ZIP	An open standard for compression which is a variation of the LZW method and was originally used in the PKZIP utility.
Used by	Element	Encoding	
Source	<pre> <xsd:simpleType name="enumEncoding"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for unambiguous rules that establishes the representation of information within a file.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ASCII"> <xsd:annotation> <xsd:documentation xml:lang="en">A sequence of characters that adheres to American Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="BZIP2"> <xsd:annotation> <xsd:documentation xml:lang="en">An open standard algorithm by Julian Seward using Burrows-Wheeler block sorting and Huffman coding. See </xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Base64"> <xsd:annotation> <xsd:documentation xml:lang="en">A data encoding scheme whereby binary-encoded data is converted to printable ASCII characters. It is defined as a MIME content transfer encoding for use in Internet e-mail. The only characters used are the upper- and lower-case Roman alphabet characters (A-Z, a-z), the numerals (0-9), and the "+" and "/" symbols, with the "=" symbol as a special suffix (padding) code.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="GZIP"> <xsd:annotation> <xsd:documentation xml:lang="en">An open standard algorithm distributed by GHU based on LZ77 and Huffman coding. See or </xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="None"> <xsd:annotation> <xsd:documentation xml:lang="en">A lack or absence of anything.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="S3_BUCKET"> <xsd:annotation> <xsd:documentation xml:lang="en">A container of objects that comply with the Amazon Simple Storage Service (S3) specifications. A bucket has a unique, user-assigned key (name). A bucket can contain any number of objects with an aggregate size of 5 gigabytes. A bucket may be accompanied by up to 2 kilobytes of metadata.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="TAR"> <xsd:annotation> <xsd:documentation xml:lang="en">A file format used to collate collections of files into one larger file, for distribution or archiving, while preserving file system information such as user and group permissions, dates, and directory structures. The format was standardized by POSIX.1-1988 and later POSIX.1-2001.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Unicode"> <xsd:annotation> <xsd:documentation xml:lang="en">Text in multi-byte Unicode format.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ZIP"> <xsd:annotation> <xsd:documentation xml:lang="en">An open standard for compression which is a variation of the LZW method and was originally used in the PKZIP utility.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>		

Simple Type enumPhenomenonType

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Identifiers for the characteristics or categorization

	of an observation. Note: Joe King to provide.		
Diagram	 <p>enumPhenomenonType is a class that inherits from xsd:string. It is described as identifiers for the characteristics or categorization of an observation. Note: Joe King to provide. xsd:string is a built-in primitive type that represents character strings in XML.</p>		
Type	restriction of xsd:string		
Facets	enumeration	ActiveRegion	A localized, transient volume of the solar atmosphere in which PLAGES, SUNSPOTS, FACULAE, FLAREs, etc. may be observed.
	enumeration	Aurora	An atmospheric phenomenon consisting of bands of light caused by charged solar particles following the earth's magnetic lines of force.
	enumeration	BowShockCrossing	A crossing of the boundary between the undisturbed (except for foreshock effects) solar wind and the shocked, decelerated solar wind of the magnetosheath.
	enumeration	CoronalHole	An extended region of the corona, exceptionally low in density and associated with unipolar photospheric regions. A coronal hole can be an "open" magnetic field in the corona and (perhaps) inner heliosphere which has a faster than average outflow (wind); A region of lower than "quiet" ion and electron density in the corona; or a region of lower peak electron temperature in the corona than in the "quiet" corona.
	enumeration	CoronalMassEjection	A solar event (CME) that involves a burst of plasma ejected into the interplanetary medium. CME's may be observed remotely relatively near the sun or in situ in the interplanetary medium. The latter type of observations are often referred to as Interplanetary CME's (ICME's).
	enumeration	EITWave	A wave in the corona of the Sun which produce shock waves on the Sun's chromosphere (Moreton Waves). EIT Waves are produced by large solar flare and expand outward at about 1,000 km/s. It usually appears as a slowly moving diffuse arc of brightening in H-alpha, and may travel for several hundred thousand km.
	enumeration	EnergeticSolarParticleEvent	An enhancement of interplanetary fluxes of energetic ions accelerated by interplanetary shocks and/or solar flares.
	enumeration	ForbushDecrease	A rapid decrease in the observed galactic cosmic ray intensity following the passage of an outwardly convecting interplanetary magnetic field disturbance, such as those associated with large CME's, that sweep some galactic cosmic rays away from Earth.
	enumeration	GeomagneticStorm	A magnetospheric disturbance typically defined by variations in the horizontal component of the Earth's surface magnetic field. The variation typically starts with a field enhancement associated with a solar wind pressure pulse and continues with a field depression associated with an enhancement of the diamagnetic magnetospheric ring current.
	enumeration	InterplanetaryShock	A shock propagating generally anti-sunward through the slower solar wind, often seen in front of CME-associated plasma clouds.
	enumeration	MagneticCloud	A transient event observed in the solar wind characterized as a region of enhanced magnetic field strength, smooth rotation of the magnetic field vector and low proton density and temperature.
	enumeration	MagnetopauseCrossing	A crossing of the interface between the shocked solar wind in the magnetosheath and the magnetic field and plasma in the magnetosphere.
	enumeration	RadioBurst	Emissions of the sun in radio wavelengths from centimeters to dekameters, under both

		<p>quiet and disturbed conditions. Radio Bursts can be "Type I" consisting of many short, narrow-band bursts in the metric range (300 - 50 MHz); "Type II" consisting of narrow-band emission that begins in the meter range (300 MHz) and sweeps slowly (tens of minutes) toward dekameter wavelengths (10 MHz); "Type III" consisting of narrow-band bursts that sweep rapidly (seconds) from decimeter to dekameter wavelengths (500 - 0.5 MHz); and "Type IV" consisting of a smooth continuum of broad-band bursts primarily in the meter range (300 - 30 MHz).</p>
enumeration	SectorBoundaryCrossing	<p>A sector boundary crossing is a transit by a spacecraft across the heliospheric current sheet separating the dominantly outward (away-from-the-sun) interplanetary magnetic field of one hemisphere of the heliosphere from the dominantly inward (toward-the-sun) polarity of the other hemisphere.</p> <p>Such crossings have multi-day intervals of opposite IMF dominant polarities on either side.</p>
enumeration	SolarFlare	<p>An explosive event in the Sun's atmosphere which produces electromagnetic radiation across the electromagnetic spectrum at multiple wavelengths from long-wave radio to the shortest wavelength gamma rays.</p>
enumeration	SolarWindExtreme	<p>Intervals of unusually large or small values of solar wind attributes such as flow speed and ion density.</p>
enumeration	StreamInteractionRegion	<p>The region (SIR) where two solar wind streams, typically having differing characteristics and solar sources, abut up against (and possibly partially interpenetrate) each other.</p>
enumeration	Substorm	<p>A process by which plasma in the magnetotail becomes energized at a fast rate.</p>
Used by	Element	PhenomenonType
Source	<pre> <xsd:simpleType name="enumPhenomenonType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the characteristics or categorization of an observation. Note: Joe King to provide.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ActiveRegion"> <xsd:annotation> <xsd:documentation xml:lang="en">A localized, transient volume of the solar atmosphere in which PLAGES, SUNSPOTS, FACULAE, FLAREs, etc. may be observed.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Aurora"> <xsd:annotation> <xsd:documentation xml:lang="en">An atmospheric phenomenon consisting of bands of light caused by charged solar particles following the earth's magnetic lines of force.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="BowShockCrossing"> <xsd:annotation> <xsd:documentation xml:lang="en">A crossing of the boundary between the undisturbed (except for foreshock effects) solar wind and the shocked, decelerated solar wind of the magnetosheath.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CoronalHole"> <xsd:annotation> <xsd:documentation xml:lang="en">An extended region of the corona, exceptionally low in density and associated with unipolar photospheric regions. A coronal hole can be an "open" magnetic field in the corona and (perhaps) inner heliosphere which has a faster than average outflow (wind); A region of lower than "quiet" ion and electron density in the corona; or a region of lower peak electron temperature in the corona than in the "quiet" corona.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CoronalMassEjection"> <xsd:annotation> </pre>	

```


<xsd:documentation xml:lang="en">A solar event (CME) that involves a burst of plasma ejected into the interplanetary medium. CME's may be observed remotely relatively near the sun or in situ in the interplanetary medium. The latter type of observations are often referred to as Interplanetary CME's (ICME's).</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EITWave">
<xsd:annotation>
<xsd:documentation xml:lang="en">A wave in the corona of the Sun which produce shock waves on the Sun's chromosphere (Moreton Waves). EIT Waves are produced by large solar flare and expand outward at about 1,000 km/s. It usually appears as a slowly moving diffuse arc of brightening in H-alpha, and may travel for several hundred thousand km.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EnergeticSolarParticleEvent">
<xsd:annotation>
<xsd:documentation xml:lang="en">An enhancement of interplanetary fluxes of energetic ions accelerated by interplanetary shocks and/or solar flares.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ForbushDecrease">
<xsd:annotation>
<xsd:documentation xml:lang="en">A rapid decrease in the observed galactic cosmic ray intensity following the passage of an outwardly convecting interplanetary magnetic field disturbance, such as those associated with large CME's, that sweep some galactic cosmic rays away from Earth.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GeomagneticStorm">
<xsd:annotation>
<xsd:documentation xml:lang="en">A magnetospheric disturbance typically defined by variations in the horizontal component of the Earth's surface magnetic field. The variation typically starts with a field enhancement associated with a solar wind pressure pulse and continues with a field depression associated with an enhancement of the diamagnetic magnetospheric ring current.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="InterplanetaryShock">
<xsd:annotation>
<xsd:documentation xml:lang="en">A shock propagating generally anti-sunward through the slower solar wind, often seen in front of CME-associated plasma clouds.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MagneticCloud">
<xsd:annotation>
<xsd:documentation xml:lang="en">A transient event observed in the solar wind characterized as a region of enhanced magnetic field strength, smooth rotation of the magnetic field vector and low proton density and temperature.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MagnetopauseCrossing">
<xsd:annotation>
<xsd:documentation xml:lang="en">A crossing of the interface between the shocked solar wind in the magnetosheath and the magnetic field and plasma in the magnetosphere.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RadioBurst">
<xsd:annotation>
<xsd:documentation xml:lang="en">Emissions of the sun in radio wavelengths from centimeters to dekameters, under both quiet and disturbed conditions. Radio Bursts can be "Type I" consisting of many short, narrow-band bursts in the metric range (300 - 50 MHz); "Type II" consisting of narrow-band emission that begins in the meter range (300 MHz) and sweeps slowly (tens of minutes) toward dekameter wavelengths (10 MHz); "Type III" consisting of narrow-band bursts that sweep rapidly (seconds) from decimeter to dekameter wavelengths (500 - 0.5 MHz); and "Type IV" consisting of a smooth continuum of broad-band bursts primarily in the meter range (300 - 30 MHz).</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SectorBoundaryCrossing">
<xsd:annotation>
<xsd:documentation xml:lang="en">A sector boundary crossing is a transit by a spacecraft across the heliospheric current sheet separating the dominantly outward (away-from-the-sun) interplanetary magnetic field of one hemisphere of the heliosphere from the dominantly inward (toward-the-sun) polarity of the other hemisphere. Such crossings have multi-day intervals of opposite IMF dominant polarities on either side.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SolarFlare">
<xsd:annotation>
<xsd:documentation xml:lang="en">An explosive event in the Sun's atmosphere which produces electromagnetic radiation across the electromagnetic spectrum at multiple wavelengths from long-wave radio to the shortest wavelength gamma rays.</xsd:documentation>
</xsd:annotation>
```

```

</xsd:enumeration>
<xsd:enumeration value="SolarWindExtreme">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">Intervals of unusually large or small values of solar wind
        attributes such as flow speed and ion density.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="StreamInteractionRegion">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The region (SIR) where two solar wind streams, typically
        having differing characteristics and solar sources, abut up against (and possibly partially
        interpenetrate) each other.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Substorm">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">A process by which plasma in the magnetotail becomes
        energized at a fast rate.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type ParameterKey

Namespace	http://impexfp7.oeaw.ac.at
Annotations	The name or identifier which can be used to access the parameter in the resource. The associated value is dependent on the service used to access the resource. For columnar ASCII data, use "Column_X" for a single-element parameter and "Column_X-Column_Y" for a multi-element parameter, where X and Y are the relevant column index. The first column index is 1.
Diagram	 <p>The name or identifier which can be used to access the parameter in the resource. The associated value is dependent on...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Used by	Element ParameterKey
Source	<pre> <xsd:simpleType name="ParameterKey"> <xsd:annotation> <xsd:documentation xml:lang="en">The name or identifier which can be used to access the parameter in the resource. The associated value is dependent on the service used to access the resource. For columnar ASCII data, use "Column_X" for a single-element parameter and "Column_X- Column_Y" for a multi-element parameter, where X and Y are the relevant column index. The first column index is 1.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"/> </xsd:simpleType> </pre>

Simple Type enumCoordinateRepresentation

Namespace	http://impexfp7.oeaw.ac.at						
Annotations	Identifiers of the method or form for specifying a given point or vector in a given coordinate system.						
Diagram	 <p>Identifiers of the method or form for specifying a given point or vector in a given coordinate system.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>						
Type	restriction of xsd:string						
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Cartesian</td> <td>A representation in which a position vector or a measured vector (e.g., field or flow) is specified by its components along the base axes of the coordinate system.</td> </tr> <tr> <td>enumeration</td> <td>Cylindrical</td> <td>A coordinate representation of a position vector or measured vector (field or flow) by its k-component, the magnitude of its projection</td> </tr> </table>	enumeration	Cartesian	A representation in which a position vector or a measured vector (e.g., field or flow) is specified by its components along the base axes of the coordinate system.	enumeration	Cylindrical	A coordinate representation of a position vector or measured vector (field or flow) by its k-component, the magnitude of its projection
enumeration	Cartesian	A representation in which a position vector or a measured vector (e.g., field or flow) is specified by its components along the base axes of the coordinate system.					
enumeration	Cylindrical	A coordinate representation of a position vector or measured vector (field or flow) by its k-component, the magnitude of its projection					

		into the i-j plane, and the azimuthal angle of the i-j plane projection.
	enumeration Spherical	A coordinate representation of a position vector or of a measured vector by its magnitude and two direction angles. The angles are relative to the base axes of the coordinate system used. Typically the angles are phi [azimuth angle, =arctan (j/i)] and theta, where theta may be a polar angle, arctan {[SQRT(i^2+j^2)]/k}, or an elevation angle, arctan [k/SQRT (i^2+j^2)].
Used by	Element CoordinateRepresentation	
Source	<pre><xsd:simpleType name="enumCoordinateRepresentation"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers of the method or form for specifying a given point or vector in a given coordinate system.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Cartesian"> <xsd:annotation> <xsd:documentation xml:lang="en">A representation in which a position vector or a measured vector (e.g., field or flow) is specified by its components along the base axes of the coordinate system.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Cylindrical"> <xsd:annotation> <xsd:documentation xml:lang="en">A coordinate representation of a position vector or measured vector (field or flow) by its k-component, the magnitude of its projection into the i-j plane, and the azimuthal angle of the i-j plane projection.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Spherical"> <xsd:annotation> <xsd:documentation xml:lang="en">A coordinate representation of a position vector or of a measured vector by its magnitude and two direction angles. The angles are relative to the base axes of the coordinate system used. Typically the angles are phi [azimuth angle, =arctan (j/i)] and theta, where theta may be a polar angle, arctan {[SQRT(i^2+j^2)]/k}, or an elevation angle, arctan [k/SQRT (i^2+j^2)].</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type enumCoordinateSystemName

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers of the origin and orientation of a set of typically orthogonal axes.		
Diagram	<p>Identifiers of the origin and orientation of a set of typically orthogonal axes.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>		
Type	restriction of xsd:string		
Facets	enumeration CGM	Corrected Geomagnetic - A coordinate system from a spatial point with GEO radial distance and geomagnetic latitude and longitude, follow the epoch-appropriate IGRF/DGRF model field vector through to the point where the field line crosses the geomagnetic dipole equatorial plane. Then trace the dipole magnetic field vector Earthward from that point on the equatorial plane, in the same hemisphere as the original point, until the initial radial distance is reached. Designate the dipole latitude and longitude at that point as the CGM latitude and longitude of the original point. See < http://nssdc.gsfc.nasa.gov/space/cgm/cgmm_des.html >	
	enumeration Carrington	A coordinate system which is centered at the Sun and is "fixed" with respect to the synodic rotation rate; the mean synodic value is about 27.2753 days. The Astronomical Almanac gives a value for Carrington longitude of 349.03 degrees at 0000 UT on 1 January 1995.	
	enumeration CSO	A generic body-Centered Solar Orbital (CSO) frame	

		<p>related to comets and asteroids. The frame is defined as a two-vector style dynamic frame as follows:</p> <p>The position of the sun relative to the body is the primary vector:</p> <p>the X axis points from the body to the sun.</p> <p>The inertially referenced velocity of the sun relative to the body is the secondary vector:</p> <p>the Y axis is the component of this velocity vector orthogonal to the X axis.</p> <p>The Z axis is X cross Y, completing the right-handed reference frame.</p> <p>All vectors are geometric: no aberration corrections are used.</p>
enumeration	DM	Dipole Meridian - A coordinate system centered at the observation point. Z axis is parallel to the Earth's dipole axis, positive northward. X is in the plane defined by Z and the line linking the observation point with the Earth's center. Y is positive eastward. See < http://cdpp.cnes.fr/00428.pdf >
enumeration	GEI	Geocentric Equatorial Inertial - A coordinate system where the Z axis is along Earth's spin vector, positive northward. X axis points towards the first point of Aries (from the Earth towards the Sun at the vernal equinox). See Russell, 1971
enumeration	GEO	Geographic - geocentric corotating - A coordinate system where the Z axis is along Earth's spin vector, positive northward. X axis lies in Greenwich meridian, positive towards Greenwich. See Russell, 1971.
enumeration	GPHIO	In this Cartesian coordinate system, X is along the flow direction, Y is along the Ganymede-Jupiter vector, and Z is along the spin axis. These coordinates are analogous to the earth-centered GSE coordinates that relate to the direction of flow of the solar wind onto Earth's environment.
enumeration	GSE	Geocentric Solar Ecliptic - A coordinate system where the X axis is from Earth to Sun. Z axis is normal to the ecliptic, positive northward. See Russell, 1971.
enumeration	GSEQ	Geocentric Solar Equatorial - A coordinate system where the X axis is from Earth to Sun. Y axis is parallel to solar equatorial plane. Z axis is positive northward. See Russell, 1971
enumeration	GSM	Geocentric Solar Magnetospheric - A coordinate system where the X axis is from Earth to Sun, Z axis is northward in a plane containing the X axis and the geomagnetic dipole axis. See Russell, 1971
enumeration	HAE	Heliocentric Aries Ecliptic - A coordinate system where the Z axis is normal to the ecliptic plane, positive northward. X axis is positive towards the first point of Aries (from Earth to Sun at vernal equinox). Same as SE below. See Hapgood, 1992.
enumeration	HCC	Heliocentric Cartesian - A 3-D orthonormal coordinate system that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis points toward the observer. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Standard representation for this system is via the point's x and y values, expressed either as physical distances or as fractions of the solar disk radius.
enumeration	HCI	Heliographic Carrington Inertial.
enumeration	HCR	Heliocentric Radial - A 3-D orthonormal coordinate

		system that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis points toward the observer. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Standard representation for this system is via the point's distance rho from the Z axis [$\text{Rho} = \sqrt{x^2 + y^2}$] and its phase angle psi measured counterclockwise from the +Y axis [$\text{psi} = \arctan(-y/x)$]
enumeration	HEE	Heliocentric Earth Ecliptic - A coordinate system where the Z axis is normal to the ecliptic plane, positive northward. X axis points from Sun to Earth. See Hapgood, 1992
enumeration	HEEQ	Heliocentric Earth Equatorial - A coordinate system where the Z axis is normal to the solar equatorial plane, positive northward. X axis is generally Earthward in the plane defined by the Z axis and the Sun-Earth direction. See Hapgood, 1992.
enumeration	HG	Heliographic - A heliocentric rotating coordinate system where the Z axis is normal to the solar equatorial plane, positive northward. X, Y axes rotate with a 25.38 day period. The zero longitude (X axis) is defined as the longitude that passed through the ascending node of the solar equator on the ecliptic plane on 1 January, 1854 at 12 UT. See http://nssdc.gsfc.nasa.gov/space/helios/coor_des.html
enumeration	HGI	Heliographic Inertial - A heliocentric coordinate system where the Z axis is normal to the solar equatorial plane, positive northward. X axis is along the intersection line between solar equatorial and ecliptic planes. The X axis was positive at SE longitude of 74.367 deg on Jan 1, 1900. (See SE below.) See http://nssdc.gsfc.nasa.gov/space/helios/coor_des.html
enumeration	HPC	Heliopprojective Cartesian = A 3-D orthonormal (left-handed) coordinate system that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis points from the observer to the center of the solar disk. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Given as the distance between the observer and the center of the solar disk, the standard representation of an (x,y) point on the solar disk is via the point's longitude angle [$\arctan(x/d)$] and latitude angle [$\arctan(y/d)$].
enumeration	HPR	Heliopprojective Radial - A 3-D orthonormal (left-handed) coordinate system that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis points from the observer to the center of the solar disk. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Given as the distance between the observer and the center of the solar disk, the standard representation for this system of an (x,y) point on the solar disk is via the point's latitude angle theta [= $\arctan(\sqrt{x^2 + y^2}/d)$] or equivalent declination parameter delta (= theta - 90 deg), and its phase angle psi as measured counter-clockwise from the +Y axis [psi = $\arctan(-y/x)$].
enumeration	HSM	TBD
enumeration	J2000	An astronomical coordinate system which uses the mean equator and equinox of Julian date 2451545.0 TT (Terrestrial Time), or January 1, 2000, noon TT. (aka J2000) to define a celestial reference frame.

enumeration	JSM	Jovian Solar Magnetospheric - A coordinate system where the X axis is from Jupiter to Sun, Z axis is northward in a plane containing the X axis and the Jovian dipole axis.
enumeration	JSO	Coordinate System Related to Jupiter Jovian Solar Orbital (X anti-sunward, Y along the orbital velocity direction)
enumeration	KSM	Kronian Solar Magnetospheric - A coordinate system where the X axis is from Saturn to Sun, Z axis is northward in a plane containing the X axis and the Kronian dipole axis.
enumeration	KSO	Coordinate System Related to Saturn Kronian Solar Orbital (X anti-sunward, Y along the orbital velocity direction)
enumeration	LGM	Local Geomagnetic - A coordinate system used mainly for Earth surface or near Earth surface magnetic field data. X axis northward from observation point in a geographic meridian. Z axis downward towards Earth's center. In this system, H (total horizontal component) = $\sqrt{B_x^2 + B_y^2}$ and D (declination angle) = $\arctan(B_y/B_x)$
enumeration	MAG	Geomagnetic - geocentric. Z axis is parallel to the geomagnetic dipole axis, positive north. X is in the plane defined by the Z axis and the Earth's rotation axis. If N is a unit vector from the Earth's center to the north geographic pole, the signs of the X and Y axes are given by Y = N x Z, X = Y x Z.. See Russell, 1971, and http://cdpp.cnes.fr/00428.pdf
enumeration	MFA	Magnetic Field Aligned - A coordinate system spacecraft-centered system with Z in the direction of the ambient magnetic field vector. X is in the plane defined by Z and the spacecraft-Sun line, positive sunward. See http://cdpp.cnes.fr/00428.pdf
enumeration	MSO	Mars or Mercury Solar Orbital coordinate system. The X axis points from the center of the planet to the Sun; the Z axis is perpendicular to the orbital plane of the planet and parallel to the angular momentum vector. The Y axis completes the right-handed coordinate system.
enumeration	RTN	Radial Tangential Normal. Typically centered at a spacecraft. Used for IMF and plasma V vectors. R (radial) axis is radially away from the Sun, T (tangential) axis is normal to the plane formed by R and the Sun's spin vector, positive in the direction of planetary motion. N (normal) is R x T.
enumeration	SC	Spacecraft - A coordinate system defined by the spacecraft geometry and/or spin. Often has Z axis parallel to spacecraft spin vector. X and Y axes may or may not corotate with the spacecraft. See SR and SR2 below.
enumeration	SE	Solar Ecliptic - A heliocentric coordinate system where the Z axis is normal to the ecliptic plane, positive northward. X axis is positive towards the first point of Aries (from Earth to Sun at vernal equinox). Same as HAE above. See http://nssdc.gsfc.nasa.gov/space/helios/coor_des.html
enumeration	SM	Solar Magnetic - A geocentric coordinate system where the Z axis is northward along Earth's dipole axis, X axis is in plane of z axis and Earth-Sun line, positive sunward. See Russell, 1971.
enumeration	SR	Spin Reference - A special case of a Spacecraft (SC) coordinate system for a spinning spacecraft. Z is parallel to the spacecraft spin vector. X and Y rotate with the spacecraft. See http://cdpp.cnes.fr/00428.pdf

enumeration	SR2	Spin Reference 2 - A special case of a Spacecraft (SC) coordinate system for a spinning spacecraft. Z is parallel to the spacecraft spin vector. X is in the plane defined by Z and the spacecraft-Sun line, positive sunward. See < http://cdpp.cnes.fr/00428.pdf >
enumeration	SSE	Spacecraft Solar Ecliptic - A coordinate system used for deep space spacecraft, for example Helios. - X axis from spacecraft to Sun. Z axis normal to ecliptic plane, positive northward. Note: Angle between normals to ecliptic and to Helios orbit plane ~ 0.25 deg.
enumeration	SSE_L	Selenocentric Solar Ecliptic. The X axis points from the center of the Earth's moon to the sun, the Z axis is normal to the ecliptic plane, positive northward. And the Y axis completes the right-handed set of axes.
enumeration	SpacecraftOrbitPlane	A coordinate system where X lies in the plane normal to and in the direction of motion of the spacecraft, Z is normal to this plane and Y completes the triad in a right-handed coordinate system.
enumeration	TIIS	In this Cartesian coordinate system, X is along the flow direction, Y is along the Titan-Saturn vector, and z is along the spin axis. These coordinates are analogous to the earth-centered GSE coordinates that relate to the direction of flow of the solar wind onto Earth's environment.
enumeration	VSO	Venus Solar Orbital coordinate system. The X axis points from the center of the planet to the Sun; The Z axis is perpendicular to the orbital plane of the planet and parallel to the angular momentum vector. The Y axis completes the right-handed coordinate system.
enumeration	WGS84	The World Geodetic System (WGS) defines a reference frame for the earth, for use in geodesy and navigation. The WGS84 uses the zero meridian as defined by the Bureau International de l'Heure.
Used by	Element	CoordinateSystemName
Source	<pre> <xsd:simpleType name="enumCoordinateSystemName"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers of the origin and orientation of a set of typically orthogonal axes.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="CGM"> <xsd:annotation> <xsd:documentation xml:lang="en">Corrected Geomagnetic - A coordinate system from a spatial point with GEO radial distance and geomagnetic latitude and longitude, follow the epoch-appropriate IGRF/DGRF model field vector through to the point where the field line crosses the geomagnetic dipole equatorial plane. Then trace the dipole magnetic field vector Earthward from that point on the equatorial plane, in the same hemisphere as the original point, until the initial radial distance is reached. Designate the dipole latitude and longitude at that point as the CGM latitude and longitude of the original point. See <http://nssdc.gsfc.nasa.gov/space/cgm/cgmm_des.html></xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Carrington"> <xsd:annotation> <xsd:documentation xml:lang="en">A coordinate system which is centered at the Sun and is "fixed" with respect to the synodic rotation rate; the mean synodic value is about 27.2753 days. The Astronomical Almanac gives a value for Carrington longitude of 349.03 degrees at 0000 UT on 1 January 1995.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CSO"> <xsd:annotation> </pre>	

```

<xsd:documentation xml:lang="en">A generic body-Centered Solar Orbital (CSO) frame related to comets and asteroids. The frame is defined as a two-vector style dynamic frame as follows: The position of the sun relative to the body is the primary vector: the X axis points from the body to the sun. The inertially referenced velocity of the sun relative to the body is the secondary vector: the Y axis is the component of this velocity vector orthogonal to the X axis. The Z axis is X cross Y, completing the right-handed reference frame. All vectors are geometric: no aberration corrections are used.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DM">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Dipole Meridian - A coordinate system centered at the observation point. Z axis is parallel to the Earth's dipole axis, positive northward. X is in the plane defined by Z and the line linking the observation point with the Earth's center. Y is positive eastward. See <a href="http://cdpp.cnrs.fr/00428.pdf"></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GEI">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Geocentric Equatorial Inertial - A coordinate system where the Z axis is along Earth's spin vector, positive northward. X axis points towards the first point of Aries (from the Earth towards the Sun at the vernal equinox). See Russell, 1971</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GEO">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Geographic - geocentric corotating - A coordinate system where the Z axis is along Earth's spin vector, positive northward. X axis lies in Greenwich meridian, positive towards Greenwich. See Russell, 1971.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GPHIO">
  <xsd:annotation>
    <xsd:documentation>In this Cartesian coordinate system, X is along the flow direction, Y is along the Ganymede-Jupiter vector, and Z is along the spin axis. These coordinates are analogous to the earth-centered GSE coordinates that relate to the direction of flow of the solar wind onto Earth's environment.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GSE">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Geocentric Solar Ecliptic - A coordinate system where the X axis is from Earth to Sun. Z axis is normal to the ecliptic, positive northward. See Russell, 1971.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GSEQ">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Geocentric Solar Equatorial - A coordinate system where the X axis is from Earth to Sun. Y axis is parallel to solar equatorial plane. Z axis is positive northward. See Russell, 1971</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GSM">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Geocentric Solar Magnetospheric - A coordinate system where the X axis is from Earth to Sun, Z axis is northward in a plane containing the X axis and the geomagnetic dipole axis. See Russell, 1971</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HAE">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Heliocentric Aries Ecliptic - A coordinate system where the Z axis is normal to the ecliptic plane, positive northward. X axis is positive towards the first point of Aries (from Earth to Sun at vernal equinox). Same as SE below. See Hapgood, 1992.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HCC">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Heliocentric Cartesian - A 3-D orthonormal coordinate system that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis points toward the observer. The Y axis lies in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar west. Standard representation for this system is via the point's x and y values, expressed either as physical distances or as fractions of the solar disk radius.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HCI">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Heliographic Carrington Inertial.</xsd:documentation>
  </xsd:annotation>

```

```

</xsd:enumeration>
<xsd:enumeration value="HCR">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Heliocentric Radial - A 3-D orthonormal coordinate system
    that is primarily intended to specify with two dimensions a point on the solar disk. The Z axis
    points toward the observer. The Y axis lies in the plane defined by the solar spin vector and the
    Z axis, positive northward. The X axis is perpendicular to the Y and Z axes, positive toward solar
    west. Standard representation for this system is via the point's distance rho from the Z axis [Rho
    = SQRT(x**2 + y**2)] and its phase angle psi measured counterclockwise from the +Y axis [psi =
    arctan (-y/x)].</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HEE">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Heliocentric Earth Ecliptic - A coordinate system where the
    Z axis is normal to the ecliptic plane, positive northward. X axis points from Sun to Earth. See
    Hapgood, 1992.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HEEQ">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Heliocentric Earth Equatorial - A coordinate system
    where the Z axis is normal to the solar equatorial plane, positive northward. X axis is generally
    Earthward in the plane defined by the Z axis and the Sun-Earth direction. See Hapgood, 1992.</
  xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HG">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Heliographic - A heliocentric rotating coordinate system
    where the Z axis is normal to the solar equatorial plane, positive northward. X, Y axes rotate with
    a 25.38 day period. The zero longitude (X axis) is defined as the longitude that passed through the
    ascending node of the solar equator on the ecliptic plane on 1 January, 1854 at 12 UT. See <http://
    nssdc.gsfc.nasa.gov/space/helios/coor_des.html></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HGI">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Heliographic Inertial - A heliocentric coordinate system
    where the Z axis is normal to the solar equatorial plane, positive northward. X axis is along
    the intersection line between solar equatorial and ecliptic planes. The X axis was positive at
    SE longitude of 74.367 deg on Jan 1, 1900. (See SE below.) See <http://nssdc.gsfc.nasa.gov/space/
    helios/coor_des.html></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HPC">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Helioprojective Cartesian = A 3-D orthonormal (left-
    handed) coordinate system that is primarily intended to specify with two dimensions a point on the
    solar disk. The Z axis points from the observer to the center of the solar disk. The Y axis lies
    in the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is
    perpendicular to the Y and Z axes, positive toward solar west. Given as the distance between the
    observer and the center of the solar disk, the standard representation of an (x,y) point on the
    solar disk is via the point's longitude angle [arctan (x/d)] and latitude angle [arctan y/d].</
  xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HPR">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Helioprojective Radial - A 3-D orthonormal (left-handed)
    coordinate system that is primarily intended to specify with two dimensions a point on the solar
    disk. The Z axis points from the observer to the center of the solar disk. The Y axis lies in
    the plane defined by the solar spin vector and the Z axis, positive northward. The X axis is
    perpendicular to the Y and Z axes, positive toward solar west. Given as the distance between the
    observer and the center of the solar disk, the standard representation for this system of an (x,y)
    point on the solar disk is via the point's latitude angle theta [= arctan [SQRT(x**2 + y**2)]/d]
    or equivalent declination parameter delta (= theta - 90 deg), and its phase angle psi as measured
    counter-clockwise from the +Y axis [psi = arctan (-y/x)].</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HSM">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">TBD</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="J2000">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An astronomical coordinate system which uses the mean
    equator and equinox of Julian date 2451545.0 TT (Terrestrial Time), or January 1, 2000, noon TT.
    (aka J2000) to define a celestial reference frame.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JSM">

```

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">Jovian Solar Magnetospheric - A coordinate system where the X axis is from Jupiter to Sun, Z axis is northward in a plane containing the X axis and the Jovian dipole axis.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="JSO">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Coordinate System Related to Jupiter Jovian Solar Orbital (X anti-sunward, Y along the orbital velocity direction)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KSM">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Kronian Solar Magnetospheric - A coordinate system where the X axis is from Saturn to Sun, Z axis is northward in a plane containing the X axis and the Kronian dipole axis.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="KSO">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Coordinate System Related to Saturn Kronian Solar Orbital (X anti-sunward, Y along the orbital velocity direction)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LGM">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Local Geomagnetic - A coordinate system used mainly for Earth surface or near Earth surface magnetic field data. X axis northward from observation point in a geographic meridian. Z axis downward towards Earth's center. In this system, H (total horizontal component) = SQRT (Bx^2 + By^2) and D (declination angle) = arctan (By/Bx)</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MAG">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Geomagnetic - geocentric. Z axis is parallel to the geomagnetic dipole axis, positive north. X is in the plane defined by the Z axis and the Earth's rotation axis. If N is a unit vector from the Earth's center to the north geographic pole, the signs of the X and Y axes are given by Y = N x Z, X = Y x Z.. See Russell, 1971, and <a href="http://cdpp.cnes.fr/00428.pdf"></a></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MFA">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Magnetic Field Aligned - A coordinate system spacecraft-centered system with Z in the direction of the ambient magnetic field vector. X is in the plane defined by Z and the spacecraft-Sun line, positive sunward. See <a href="http://cdpp.cnes.fr/00428.pdf"></a></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MSO">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Mars or Mercury Solar Orbital coordinate system. The X axis points from the center of the planet to the Sun; the Z axis is perpendicular to the orbital plane of the planet and parallel to the angular momentum vector. The Y axis completes the right-handed coordinate system.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RTN">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Radial Tangential Normal. Typically centered at a spacecraft. Used for IMF and plasma V vectors. R (radial) axis is radially away from the Sun, T (tangential) axis is normal to the plane formed by R and the Sun's spin vector, positive in the direction of planetary motion. N (normal) is R x T.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SC">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Spacecraft - A coordinate system defined by the spacecraft geometry and/or spin. Often has Z axis parallel to spacecraft spin vector. X and Y axes may or may not corotate with the spacecraft. See SR and SR2 below.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SE">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Solar Ecliptic - A heliocentric coordinate system where the Z axis is normal to the ecliptic plane, positive northward. X axis is positive towards the first point of Aries (from Earth to Sun at vernal equinox). Same as HAE above. See <a href="http://nssdc.gsfc.nasa.gov/space/helios/coor_des.html"></a></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SM">
  <xsd:annotation>

```

```

<xsd:documentation xml:lang="en">Solar Magnetic - A geocentric coordinate system where the
z axis is northward along Earth's dipole axis, X axis is in plane of z axis and Earth-Sun line,
positive sunward. See Russell, 1971.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Spin Reference - A special case of a Spacecraft (SC)
coordinate system for a spinning spacecraft. Z is parallel to the spacecraft spin vector. X and Y
rotate with the spacecraft. See <http://cdpp.cnes.fr/00428.pdf></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SR2">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Spin Reference 2 - A special case of a Spacecraft
(SC) coordinate system for a spinning spacecraft. Z is parallel to the spacecraft spin vector.
X is in the plane defined by Z and the spacecraft-Sun line, positive sunward. See <http://cdpp.cnes.fr/00428.pdf></xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SSE">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Spacecraft Solar Ecliptic - A coordinate system used
for deep space spacecraft, for example Helios. - X axis from spacecraft to Sun. Z axis normal to
ecliptic plane, positive northward. Note: Angle between normals to ecliptic and to Helios orbit
plane ~ 0.25 deg.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SSE_L">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Selenocentric Solar Ecliptic. The X axis points from
the center of the Earth's moon to the sun, the Z axis is normal to the ecliptic plane, positive
northward. And the Y axis completes the right-handed set of axes.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SpacecraftOrbitPlane">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A coordinate system where X lies in the plane normal to and
in the direction of motion of the spacecraft, Z is normal to this plane and Y completes the triad
in a right-handed coordinate system.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TIIS">
  <xsd:annotation>
    <xsd:documentation>In this Cartesian coordinate system, X is along the flow direction, Y is
along the Titan-Saturn vector, and Z is along the spin axis. These coordinates are analogous to the
earth-centered GSE coordinates that relate to the direction of flow of the solar wind onto Earth's
environment.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VSO">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Venus Solar Orbital coordinate system. The X axis points
from the center of the planet to the Sun; The Z axis is perpendicular to the orbital plane of
the planet and parallel to the angular momentum vector. The Y axis completes the right-handed
coordinate system.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="WGS84">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The World Geodetic System (WGS) defines a reference frame
for the earth, for use in geodesy and navigation. The WGS84 uses the zero meridian as defined by
the Bureau International de l'Heure.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>


```

Simple Type enumDisplayType

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for types or classes of rendered data.		
Diagram	<p>The diagram shows a UML class diagram with two nodes: 'enumDisplayType' and 'xsd:string'. An association line connects them with a hollow circle at the 'enumDisplayType' end. Below the nodes, a callout box contains the text: 'Identifiers for types or classes of rendered data.' Another callout box to the right contains: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>		
Type	restriction of xsd:string		
Facets	enumeration	Image	A two-dimensional representation of data with

		values at each element of the array related to an intensity or a color.
enumeration	Plasmagram	The characterization of signal strengths in active sounding measurements as a function of virtual range or signal delay time and sounding frequency. A Plasmagram is also referred to as an Ionogram.
enumeration	Spectrogram	The characterization of signal strengths as a function of frequency (or energy) and time.
enumeration	StackPlot	A representation of data showing multiple sets of observations on a single plot, possibly offsetting each plot by some uniform amount.
enumeration	TimeSeries	A representation of data showing a set of observations taken at different points in time and charted as a time series.
enumeration	WaveForm	Spatial or temporal variations of wave amplitude over wave-period timescales.
Used by	Element	DisplayType
Source	<pre> <xsd:simpleType name="enumDisplayType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for types or classes of rendered data.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Image"> <xsd:annotation> <xsd:documentation xml:lang="en">A two-dimensional representation of data with values at each element of the array related to an intensity or a color.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Plasmagram"> <xsd:annotation> <xsd:documentation xml:lang="en">The characterization of signal strengths in active sounding measurements as a function of virtual range or signal delay time and sounding frequency. A Plasmagram is also referred to as an Ionogram.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Spectrogram"> <xsd:annotation> <xsd:documentation xml:lang="en">The characterization of signal strengths as a function of frequency (or energy) and time.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="StackPlot"> <xsd:annotation> <xsd:documentation xml:lang="en">A representation of data showing multiple sets of observations on a single plot, possibly offsetting each plot by some uniform amount.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="TimeSeries"> <xsd:annotation> <xsd:documentation xml:lang="en">A representation of data showing a set of observations taken at different points in time and charted as a time series.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="WaveForm"> <xsd:annotation> <xsd:documentation xml:lang="en">Spatial or temporal variations of wave amplitude over wave-period timescales.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type enumRenderingAxis

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Identifiers for the reference component of a plot or rendering of data.
Diagram	 <p>Identifiers for the reference component of a plot or rendering of data.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>

Type	restriction of xsd:string	
Facets	enumeration	ColorBar A spectrum or set of colors used to represent data values.
	enumeration	Horizontal Parallel to or in the plane of the horizon or a base line.
	enumeration	Vertical Perpendicular to the plane of the horizon or a base line.
Used by	Element	RenderingAxis
Source	<pre><xsd:simpleType name="enumRenderingAxis"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the reference component of a plot or rendering of data.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ColorBar"> <xsd:annotation> <xsd:documentation xml:lang="en">A spectrum or set of colors used to represent data values.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Horizontal"> <xsd:annotation> <xsd:documentation xml:lang="en">Parallel to or in the plane of the horizon or a base line.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Vertical"> <xsd:annotation> <xsd:documentation xml:lang="en">Perpendicular to the plane of the horizon or a base line.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type typeSequence

Namespace	http://impexfp7.oeaw.ac.at	
Diagram	<p>Built-in derived type. The integer datatype is derived from decimal by fixing the value of fractionDigits to be 0. This...</p>	
Type	list of xsd:integer	
Used by	Elements	Index, Size
Source	<pre><xsd:simpleType name="typeSequence"> <xsd:list itemType="xsd:integer"/> </xsd:simpleType></pre>	

Simple Type enumScaleType

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Identifiers for scaling applied to a set of numbers.	
Diagram	<p>Identifiers for scaling applied to a set of numbers.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	restriction of xsd:string	Intervals which are equally spaced.
Facets		Intervals which are spaced proportionally to the logarithms of the values being represented.
Used by	Element	ScaleType
Source	<pre><xsd:simpleType name="enumScaleType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for scaling applied to a set of numbers.</xsd:documentation> </xsd:annotation></pre>	

```

<xsd:restriction base="xsd:string">
  <xsd:enumeration value="LinearScale">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Intervals which are equally spaced.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="LogScale">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Intervals which are spaced proportionally to the logarithms
      of the values being represented.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumQualifier

Namespace	http://impex-fp7.oeaw.ac.at																																		
Annotations	Identifiers for terms which refine the type or attribute of a quantity.																																		
Diagram	<pre> classDiagram class enumQualifier class xsdString enumQualifier "1" -- "2" xsdString </pre> <p>The diagram shows a UML class named 'enumQualifier' connected by a directed association to another class named 'xsd:string'. The multiplicity at the 'enumQualifier' end is '1' and at the 'xsd:string' end is '2', indicating many-to-one. A callout box points to the 'xsd:string' class with the text: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>																																		
Type	restriction of xsd:string																																		
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Anisotropy</td> <td>Direction-dependent property.</td> </tr> <tr> <td>enumeration</td> <td>Array</td> <td>A sequence of values corresponding to the elements in a rectilinear, n-dimension matrix. Each value can be referenced by a unique index.</td> </tr> <tr> <td>enumeration</td> <td>Average</td> <td>The statistical mean; the sum of a set of values divided by the number of values in the set.</td> </tr> <tr> <td>enumeration</td> <td>Characteristic</td> <td>A quantity which can be easily identified and measured in a given environment.</td> </tr> <tr> <td>enumeration</td> <td>Circular</td> <td>Relative to polarization, right-hand circularly polarized light is defined such that the electric field is rotating clockwise as seen by an observer towards whom the wave is moving. Left-hand circularly polarized light is defined such that the electric field is rotating counterclockwise as seen by an observer towards whom the wave is moving. The polarization of magnetohydrodynamic waves is specified with respect to the ambient mean magnetic field : right-hand polarized waves have a transverse electric field component which turns in a right-handed sense (that of the gyrating electrons) around the magnetic field.</td> </tr> <tr> <td>enumeration</td> <td>Column</td> <td>A two-dimensional measure of a quantity. The column is the area over which the quantity is measured.</td> </tr> <tr> <td>enumeration</td> <td>Component</td> <td>Projection of a vector along one of the base axes of a coordinate system.</td> </tr> <tr> <td>enumeration</td> <td>Component.I</td> <td>Projection of a vector along the first named axis of a coordinate system. Typically the X axis, but could be the R axis for an RTN coordinate system.</td> </tr> <tr> <td>enumeration</td> <td>Component.J</td> <td>Projection of a vector along the second named axis of a coordinate system. Typically the Y axis, but could be the T axis for an RTN coordinate system.</td> </tr> <tr> <td>enumeration</td> <td>Component.K</td> <td>Projection of a vector along the third named axis of a coordinate system. Typically the Z axis, but could be the N axis for an RTN coordinate system.</td> </tr> <tr> <td>enumeration</td> <td>Core</td> <td>The central or main part of an object or calculated distribution. For example, the part of a distribution of particles at low energies that is a thermal</td> </tr> </table>		enumeration	Anisotropy	Direction-dependent property.	enumeration	Array	A sequence of values corresponding to the elements in a rectilinear, n-dimension matrix. Each value can be referenced by a unique index.	enumeration	Average	The statistical mean; the sum of a set of values divided by the number of values in the set.	enumeration	Characteristic	A quantity which can be easily identified and measured in a given environment.	enumeration	Circular	Relative to polarization, right-hand circularly polarized light is defined such that the electric field is rotating clockwise as seen by an observer towards whom the wave is moving. Left-hand circularly polarized light is defined such that the electric field is rotating counterclockwise as seen by an observer towards whom the wave is moving. The polarization of magnetohydrodynamic waves is specified with respect to the ambient mean magnetic field : right-hand polarized waves have a transverse electric field component which turns in a right-handed sense (that of the gyrating electrons) around the magnetic field.	enumeration	Column	A two-dimensional measure of a quantity. The column is the area over which the quantity is measured.	enumeration	Component	Projection of a vector along one of the base axes of a coordinate system.	enumeration	Component.I	Projection of a vector along the first named axis of a coordinate system. Typically the X axis, but could be the R axis for an RTN coordinate system.	enumeration	Component.J	Projection of a vector along the second named axis of a coordinate system. Typically the Y axis, but could be the T axis for an RTN coordinate system.	enumeration	Component.K	Projection of a vector along the third named axis of a coordinate system. Typically the Z axis, but could be the N axis for an RTN coordinate system.	enumeration	Core	The central or main part of an object or calculated distribution. For example, the part of a distribution of particles at low energies that is a thermal
enumeration	Anisotropy	Direction-dependent property.																																	
enumeration	Array	A sequence of values corresponding to the elements in a rectilinear, n-dimension matrix. Each value can be referenced by a unique index.																																	
enumeration	Average	The statistical mean; the sum of a set of values divided by the number of values in the set.																																	
enumeration	Characteristic	A quantity which can be easily identified and measured in a given environment.																																	
enumeration	Circular	Relative to polarization, right-hand circularly polarized light is defined such that the electric field is rotating clockwise as seen by an observer towards whom the wave is moving. Left-hand circularly polarized light is defined such that the electric field is rotating counterclockwise as seen by an observer towards whom the wave is moving. The polarization of magnetohydrodynamic waves is specified with respect to the ambient mean magnetic field : right-hand polarized waves have a transverse electric field component which turns in a right-handed sense (that of the gyrating electrons) around the magnetic field.																																	
enumeration	Column	A two-dimensional measure of a quantity. The column is the area over which the quantity is measured.																																	
enumeration	Component	Projection of a vector along one of the base axes of a coordinate system.																																	
enumeration	Component.I	Projection of a vector along the first named axis of a coordinate system. Typically the X axis, but could be the R axis for an RTN coordinate system.																																	
enumeration	Component.J	Projection of a vector along the second named axis of a coordinate system. Typically the Y axis, but could be the T axis for an RTN coordinate system.																																	
enumeration	Component.K	Projection of a vector along the third named axis of a coordinate system. Typically the Z axis, but could be the N axis for an RTN coordinate system.																																	
enumeration	Core	The central or main part of an object or calculated distribution. For example, the part of a distribution of particles at low energies that is a thermal																																	

		(Maxwellian) population.
enumeration	CrossSpectrum	The Fourier transform of the cross correlation of two physical or empirical observations.
enumeration	Deviation	The difference between an observed value and the expected value of a quantity.
enumeration	Differential	A measurement within a narrow range of energy and/or solid angle.
enumeration	Direction	The spatial relation between an object and another object, the orientation of the object or the course along which the object points or moves.
enumeration	DirectionAngle	The angle between a position vector or measured vector (or one of its projections onto a plane) and one of the base axes of the coordinate system.
enumeration	DirectionAngle.AzimuthAngle	The angle between the projection into the i-j plane of a position or measured vector and the i-axis of the coordinate system. Mathematically defined as $\arctan(j/i)$.
enumeration	DirectionAngle.ElevationAngle	The angle between the position or measured vector and the i-j plane of the coordinate system. Mathematically defined as $\arctan(k/\sqrt{i^2+j^2})$.
enumeration	DirectionAngle.PolarAngle	The angle between the position or measured vector and the k-axis of the coordinate system. Mathematically defined as $\arctan(\sqrt{i^2+j^2}/k)$.
enumeration	Directional	A measurement within a narrow range of solid angle.
enumeration	FieldAligned	The component of a quantity which is oriented in the same direction of a field.
enumeration	Fit	Values that make a model agree with the data.
enumeration	Group	An assemblage of values that a certain relation or common characteristic.
enumeration	Halo	The part of an object or distribution surrounding some central body or distribution. For example, the particles above the core energies that show enhancements above the thermal population. Typically, a "power law tail" shows a break from the core Maxwellian at a particular energy.
enumeration	Integral	A flux measurement in a broad range of energy and solid angle.
enumeration	Integral.Area	Integration over the extent of a planar region, or of the surface of a solid.
enumeration	Integral.Bandwidth	Integration over the width of a frequency band.
enumeration	Integral.SolidAngle	Integration over the angle in three-dimensional space that an object subtends at a point.
enumeration	LineOfSight	The line of sight is the line that connects the observer with the observed object. This expression is often used with measurements of Doppler velocity and magnetic field in magnetograms, where only the component of the vector field directed along the line of sight is measured.
enumeration	Linear	Polarization where the E-field vector is confined to a given plane
enumeration	Magnitude	A measure of the strength of a vector quantity or length of its representational vector.
enumeration	Maximum	The largest value of a batch or sample or the upper bound of a probability distribution.
enumeration	Median	The measure of central tendency of a set of n. values computed by ordering the values and taking the value at position (n. + 1) / 2 when n. is odd or the arithmetic mean of the values at positions n. / 2 and (n. / 2) + 1 when n. is even.
enumeration	Minimum	The smallest value of a batch or sample or the lower bound of a probability distribution.

enumeration	Moment	Parameters determined by integration over a distribution function convolved with a power of velocity.
enumeration	Parallel	Having the same direction as a given direction
enumeration	Peak	The maximum value for the quantity in question, over a period of time which is usually equal to the cadence.
enumeration	Perpendicular	At right angles to a given direction.
enumeration	Perturbation	Variations in the state of a system.
enumeration	Phase	A point or portion in a recurring series of changes.
enumeration	PhaseAngle	Phase difference between two or more waves, normally expressed in degrees.
enumeration	Projection	A measure of the length of a position or measured vector as projected into a plane of the coordinate system.
enumeration	Projection.IJ	A measure of the length of a position or measured vector projected into the i-j (typically X-Y) plane of the coordinate system.
enumeration	Projection.IK	A measure of the length of a position or measured vector projected into the i-k (typically X-Z) plane of the coordinate system.
enumeration	Projection.JK	A measure of the length of a position or measured vector projected into the j-k (typically Y-Z) plane of the coordinate system.
enumeration	Pseudo	Similar to or having the appearance of something else. Can be used to indicate an estimation or approximation of a particular quantity.
enumeration	Ratio	The relative magnitudes of two quantities.
enumeration	Scalar	A quantity that is completely specified by its magnitude and has no direction.
enumeration	Spectral	Characterized as a range or continuum of frequencies
enumeration	StandardDeviation	The square root of the average of the squares of deviations about the mean of a set of data. Standard deviation is a statistical measure of spread or variability.
enumeration	StokesParameters	A set of four parameters (usually called I,Q,U and V) which describe the polarization state of an electromagnetic wave propagating through space.
enumeration	Strahl	A distribution of particles concentrated in a narrow energy band. The band may be aligned with a secondary feature. For example, it may occur in a narrow cone aligned with the mean magnetic field direction.
enumeration	Superhalo	The part of an object or distribution surrounding some central body or distribution evident in a second break in the distribution function (e.g., a different power law). It consists of a population at a higher energies than for a halo.
enumeration	Symmetric	Equal distribution about one or more axes.
enumeration	Tensor	A generalized linear "quantity" or "geometrical entity" that can be expressed as a multi-dimensional array relative to a choice of basis of the particular space on which it is defined.
enumeration	Total	The summation of quantities over all possible species.
enumeration	Trace	The sum of the elements on the main diagonal (the diagonal from the upper left to the lower right) of a square matrix.
enumeration	Uncertainty	A statistically defined discrepancy between a measured quantity and the true value of that quantity that cannot be corrected by calculation or calibration.
enumeration	Variance	A measure of dispersion of a set of data points

		around their mean value. The expectation value of the squared deviations from the mean.
	enumeration	Vector A set of parameter values each along some independent variable (e.g., components of a field in three orthogonal spatial directions; atmospheric temperature values at several altitudes, or at a given latitude and longitude;).
Used by	Element	Qualifier
Source	<pre> <xsd:simpleType name="enumQualifier"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for terms which refine the type or attribute of a quantity.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Anisotropy"> <xsd:annotation> <xsd:documentation xml:lang="en">Direction-dependent property.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Array"> <xsd:annotation> <xsd:documentation xml:lang="en">A sequence of values corresponding to the elements in a rectilinear, n-dimension matrix. Each value can be referenced by a unique index.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Average"> <xsd:annotation> <xsd:documentation xml:lang="en">The statistical mean; the sum of a set of values divided by the number of values in the set.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Characteristic"> <xsd:annotation> <xsd:documentation xml:lang="en">A quantity which can be easily identified and measured in a given environment.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Circular"> <xsd:annotation> <xsd:documentation xml:lang="en">Relative to polarization, right-hand circularly polarized light is defined such that the electric field is rotating clockwise as seen by an observer towards whom the wave is moving. Left-hand circularly polarized light is defined such that the electric field is rotating counterclockwise as seen by an observer towards whom the wave is moving. The polarization of magnetohydrodynamic waves is specified with respect to the ambient mean magnetic field : right-hand polarized waves have a transverse electric field component which turns in a right-handed sense (that of the gyrating electrons) around the magnetic field.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Column"> <xsd:annotation> <xsd:documentation xml:lang="en">A two-dimensional measure of a quantity. The column is the area over which the quantity is measured.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Component"> <xsd:annotation> <xsd:documentation xml:lang="en">Projection of a vector along one of the base axes of a coordinate system.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Component.I"> <xsd:annotation> <xsd:documentation xml:lang="en">Projection of a vector along the first named axis of a coordinate system. Typically the X axis, but could be the R axis for an RTN coordinate system.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Component.J"> <xsd:annotation> <xsd:documentation xml:lang="en">Projection of a vector along the second named axis of a coordinate system. Typically the Y axis, but could be the T axis for an RTN coordinate system.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Component.K"> <xsd:annotation> </pre>	

```

<xsd:documentation xml:lang="en">Projection of a vector along the third named axis of a
coordinate system. Typically the Z axis, but could be the N axis for an RTN coordinate system.</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Core">
<xsd:annotation>
<xsd:documentation xml:lang="en">The central or main part of an object or calculated
distribution. For example, the part of a distribution of particles at low energies that is a
thermal (Maxwellian) population.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="CrossSpectrum">
<xsd:annotation>
<xsd:documentation xml:lang="en">The Fourier transform of the cross correlation of two
physical or empirical observations.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Deviation">
<xsd:annotation>
<xsd:documentation xml:lang="en">The difference between an observed value and the expected
value of a quantity.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Differential">
<xsd:annotation>
<xsd:documentation xml:lang="en">A measurement within a narrow range of energy and/or solid
angle.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Direction">
<xsd:annotation>
<xsd:documentation xml:lang="en">The spatial relation between an object and another
object, the orientation of the object or the course along which the object points or moves.</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DirectionAngle">
<xsd:annotation>
<xsd:documentation xml:lang="en">The angle between a position vector or measured vector
(or one of its projections onto a plane) and one of the base axes of the coordinate system.</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DirectionAngle.AzimuthAngle">
<xsd:annotation>
<xsd:documentation xml:lang="en">The angle between the projection into the i-j plane of
a position or measured vector and the i-axis of the coordinate system. Mathematically defined as
arctan(j/i).</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DirectionAngle.ElevationAngle">
<xsd:annotation>
<xsd:documentation xml:lang="en">The angle between the position or measured vector and
the i-j plane of the coordinate system. Mathematically defined as arctan(k/SQRT(i^2+j^2)).</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DirectionAngle.PolarAngle">
<xsd:annotation>
<xsd:documentation xml:lang="en">The angle between the position or measured vector and
the k-axis of the coordinate system. Mathematically defined as arctan([SQRT(i^2+j^2)]/k).</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Directional">
<xsd:annotation>
<xsd:documentation xml:lang="en">A measurement within a narrow range of solid angle.</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FieldAligned">
<xsd:annotation>
<xsd:documentation xml:lang="en">The component of a quantity which is oriented in the same
direction of a field.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Fit">
<xsd:annotation>
<xsd:documentation xml:lang="en">Values that make a model agree with the data.</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>

```

```

<xsd:enumeration value="Group">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An assemblage of values that a certain relation or common
characteristic.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Halo">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The part of an object or distribution surrounding some
central body or distribution. For example, the particles above the core energies that show
enhancements above the thermal population. Typically, a "power law tail" shows a break from the
core Maxwellian at a particular energy.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Integral">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A flux measurement in a broad range of energy and solid
angle.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Integral.Area">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Integration over the extent of a planar region, or of the
surface of a solid.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Integral.Bandwidth">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Integration over the width a frequency band.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Integral.SolidAngle">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Integration over the angle in three-dimensional space that
an object subtends at a point.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LineOfSight">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The line of sight is the line that connects the observer
with the observed object. This expression is often used with measurements of Doppler velocity and
magnetic field in magnetograms, where only the component of the vector field directed along the
line of sight is measured.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Linear">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Polarization where the E-field vector is confined to a
given plane</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Magnitude">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A measure of the strength of a vector quantity or length of
its representational vector.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Maximum">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The largest value of a batch or sample or the upper bound
of a probability distribution.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Median">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The measure of central tendency of a set of n. values
computed by ordering the values and taking the value at position (n. + 1) / 2 when n. is odd
or the arithmetic mean of the values at positions n. / 2 and (n. / 2) + 1 when n. is even.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Minimum">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The smallest value of a batch or sample or the lower bound
of a probability distribution.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Moment">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Parameters determined by integration over a distribution
function convolved with a power of velocity.</xsd:documentation>
  </xsd:annotation>

```

```

    </xsd:enumeration>
    <xsd:enumeration value="Parallel">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Having the same direction as a given direction.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Peak">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The maximum value for the quantity in question, over a period of time which is usually equal to the cadence.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Perpendicular">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">At right angles to a given direction.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Perturbation">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Variations in the state of a system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Phase">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A point or portion in a recurring series of changes.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="PhaseAngle">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Phase difference between two or more waves, normally expressed in degrees.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Projection">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A measure of the length of a position or measured vector as projected into a plane of the coordinate system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Projection.IJ">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A measure of the length of a position or measured vector projected into the i-j (typically X-Y) plane of the coordinate system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Projection.IK">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A measure of the length of a position or measured vector projected into the i-k (typically X-Z) plane of the coordinate system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Projection.JK">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A measure of the length of a position or measured vector projected into the j-k (typically Y-Z) plane of the coordinate system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Pseudo">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Similar to or having the appearance of something else. Can be used to indicate an estimation or approximation of a particular quantity.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Ratio">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The relative magnitudes of two quantities.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Scalar">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A quantity that is completely specified by its magnitude and has no direction.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Spectral">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Characterized as a range or continuum of frequencies</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>

```

```


<xsd:enumeration value="StandardDeviation">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The square root of the average of the squares of deviations about the mean of a set of data. Standard deviation is a statistical measure of spread or variability.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="StokesParameters">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A set of four parameters (usually called I,Q, U and V) which describe the polarization state of an electromagnetic wave propagating through space.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Strahl">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A distribution of particles concentrated in a narrow energy band. The band may be aligned with a secondary feature. For example, it may occur in a narrow cone aligned with the mean magnetic field direction.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Superhalo">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The part of an object or distribution surrounding some central body or distribution evident in a second break in the distribution function (e.g., a different power law). It consists of a population at a higher energies than for a halo.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Symmetric">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Equal distribution about one or more axes.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Tensor">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A generalized linear "quantity" or "geometrical entity" that can be expressed as a multi-dimensional array relative to a choice of basis of the particular space on which it is defined.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Total">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The summation of quantities over all possible species.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Trace">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The sum of the elements on the main diagonal (the diagonal from the upper left to the lower right) of a square matrix.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Uncertainty">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A statistically defined discrepancy between a measured quantity and the true value of that quantity that cannot be corrected by calculation or calibration.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Variance">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A measure of dispersion of a set of data points around their mean value. The expectation value of the squared deviations from the mean.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Vector">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A set of parameter values each along some independent variable (e.g., components of a field in three orthogonal spatial directions; atmospheric temperature values at several altitudes, or at a given latitude and longitude).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type ImpexLargeListQuantities

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Diagram



Type	union of(enumFieldQuantity, enumParticleQuantity, enumMeasurementType, enumParticleType, enumDirectionAngle, enumMixedQuantity, enumSpectralRange, enumWaveQuantity, enumWaveType, enumInstrumentType, enumProcCoefType, enumProcessType, enumProduct, enumImpexQuantity, enumSupportQuantity)
Used by	Elements ParameterQuantity, PropertyQuantity
Source	<pre> <xsd:simpleType name="ImpexLargeListQuantities"> <xsd:union memberTypes="enumFieldQuantity enumParticleQuantity enumMeasurementType enumParticleType enumDirectionAngle enumMixedQuantity enumSpectralRange enumWaveQuantity enumWaveType enumInstrumentType enumProcCoefType enumProcessType enumProduct enumImpexQuantity enumSupportQuantity" /> </xsd:simpleType> </pre>

Simple Type StringSequence

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A list of string values.
Diagram	<pre> graph LR StringSequence --> xsdstring classDef=roundedRect, fill:#e0e0ff, stroke:#808080, stroke-width:1px classDef2=roundedRect, fill:#f0f0ff, stroke:#808080, stroke-width:1px </pre> <p>A list of string values. Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	list of xsd:string
Used by	Elements CoordinatesLabel, FieldValue, InputLabel, PropertyLabel, PropertyValue
Source	<pre> <xsd:simpleType name="StringSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">A list of string values.</xsd:documentation> </xsd:annotation> <xsd:list itemType="xsd:string"/> </xsd:simpleType> </pre>

Simple Type enumFieldQuantity

Namespace	http://impexfp7.oeaw.ac.at																								
Annotations	Identifiers for the physical attribute of the field.																								
Diagram	<pre> graph LR enumFieldQuantity --> xsdstring classDef=roundedRect, fill:#e0e0ff, stroke:#808080, stroke-width:1px classDef2=roundedRect, fill:#f0f0ff, stroke:#808080, stroke-width:1px </pre> <p>Identifiers for the physical attribute of the field. Built-in primitive type. The string datatype represents character strings in XML.</p>																								
Type	restriction of xsd:string																								
Facets	<table> <tr> <td>enumeration</td> <td>Current</td> <td>The flow of electrons through a conductor caused by a potential difference.</td> </tr> <tr> <td>enumeration</td> <td>Electric</td> <td>The physical attribute that exerts an electrical force.</td> </tr> <tr> <td>enumeration</td> <td>Electromagnetic</td> <td>Electric and magnetic field variations in time and space that propagate through a medium or a vacuum with the wave's propagation, electric field, and magnetic field vectors forming an orthogonal triad. Waves in this category are detected by having their field quantities measured.</td> </tr> <tr> <td>enumeration</td> <td>Gyrofrequency</td> <td>The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.</td> </tr> <tr> <td>enumeration</td> <td>Magnetic</td> <td>The physical attribute attributed to a magnet or its equivalent.</td> </tr> <tr> <td>enumeration</td> <td>PlasmaFrequency</td> <td>A number-density-dependent characteristic frequency of a plasma.</td> </tr> <tr> <td>enumeration</td> <td>Potential</td> <td>A field which obeys Laplace's Equation.</td> </tr> <tr> <td>enumeration</td> <td>PoyntingFlux</td> <td>Electromagnetic energy flux transported by a wave characterized as the rate of energy transport per unit area per steradian.</td> </tr> </table>	enumeration	Current	The flow of electrons through a conductor caused by a potential difference.	enumeration	Electric	The physical attribute that exerts an electrical force.	enumeration	Electromagnetic	Electric and magnetic field variations in time and space that propagate through a medium or a vacuum with the wave's propagation, electric field, and magnetic field vectors forming an orthogonal triad. Waves in this category are detected by having their field quantities measured.	enumeration	Gyrofrequency	The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.	enumeration	Magnetic	The physical attribute attributed to a magnet or its equivalent.	enumeration	PlasmaFrequency	A number-density-dependent characteristic frequency of a plasma.	enumeration	Potential	A field which obeys Laplace's Equation.	enumeration	PoyntingFlux	Electromagnetic energy flux transported by a wave characterized as the rate of energy transport per unit area per steradian.
enumeration	Current	The flow of electrons through a conductor caused by a potential difference.																							
enumeration	Electric	The physical attribute that exerts an electrical force.																							
enumeration	Electromagnetic	Electric and magnetic field variations in time and space that propagate through a medium or a vacuum with the wave's propagation, electric field, and magnetic field vectors forming an orthogonal triad. Waves in this category are detected by having their field quantities measured.																							
enumeration	Gyrofrequency	The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.																							
enumeration	Magnetic	The physical attribute attributed to a magnet or its equivalent.																							
enumeration	PlasmaFrequency	A number-density-dependent characteristic frequency of a plasma.																							
enumeration	Potential	A field which obeys Laplace's Equation.																							
enumeration	PoyntingFlux	Electromagnetic energy flux transported by a wave characterized as the rate of energy transport per unit area per steradian.																							
Used by	Element FieldQuantity																								
Source	<pre> <xsd:simpleType name="enumFieldQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the physical attribute of the field.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Current"> <xsd:annotation> <xsd:documentation xml:lang="en">The flow of electrons through a conductor caused by a potential difference.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Electric"> <xsd:annotation> <xsd:documentation xml:lang="en">The physical attribute that exerts an electrical force.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>																								

```

<xsd:enumeration value="Electromagnetic">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Electric and magnetic field variations in time and space that propagate through a medium or a vacuum with the wave's propagation, electric field, and magnetic field vectors forming an orthogonal triad. Waves in this category are detected by having their field quantities measured.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Gyrofrequency">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Magnetic">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The physical attribute attributed to a magnet or its equivalent.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PlasmaFrequency">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A number-density-dependent characteristic frequency of a plasma.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Potential">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A field which obeys Laplace's Equation.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PoyntingFlux">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Electromagnetic energy flux transported by a wave characterized as the rate of energy transport per unit area per steradian.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumSpectralRange

Namespace	http://impex-fp7.oeaw.ac.at																		
Annotations	<p>Identifiers for names associated with wavelengths. Based on the ISO 21348 Solar Irradiance Standard. Additions have been made to extend the frequency ranges to include those used in space physics. Those additions are indicated in blue text.</p> <p>The "Total Solar Irradiance" category has not been included since it is a type of measurement and not a specific spectral range. See Appendix A - Comparison of Spectrum Domains for a comparison of the spectral ranges with other systems.</p>																		
Diagram	<pre> classDiagram enumSpectralRange --o xsd:string </pre> <p>Identifiers for names associated with wavelengths. Based on the ISO 21348 Solar Irradiance Standard. Additions have...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>																		
Type	restriction of xsd:string																		
Facets	<table border="1"> <tr> <td>enumeration</td> <td>CaK</td> <td>A spectrum with a wavelength of range centered near 393.5 nm. VSO nickname: Ca-K image with range of 391.9 nm to 395.2 nm.</td> </tr> <tr> <td>enumeration</td> <td>ExtremeUltraviolet</td> <td>A spectrum with a wavelength range of 10.0 nm to 125.0nm. VSO nickname: EUV image with a range of of 10.0 nm to 125.0 nm</td> </tr> <tr> <td>enumeration</td> <td>FarUltraviolet</td> <td>A spectrum with a wavelength range of 122 nm to 200.0nm. VSO nickname: FUV image with a range of 122.0 nm to 200 nm</td> </tr> <tr> <td>enumeration</td> <td>GammaRays</td> <td>Photons with a wavelength range: 0.00001 to 0.001 nm</td> </tr> <tr> <td>enumeration</td> <td>Halpha</td> <td>A spectrum with a wavelength range centered at 656.3 nm. VSO nickname: H-alpha image with a spectrum range of of 655.8 nm to 656.8 nm.</td> </tr> <tr> <td>enumeration</td> <td>HardXrays</td> <td>Photons with a wavelength range: 0.001 to 0.1 nm and an energy range of 12 keV to 120</td> </tr> </table>	enumeration	CaK	A spectrum with a wavelength of range centered near 393.5 nm. VSO nickname: Ca-K image with range of 391.9 nm to 395.2 nm.	enumeration	ExtremeUltraviolet	A spectrum with a wavelength range of 10.0 nm to 125.0nm. VSO nickname: EUV image with a range of of 10.0 nm to 125.0 nm	enumeration	FarUltraviolet	A spectrum with a wavelength range of 122 nm to 200.0nm. VSO nickname: FUV image with a range of 122.0 nm to 200 nm	enumeration	GammaRays	Photons with a wavelength range: 0.00001 to 0.001 nm	enumeration	Halpha	A spectrum with a wavelength range centered at 656.3 nm. VSO nickname: H-alpha image with a spectrum range of of 655.8 nm to 656.8 nm.	enumeration	HardXrays	Photons with a wavelength range: 0.001 to 0.1 nm and an energy range of 12 keV to 120
enumeration	CaK	A spectrum with a wavelength of range centered near 393.5 nm. VSO nickname: Ca-K image with range of 391.9 nm to 395.2 nm.																	
enumeration	ExtremeUltraviolet	A spectrum with a wavelength range of 10.0 nm to 125.0nm. VSO nickname: EUV image with a range of of 10.0 nm to 125.0 nm																	
enumeration	FarUltraviolet	A spectrum with a wavelength range of 122 nm to 200.0nm. VSO nickname: FUV image with a range of 122.0 nm to 200 nm																	
enumeration	GammaRays	Photons with a wavelength range: 0.00001 to 0.001 nm																	
enumeration	Halpha	A spectrum with a wavelength range centered at 656.3 nm. VSO nickname: H-alpha image with a spectrum range of of 655.8 nm to 656.8 nm.																	
enumeration	HardXrays	Photons with a wavelength range: 0.001 to 0.1 nm and an energy range of 12 keV to 120																	

keV		
enumeration	He10830	A spectrum with a wavelength range centered at 1082.9 nm. VSO nickname: He 10830 image with a range of 1082.5 nm to 1083.3 nm.
enumeration	He304	A spectrum centered around the resonance line of ionised helium at 304 Angstrom (30.4 nm).
enumeration	Infrared	Photons with a wavelength range: 760 to 1.00×10^6 nm
enumeration	K7699	A spectrum with a wavelength range centred at 769.9 nm. VSO nickname: K-7699 dopplergram with a range of 769.8 nm to 770.0 nm.
enumeration	LBHBand	Lyman-Birge-Hopfield band in the far ultraviolet range with wavelength range of 140nm to 170 nm.
enumeration	Microwave	Photons with a wavelength range: 1.00×10^6 to 1.50×10^7 nm
enumeration	NaD	A spectrum with a wavelength range of centered at 589.3 nm. VSO nickname: Na-D image with a range of 588.8 nm to 589.8 nm.
enumeration	Ni6768	A spectrum with a wavelength range centered at 676.8 nm. VSO nickname: Ni-6768 dopplergram with a range of 676.7 nm to 676.9 nm.
enumeration	Optical	Photons with a wavelength range: 380 to 760 nm
enumeration	RadioFrequency	Photons with a wavelength range: 100,000 to 1.00×10^{11} nm
enumeration	SoftXRays	X-Rays with an energy range of 0.12 keV to 12 keV.
enumeration	Ultraviolet	Photons with a wavelength range: 10 to 400 nm.
enumeration	WhiteLight	Photons with a wavelength in the visible range for humans.
enumeration	XRays	Photons with a wavelength range: $0.001 \leq x < 10$ nm
Used by	Element	SpectralRange
Source	<pre> <xsd:simpleType name="enumSpectralRange"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for names associated with wavelengths. Based on the ISO 21348 Solar Irradiance Standard. Additions have been made to extend the frequency ranges to include those used in space physics. Those additions are indicated in blue text. The "Total Solar Irradiance" category has not been included since it is a type of measurement and not a specific spectral range. See Appendix A - Comparison of Spectrum Domains for a comparison of the spectral ranges with other systems.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="CaK"> <xsd:annotation> <xsd:documentation xml:lang="en">A spectrum with a wavelength of range centered near 393.5 nm. VSO nickname: Ca-K image with range of 391.9 nm to 395.2 nm.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ExtremeUltraviolet"> <xsd:annotation> <xsd:documentation xml:lang="en">A spectrum with a wavelength range of 10.0 nm to 125.0nm. VSO nickname: EUV image with a range of of 10.0 nm to 125.0 nm</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="FarUltraviolet"> <xsd:annotation> <xsd:documentation xml:lang="en">A spectrum with a wavelength range of 122 nm to 200.0nm. VSO nickname: FUV image with a range of 122.0 nm to 200 nm</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="GammaRays"> <xsd:annotation> <xsd:documentation xml:lang="en">Photons with a wavelength range: 0.00001 to 0.001 nm</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Halpha"> <xsd:annotation> <xsd:documentation xml:lang="en">A spectrum with a wavelength range centered at 656.3 nm. VSO nickname: H-alpha image with a spectrum range of of 655.8 nm to 656.8 nm.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </pre>	

```

        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="HardXrays">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Photons with a wavelength range: 0.001 to 0.1 nm and an
energy range of 12 keV to 120 keV</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="He10830">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A spectrum with a wavelength range centered at 1082.9 nm.
VSO nickname: He 10830 image with a range of 1082.5 nm to 1083.3 nm.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="He304">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A spectrum centered around the resonance line of ionised
helium at 304 Angstrom (30.4 nm).</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Infrared">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Photons with a wavelength range: 760 to 1.00x10^6 nm</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="K7699">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A spectrum with a wavelength range centred at 769.9 nm. VSO
nickname: K-7699 dopplergram with a range of 769.8 nm to 770.0 nm.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="LBHBand">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Lyman-Birge-Hopfield band in the far ultraviolet range with
wavelength range of 140nm to 170 nm.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Microwave">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Photons with a wavelength range: 1.00x10^6 to 1.50x10^7
nm</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NaD">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A spectrum with a wavelength range of centered at 589.3 nm.
VSO nickname: Na-D image with a range of 588.8 nm to 589.8 nm.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Ni6768">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A spectrum with a wavelength range centered at 676.8 nm.
VSO nickname: Ni-6768 dopplergram with a range of of 676.7 nm to 676.9 nm.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Optical">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Photons with a wavelength range: 380 to 760 nm</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="RadioFrequency">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Photons with a wavelength range: 100,000 to 1.00x10^11 nm</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="SoftXRays">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">X-Rays with an energy range of 0.12 keV to 12 keV.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Ultraviolet">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Photons with a wavelength range: 10 to 400 nm.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="WhiteLight">
        <xsd:annotation>

```

```

<xsd:documentation xml:lang="en">Photons with a wavelength in the visible range for
humans.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="XRays">
<xsd:annotation>
<xsd:documentation xml:lang="en">Photons with a wavelength range: 0.001 <= x < 10 nm</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumWaveType

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for the carrier or phenomenum of wave information observed by the measurement.		
Diagram	<p>The diagram shows a UML class named "enumWaveType" with a hollow diamond symbol indicating it is a derived type. A line connects it to another class named "xsd:string". A callout box points to the "xsd:string" class with the text: "Built-in primitive type. The string datatype represents character strings in XML."</p>		
Type	restriction of xsd:string		
Facets	enumeration	Electromagnetic	Electric and magnetic field variations in time and space that propagate through a medium or a vacuum with the wave's propagation, electric field, and magnetic field vectors forming an orthogonal triad. Waves in this category are detected by having their field quantities measured.
	enumeration	Electrostatic	Collective longitudinal electric-field and plasma oscillations trapped within a body of plasma.
	enumeration	Hydrodynamic	Periodic or quasi-periodic oscillations of fluid quantities.
	enumeration	MHD	Hydrodynamic waves in a magnetized plasma in which the background magnetic field plays a key role in controlling the wave propagation characteristics.
	enumeration	Photon	Electromagnetic waves detected by techniques that utilize their corpuscular character (e.g., CCD, CMOS, photomultipliers).
	enumeration	PlasmaWaves	Self-consistent collective oscillations of particles and fields (electric and magnetic) in a plasma.
Used by	Element	WaveType	
Source	<pre> <xsd:simpleType name="enumWaveType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the carrier or phenomenum of wave information observed by the measurement.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Electromagnetic"> <xsd:annotation> <xsd:documentation xml:lang="en">Electric and magnetic field variations in time and space that propagate through a medium or a vacuum with the wave's propagation, electric field, and magnetic field vectors forming an orthogonal triad. Waves in this category are detected by having their field quantities measured.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Electrostatic"> <xsd:annotation> <xsd:documentation xml:lang="en">Collective longitudinal electric-field and plasma oscillations trapped within a body of plasma.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Hydrodynamic"> <xsd:annotation> <xsd:documentation xml:lang="en">Periodic or quasi-periodic oscillations of fluid quantities.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="MHD"> </pre>		

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">Hydrodynamic waves in a magnetized plasma in which the background magnetic field plays a key role in controlling the wave propagation characteristics.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Photon">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Electromagnetic waves detected by techniques that utilize their corpuscular character (e.g., CCD, CMOS, photomultipliers).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PlasmaWaves">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Self-consistent collective oscillations of particles and fields (electric and magnetic) in a plasma.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumWaveQuantity

Namespace	http://impex-fp7.oeaw.ac.at																																														
Annotations	Identifiers for the characterization of the physical properties of a wave.																																														
Diagram	<pre> classDiagram enumWaveQuantity < -- xsd:string </pre> <p>The diagram shows a UML class named "enumWaveQuantity" with a generalization relationship indicated by a hollow circle (⊖) pointing to another class named "xsd:string". Below the classes, two callouts provide descriptions: one for "enumWaveQuantity" stating "Identifiers for the characterization of the physical properties of a wave.", and another for "xsd:string" stating "Built-in primitive type. The string datatype represents character strings in XML."</p>																																														
Type	restriction of xsd:string																																														
Facets	<table border="1"> <tr> <td>enumeration</td> <td>ACElectricField</td> <td>Alternating electric field component of a wave.</td> </tr> <tr> <td>enumeration</td> <td>ACMagneticField</td> <td>Alternating magnetic field component of a wave.</td> </tr> <tr> <td>enumeration</td> <td>Absorption</td> <td>Decrease of radiant energy (relative to the background continuum spectrum).</td> </tr> <tr> <td>enumeration</td> <td>Albedo</td> <td>The ratio of reflected radiation from the surface to incident radiation upon it.</td> </tr> <tr> <td>enumeration</td> <td>DopplerFrequency</td> <td>Change in the frequency of a propagating wave due to motion of the source, the observer, the reflector, or the propagation medium.</td> </tr> <tr> <td>enumeration</td> <td>Emissivity</td> <td>The energy emitted spontaneously per unit bandwidth (typically frequency) per unit time per unit mass of source. Emissivity is usually integrated over all directions/solid angles.</td> </tr> <tr> <td>enumeration</td> <td>EnergyFlux</td> <td>The amount of energy passing through a unit area in a unit time.</td> </tr> <tr> <td>enumeration</td> <td>EquivalentWidth</td> <td>The spectral width of a total absorption line having the amount of absorbed radiant energy being equivalent to that in an observed absorption line.</td> </tr> <tr> <td>enumeration</td> <td>Frequency</td> <td>The number of occurrences of a repeating event per unit time.</td> </tr> <tr> <td>enumeration</td> <td>Gyrofrequency</td> <td>The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.</td> </tr> <tr> <td>enumeration</td> <td>Intensity</td> <td>The measurement of radiant or wave energy per unit detector area per unit bandwidth per unit solid angle per unit time.</td> </tr> <tr> <td>enumeration</td> <td>LineDepth</td> <td>The measure of the amount of absorption below the continuum (depth) in a particular wavelength or frequency in an absorption spectrum.</td> </tr> <tr> <td>enumeration</td> <td>MagneticField</td> <td>A region of space near a magnetized body where magnetic forces can be detected (as measured by methods such as Zeeman splitting, etc.).</td> </tr> <tr> <td>enumeration</td> <td>ModeAmplitude</td> <td>In helioseismology the magnitude of oscillation of waves of a particular geometry.</td> </tr> <tr> <td>enumeration</td> <td>PlasmaFrequency</td> <td>A number-density-dependent characteristic frequency of a plasma.</td> </tr> </table>		enumeration	ACElectricField	Alternating electric field component of a wave.	enumeration	ACMagneticField	Alternating magnetic field component of a wave.	enumeration	Absorption	Decrease of radiant energy (relative to the background continuum spectrum).	enumeration	Albedo	The ratio of reflected radiation from the surface to incident radiation upon it.	enumeration	DopplerFrequency	Change in the frequency of a propagating wave due to motion of the source, the observer, the reflector, or the propagation medium.	enumeration	Emissivity	The energy emitted spontaneously per unit bandwidth (typically frequency) per unit time per unit mass of source. Emissivity is usually integrated over all directions/solid angles.	enumeration	EnergyFlux	The amount of energy passing through a unit area in a unit time.	enumeration	EquivalentWidth	The spectral width of a total absorption line having the amount of absorbed radiant energy being equivalent to that in an observed absorption line.	enumeration	Frequency	The number of occurrences of a repeating event per unit time.	enumeration	Gyrofrequency	The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.	enumeration	Intensity	The measurement of radiant or wave energy per unit detector area per unit bandwidth per unit solid angle per unit time.	enumeration	LineDepth	The measure of the amount of absorption below the continuum (depth) in a particular wavelength or frequency in an absorption spectrum.	enumeration	MagneticField	A region of space near a magnetized body where magnetic forces can be detected (as measured by methods such as Zeeman splitting, etc.).	enumeration	ModeAmplitude	In helioseismology the magnitude of oscillation of waves of a particular geometry.	enumeration	PlasmaFrequency	A number-density-dependent characteristic frequency of a plasma.
enumeration	ACElectricField	Alternating electric field component of a wave.																																													
enumeration	ACMagneticField	Alternating magnetic field component of a wave.																																													
enumeration	Absorption	Decrease of radiant energy (relative to the background continuum spectrum).																																													
enumeration	Albedo	The ratio of reflected radiation from the surface to incident radiation upon it.																																													
enumeration	DopplerFrequency	Change in the frequency of a propagating wave due to motion of the source, the observer, the reflector, or the propagation medium.																																													
enumeration	Emissivity	The energy emitted spontaneously per unit bandwidth (typically frequency) per unit time per unit mass of source. Emissivity is usually integrated over all directions/solid angles.																																													
enumeration	EnergyFlux	The amount of energy passing through a unit area in a unit time.																																													
enumeration	EquivalentWidth	The spectral width of a total absorption line having the amount of absorbed radiant energy being equivalent to that in an observed absorption line.																																													
enumeration	Frequency	The number of occurrences of a repeating event per unit time.																																													
enumeration	Gyrofrequency	The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.																																													
enumeration	Intensity	The measurement of radiant or wave energy per unit detector area per unit bandwidth per unit solid angle per unit time.																																													
enumeration	LineDepth	The measure of the amount of absorption below the continuum (depth) in a particular wavelength or frequency in an absorption spectrum.																																													
enumeration	MagneticField	A region of space near a magnetized body where magnetic forces can be detected (as measured by methods such as Zeeman splitting, etc.).																																													
enumeration	ModeAmplitude	In helioseismology the magnitude of oscillation of waves of a particular geometry.																																													
enumeration	PlasmaFrequency	A number-density-dependent characteristic frequency of a plasma.																																													

	enumeration	Polarization	Direction of the electric vector of an electromagnetic wave. The wave can be linearly polarized in any direction perpendicular to the direction of travel, circularly polarized (clockwise or counterclockwise), unpolarized, or mixtures of the above.
	enumeration	PoyntingFlux	Electromagnetic energy flux transported by a wave characterized as the rate of energy transport per unit area per steradian.
	enumeration	PropagationTime	Time difference between transmission and reception of a wave in an active wave experiment.
	enumeration	StokesParameters	A set of four parameters (usually called I,Q,U and V) which describe the polarization state of an electromagnetic wave propagating through space.
	enumeration	Velocity	Rate of change of position. Also used for the average velocity of a collection of particles, also referred to as "bulk velocity".
	enumeration	Wavelength	The peak-to-peak distance over one wave period.
Used by	Element	WaveQuantity	
Source	<pre> <xsd:simpleType name="enumWaveQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the characterization of the physical properties of a wave.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ACElectricField"> <xsd:annotation> <xsd:documentation xml:lang="en">Alternating electric field component of a wave.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ACMagneticField"> <xsd:annotation> <xsd:documentation xml:lang="en">Alternating magnetic field component of a wave.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Absorption"> <xsd:annotation> <xsd:documentation xml:lang="en">Decrease of radiant energy (relative to the background continuum spectrum).</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Albedo"> <xsd:annotation> <xsd:documentation xml:lang="en">The ratio of reflected radiation from the surface to incident radiation upon it.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="DopplerFrequency"> <xsd:annotation> <xsd:documentation xml:lang="en">Change in the frequency of a propagating wave due to motion of the source, the observer, the reflector, or the propagation medium.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Emissivity"> <xsd:annotation> <xsd:documentation xml:lang="en">The energy emitted spontaneously per unit bandwidth (typically frequency) per unit time per unit mass of source. Emissivity is usually integrated over all directions/solid angles.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="EnergyFlux"> <xsd:annotation> <xsd:documentation xml:lang="en">The amount of energy passing through a unit area in a unit time.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="EquivalentWidth"> <xsd:annotation> <xsd:documentation xml:lang="en">The spectral width of a total absorption line having the amount of absorbed radiant energy being equivalent to that in an observed absorption line.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>		

```

</xsd:enumeration>
<xsd:enumeration value="Frequency">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The number of occurrences of a repeating event per unit time.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Gyrofrequency">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Intensity">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The measurement of radiant or wave energy per unit detector area per unit bandwidth per unit solid angle per unit time.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="LineDepth">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The measure of the amount of absorption below the continuum (depth) in a particular wavelength or frequency in an absorption spectrum.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MagneticField">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A region of space near a magnetized body where magnetic forces can be detected (as measured by methods such as Zeeman splitting, etc.).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ModeAmplitude">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">In helioseismology the magnitude of oscillation of waves of a particular geometry.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PlasmaFrequency">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A number-density-dependent characteristic frequency of a plasma.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Polarization">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Direction of the electric vector of an electromagnetic wave. The wave can be linearly polarized in any direction perpendicular to the direction of travel, circularly polarized (clockwise or counterclockwise), unpolarized, or mixtures of the above.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PoyntingFlux">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Electromagnetic energy flux transported by a wave characterized as the rate of energy transport per unit area per steradian.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PropagationTime">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Time difference between transmission and reception of a wave in an active wave experiment.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="StokesParameters">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A set of four parameters (usually called I,Q, U and V) which describe the polarization state of an electromagnetic wave propagating through space.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Velocity">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Rate of change of position. Also used for the average velocity of a collection of particles, also referred to as "bulk velocity".</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Wavelength">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The peak-to-peak distance over one wave period.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>

```

<pre></xsd:simpleType></pre>

Simple Type enumMixedQuantity

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	Identifiers for the combined attributes of a mixed parameter quantity.	
Diagram	<p>The diagram shows a UML class named "enumMixedQuantity" with a generalization relationship indicated by an arrow pointing to the right towards the "xsd:string" class. A callout box below the "enumMixedQuantity" class states: "Identifiers for the combined attributes of a mixed parameter quantity." Another callout box next to the generalization arrow states: "Built-in primitive type. The string datatype represents character strings in XML."</p>	
Type	restriction of xsd:string	
Facets	enumeration	AkasofuEpsilon
		A measure of the magnetopause energy flux and an indicator of the solar wind power available for subsequent magnetospheric energization. Defined as: $V^*B^{^2}l^{^1}2\sin(\theta/2)^{^4}$ where B is the IMF, l is an empirical scaling parameter equal to 7 RE, and $\theta = \tan(BY / BZ)^{-1}$ the IMF clock angle.
	enumeration	AlfvenMachNumber
		The ratio of the bulk flow speed to the Alfvén speed.
	enumeration	AlfvenVelocity
		Phase velocity of the Alfvén wave; In SI units it is the velocity of the magnetic field divided by the square root of the mass density times the permeability of free space (μ_0).
	enumeration	FrequencyToGyrofrequencyRatio
		The ratio of the characteristic frequency of a medium to gyrofrequency of a particle.
	enumeration	MagnetosonicMachNumber
Used by	Element	MixedQuantity
Source	<pre> <xsd:simpleType name="enumMixedQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the combined attributes of a mixed parameter quantity.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="AkasofuEpsilon"> <xsd:annotation> <xsd:documentation xml:lang="en">A measure of the magnetopause energy flux and an indicator of the solar wind power available for subsequent magnetospheric energization. Defined as: $V^*B^{^2}l^{^1}2\sin(\theta/2)^{^4}$ where B is the IMF, l is an empirical scaling parameter equal to 7 RE, and $\theta = \tan(BY / BZ)^{-1}$ the IMF clock angle.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="AlfvenMachNumber"> <xsd:annotation> <xsd:documentation xml:lang="en">The ratio of the bulk flow speed to the Alfvén speed.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="AlfvenVelocity"> <xsd:annotation> <xsd:documentation xml:lang="en">Phase velocity of the Alfvén wave; In SI units it is the velocity of the magnetic field divided by the square root of the mass density times the permeability of free space (μ_0).</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

```

<xsd:enumeration value="FrequencyToGyrofrequencyRatio">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The ratio of the characteristic frequency of a medium to gyrofrequency of a particle.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Magneto sonicMachNumber">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The ratio of the velocity of fast mode waves to the Alfvén velocity.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Other">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Not classified with more specific terms. The context of its usage may be described in related text.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PlasmaBeta">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The ratio of the plasma pressure ( $n k T$ ) to the magnetic pressure ( $B^2/2\mu_0$ ) of the SUM( $n k T$ )/( $B^2/2\mu_0$ ).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="TotalPressure">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">In an MHD fluid it is the number density ( $N$ ) times Boltzmann constant times the temperature in Kelvin.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="VCrossB">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The cross product of the charge velocity ( $V$ ) and the magnetic field ( $B$ ). It is the electric field exerted on a point charge by a magnetic field.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumParticleType

Namespace	http://impex-fp7.oeaw.ac.at																										
Annotations	Identifiers for the characterization of the kind of particle observed by the measurement.																										
Diagram																											
Type	restriction of xsd:string																										
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Aerosol</td> <td>A suspension of fine solid or liquid particles in a gas.</td> </tr> <tr> <td>enumeration</td> <td>AlphaParticle</td> <td>A positively charged nuclear particle that consists of two protons and two neutrons.</td> </tr> <tr> <td>enumeration</td> <td>Atom</td> <td>Matter consisting of a nucleus surrounded by electrons which has no net charge.</td> </tr> <tr> <td>enumeration</td> <td>Dust</td> <td>Free microscopic particles of solid material.</td> </tr> <tr> <td>enumeration</td> <td>Electron</td> <td>An elementary particle consisting of a charge of negative electricity equal to about 1.602×10^{-19} Coulomb and having a mass when at rest of about 9.109534×10^{-28} gram.</td> </tr> <tr> <td>enumeration</td> <td>Ion</td> <td>An atom that has acquired a net electric charge by gaining or losing one or more electrons. (Note: $Z > 2$)</td> </tr> <tr> <td>enumeration</td> <td>Molecule</td> <td>A group of atoms so united and combined by chemical affinity that they form a complete, integrated whole, being the smallest portion of any particular compound that can exist in a free state</td> </tr> <tr> <td>enumeration</td> <td>Neutron</td> <td>An elementary particle that has no net charge and is a constituent of atomic nuclei, and that has a mass slightly large than a proton (1.673×10^{-24} gram.)</td> </tr> </table>			enumeration	Aerosol	A suspension of fine solid or liquid particles in a gas.	enumeration	AlphaParticle	A positively charged nuclear particle that consists of two protons and two neutrons.	enumeration	Atom	Matter consisting of a nucleus surrounded by electrons which has no net charge.	enumeration	Dust	Free microscopic particles of solid material.	enumeration	Electron	An elementary particle consisting of a charge of negative electricity equal to about 1.602×10^{-19} Coulomb and having a mass when at rest of about 9.109534×10^{-28} gram.	enumeration	Ion	An atom that has acquired a net electric charge by gaining or losing one or more electrons. (Note: $Z > 2$)	enumeration	Molecule	A group of atoms so united and combined by chemical affinity that they form a complete, integrated whole, being the smallest portion of any particular compound that can exist in a free state	enumeration	Neutron	An elementary particle that has no net charge and is a constituent of atomic nuclei, and that has a mass slightly large than a proton (1.673×10^{-24} gram.)
enumeration	Aerosol	A suspension of fine solid or liquid particles in a gas.																									
enumeration	AlphaParticle	A positively charged nuclear particle that consists of two protons and two neutrons.																									
enumeration	Atom	Matter consisting of a nucleus surrounded by electrons which has no net charge.																									
enumeration	Dust	Free microscopic particles of solid material.																									
enumeration	Electron	An elementary particle consisting of a charge of negative electricity equal to about 1.602×10^{-19} Coulomb and having a mass when at rest of about 9.109534×10^{-28} gram.																									
enumeration	Ion	An atom that has acquired a net electric charge by gaining or losing one or more electrons. (Note: $Z > 2$)																									
enumeration	Molecule	A group of atoms so united and combined by chemical affinity that they form a complete, integrated whole, being the smallest portion of any particular compound that can exist in a free state																									
enumeration	Neutron	An elementary particle that has no net charge and is a constituent of atomic nuclei, and that has a mass slightly large than a proton (1.673×10^{-24} gram.)																									

	enumeration	Proton	An elementary particle that is a constituent of all atomic nuclei, that carries a positive charge numerically equal to the charge of an electron, and that has a mass of 1.673×10^{-24} gram.
Used by	Element	ParticleType	
Source		<pre> <xsd:simpleType name="enumParticleType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the characterization of the kind of particle observed by the measurement.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Aerosol"> <xsd:annotation> <xsd:documentation xml:lang="en">A suspension of fine solid or liquid particles in a gas.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="AlphaParticle"> <xsd:annotation> <xsd:documentation xml:lang="en">A positively charged nuclear particle that consists of two protons and two neutrons.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Atom"> <xsd:annotation> <xsd:documentation xml:lang="en">Matter consisting of a nucleus surrounded by electrons which has no net charge.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Dust"> <xsd:annotation> <xsd:documentation xml:lang="en">Free microscopic particles of solid material.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Electron"> <xsd:annotation> <xsd:documentation xml:lang="en">An elementary particle consisting of a charge of negative electricity equal to about 1.602×10^{-19} Coulomb and having a mass when at rest of about 9.109534×10^{-31} gram.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Ion"> <xsd:annotation> <xsd:documentation xml:lang="en">An atom that has acquired a net electric charge by gaining or losing one or more electrons.(Note: Z>2)</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Molecule"> <xsd:annotation> <xsd:documentation xml:lang="en">A group of atoms so united and combined by chemical affinity that they form a complete, integrated whole, being the smallest portion of any particular compound that can exist in a free state</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Neutron"> <xsd:annotation> <xsd:documentation xml:lang="en">An elementary particle that has no net charge and is a constituent of atomic nuclei, and that has a mass slightly large than a proton (1.673×10^{-24} gram.).</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Proton"> <xsd:annotation> <xsd:documentation xml:lang="en">An elementary particle that is a constituent of all atomic nuclei, that carries a positive charge numerically equal to the charge of an electron, and that has a mass of 1.673×10^{-24} gram.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type enumSupportQuantity

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Identifiers for the information useful in understanding the context of an observation, typically observed or measured coincidentally

	with a physical observation.		
Diagram			
Type	restriction of xsd:string		
Facets	enumeration	InstrumentMode	An indication of a state (mode) in which the instrument is operating. How a mode influences the interpretation and representation of data is described in instrument related documentation.
	enumeration	Other	Not classified with more specific terms. The context of its usage may be described in related text.
	enumeration	Positional	The specification of the location of an object or measurement within a reference coordinate system. The position is usually expressed as a set of values corresponding to the location along a set of orthogonal axes together with the date/time of the observation.
	enumeration	Temporal	Pertaining to time.
	enumeration	Velocity	Rate of change of position. Also used for the average velocity of a collection of particles, also referred to as "bulk velocity".
Used by	Element	SupportQuantity	
Source	<pre><xsd:simpleType name="enumSupportQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the information useful in understanding the context of an observation, typically observed or measured coincidentally with a physical observation.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="InstrumentMode"> <xsd:annotation> <xsd:documentation xml:lang="en">An indication of a state (mode) in which the instrument is operating. How a mode influences the interpretation and representation of data is described in instrument related documentation.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Other"> <xsd:annotation> <xsd:documentation xml:lang="en">Not classified with more specific terms. The context of its usage may be described in related text.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Positional"> <xsd:annotation> <xsd:documentation xml:lang="en">The specification of the location of an object or measurement within a reference coordinate system. The position is usually expressed as a set of values corresponding to the location along a set of orthogonal axes together with the date/time of the observation.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Temporal"> <xsd:annotation> <xsd:documentation xml:lang="en">Pertaining to time.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Velocity"> <xsd:annotation> <xsd:documentation xml:lang="en">Rate of change of position. Also used for the average velocity of a collection of particles, also referred to as "bulk velocity".</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>		

Simple Type enumProcessingLevel

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Identifiers to characterize the amount and type of manipulation which has been applied to the sampled data.

Diagram	<p>Identifiers to characterize the amount and type of manipulation which has been applied to the sampled data.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	restriction of xsd:string	
Facets	enumeration	Calibrated Data wherein sensor outputs have been convolved with instrument response function, often irreversibly, to yield data in physical units.
	enumeration	Raw Data in its original state with no processing to account for calibration!!!
	enumeration	Uncalibrated Duplicate data are removed from the data stream and data are time ordered. Values are not adjusted for any potential biases or external factors.
Used by	Element	ProcessingLevel
Source	<pre><xsd:simpleType name="enumProcessingLevel"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers to characterize the amount and type of manipulation which has been applied to the sampled data.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Calibrated"> <xsd:annotation> <xsd:documentation xml:lang="en">Data wherein sensor outputs have been convolved with instrument response function, often irreversibly, to yield data in physical units.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Raw"> <xsd:annotation> <xsd:documentation xml:lang="en">Data in its original state with no processing to account for calibration!!!</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Uncalibrated"> <xsd:annotation> <xsd:documentation xml:lang="en">Duplicate data are removed from the data stream and data are time ordered. Values are not adjusted for any potential biases or external factors.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type enumMeasurementType

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	Identifiers for the method of making an estimated value of a quantity that forms the basis of an observation.	
Diagram	<p>Identifiers for the method of making an estimated value of a quantity that forms the basis of an observation.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	restriction of xsd:string	
Facets	enumeration	ActivityIndex An indication, derived from one or more measurements, of the level of activity of an object or region, such as sunspot number, F10.7 flux, Dst, or the Polar Cap Indices.
	enumeration	Dopplergram A map or image depicting the spatial distribution of line-of-sight velocities of the observed object.
	enumeration	Dust Free microscopic particles of solid material.
	enumeration	ElectricField A region of space around a charged particle, or between two voltages within which a force is exerted on charged objects in its vicinity. An electric field is the electric force per unit charge.

enumeration	EnergeticParticles	Pieces of matter that are moving very fast. Energetic particles include protons, electrons, neutrons, neutrinos, the nuclei of atoms, and other sub-atomic particles.
enumeration	Ephemeris	The spatial coordinates of a body as a function of time. When used as an Instrument Type it represents the process or methods used to generate spatial coordinates.
enumeration	ImageIntensity	Measurements of the two-dimensional distribution of the intensity of photons from some region or object such as the Sun or the polar auroral regions; can be in any wavelength band, and polarized, etc.
enumeration	InstrumentStatus	A quantity directly related to the operation or function of an instrument.
enumeration	IonComposition	In situ measurements of the relative flux or density of electrically charged particles in the space environment. May give simple fluxes, but full distribution functions are sometimes measured.
enumeration	Irradiance	Irradiance - A radiometric term for the power of electromagnetic radiation at a surface, per unit area. "Irradiance" is used when the electromagnetic radiation is incident on the surface. Irradiance data may be reported in any units (i.e. counts/s) due to, for example, being at a particular wavelength, or to being a not-fully-calibrated relative measurement.
enumeration	MagneticField	A region of space near a magnetized body where magnetic forces can be detected (as measured by methods such as Zeeman splitting, etc.).
enumeration	Magnetogram	Measurements of the vector or line-of-sight magnetic field determined from remote sensing measurements of the detailed structure of spectral lines, including their splitting and polarization. ("Magnetogram.")
enumeration	NeutralAtomImages	Measurements of neutral atom fluxes as a function of look direction; often related to remote energetic charged particles that lose their charge through charge-exchange and then reach the detector on a line-of-sight trajectory.
enumeration	NeutralGas	Measurements of neutral atomic and molecular components of a gas.
enumeration	Profile	Measurements of a quantity as a function of height above an object such as the limb of a body.
enumeration	Radiance	A radiometric measurement that describes the amount of electromagnetic radiation that passes through or is emitted from a particular area, and falls within a given solid angle in a specified direction. They are used to characterize both emission from diffuse sources and reflection from diffuse surfaces.
enumeration	Spectrum	The distribution of a characteristic of a physical system or phenomenon, such as the energy emitted by a radiant source, arranged in the order of wavelengths.
enumeration	ThermalPlasma	Measurements of the plasma in the energy regime where the most of the plasma occurs. May be the basic fluxes in the form of distribution functions or the derived bulk parameters (density, flow velocity, etc.).
enumeration	Waves	Data resulting from observations of wave experiments and natural wave phenomena. Wave experiments are typically active and natural wave phenomena are passive. Examples of wave experiments include coherent/incoherent scatter radars, radio soundings, VLF propagation studies, ionospheric scintillation of beacon satellite signals, etc. Examples of natural wave phenomena include micropulsations, mesospheric gravity waves, auroral/plasmaspheric hiss, Langmuir

		waves, AKR, Jovian decametric radiation, solar radio bursts, etc.
enumeration	Waves.Active	Exerting an influence or producing a change or effect. An active measurement is one which produces a transmission or excitation as a part of the measurement cycle.
enumeration	Waves.Passive	Movement or effect produced by outside influence. A passive measurement is one which does not produce a transmission or excitation as a part of the measurement cycle.
Used by	Element	MeasurementType
Source	<pre> <xsd:simpleType name="enumMeasurementType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the method of making an estimated value of a quantity that forms the basis of an observation.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ActivityIndex"> <xsd:annotation> <xsd:documentation xml:lang="en">An indication, derived from one or more measurements, of the level of activity of an object or region, such as sunspot number, F10.7 flux, Dst, or the Polar Cap Indices.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Dopplergram"> <xsd:annotation> <xsd:documentation xml:lang="en">A map or image depicting the spatial distribution of line-of-sight velocities of the observed object.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Dust"> <xsd:annotation> <xsd:documentation xml:lang="en">Free microscopic particles of solid material.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ElectricField"> <xsd:annotation> <xsd:documentation xml:lang="en">A region of space around a charged particle, or between two voltages within which a force is exerted on charged objects in its vicinity. An electric field is the electric force per unit charge.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="EnergeticParticles"> <xsd:annotation> <xsd:documentation xml:lang="en">Pieces of matter that are moving very fast. Energetic particles include protons, electrons, neutrons, neutrinos, the nuclei of atoms, and other sub-atomic particles.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Ephemeris"> <xsd:annotation> <xsd:documentation xml:lang="en">The spatial coordinates of a body as a function of time. When used as an Instrument Type it represents the process or methods used to generate spatial coordinates.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ImageIntensity"> <xsd:annotation> <xsd:documentation xml:lang="en">Measurements of the two-dimensional distribution of the intensity of photons from some region or object such as the Sun or the polar auroral regions; can be in any wavelength band, and polarized, etc.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="InstrumentStatus"> <xsd:annotation> <xsd:documentation xml:lang="en">A quantity directly related to the operation or function of an instrument.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="IonComposition"> <xsd:annotation> <xsd:documentation xml:lang="en">In situ measurements of the relative flux or density of electrically charged particles in the space environment. May give simple fluxes, but full distribution functions are sometimes measured.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Irradiance"> <xsd:annotation></pre>	

```

<xsd:documentation xml:lang="en">Irradiance - A radiometric term for the power
of electromagnetic radiation at a surface, per unit area. "Irradiance" is used when the
electromagnetic radiation is incident on the surface. Irradiance data may be reported in any units
(i.e. counts/s) due to, for example, being at a particular wavelength, or to being a not-fully-
calibrated relative measurement.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MagneticField">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A region of space near a magnetized body where magnetic
forces can be detected (as measured by methods such as Zeeman splitting, etc.).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Magnetogram">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Measurements of the vector or line-of-sight magnetic field
determined from remote sensing measurements of the detailed structure of spectral lines, including
their splitting and polarization. ("Magnetogram.")</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NeutralAtomImages">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Measurements of neutral atom fluxes as a function of look
direction; often related to remote energetic charged particles that lose their charge through
charge-exchange and then reach the detector on a line-of-sight trajectory.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NeutralGas">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Measurements of neutral atomic and molecular components of
a gas.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Profile">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Measurements of a quantity as a function of height above an
object such as the limb of a body.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Radiance">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A radiometric measurement that describes the amount of
electromagnetic radiation that passes through or is emitted from a particular area, and falls
within a given solid angle in a specified direction. They are used to characterize both emission
from diffuse sources and reflection from diffuse surfaces.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Spectrum">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The distribution of a characteristic of a physical
system or phenomenon, such as the energy emitted by a radiant source, arranged in the order of
wavelengths.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ThermalPlasma">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Measurements of the plasma in the energy regime where the
most of the plasma occurs. May be the basic fluxes in the form of distribution functions or the
derived bulk parameters (density, flow velocity, etc.).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Waves">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Data resulting from observations of wave experiments
and natural wave phenomena. Wave experiments are typically active and natural wave phenomena
are passive. Examples of wave experiments include coherent/incoherent scatter radars, radio
soundings, VLF propagation studies, ionospheric scintillation of beacon satellite signals, etc.
Examples of natural wave phenomena include micropulsations, mesospheric gravity waves, auroral/
plasmaspheric hiss, Langmuir waves, AKR, Jovian decametric radiation, solar radio bursts, etc.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Waves.Active">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Exerting an influence or producing a change or effect. An
active measurement is one which produces a transmission or excitation as a part of the measurement
cycle.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Waves.Passive">
  <xsd:annotation>

```

```

<xsd:documentation xml:lang="en">Movement or effect produced by outside influence. A passive measurement is one which does not produce a transmission or excitation as a part of the measurement cycle.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumRegion

Namespace	http://impexfp7.oeaw.ac.at																																														
Annotations	Identifiers for areas of the physical world which may be occupied or observed.																																														
Diagram	 <p>Identifiers for areas of the physical world which may be occupied or observed.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>																																														
Type	restriction of xsd:string																																														
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Asteroid</td> <td>A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.</td> </tr> <tr> <td>enumeration</td> <td>Callisto</td> <td>A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system</td> </tr> <tr> <td>enumeration</td> <td>Comet</td> <td>A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.</td> </tr> <tr> <td>enumeration</td> <td>Earth</td> <td>The third planet from the sun in our solar system.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosheath</td> <td>The region between the bow shock and the magnetopause, characterized by very turbulent plasma.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere</td> <td>The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Magnetotail</td> <td>The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Main</td> <td>The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.Polar</td> <td>The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.</td> </tr> <tr> <td>enumeration</td> <td>Earth.Magnetosphere.RadiationBelt</td> <td>The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface</td> <td>The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.Atmosphere</td> <td>The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.AuroralRegion</td> <td>The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.EquatorialRegion</td> <td>The region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.</td> </tr> <tr> <td>enumeration</td> <td>Earth.NearSurface.Ionosphere</td> <td>The charged or ionized gases surrounding a body that are nominally bound to the body</td> </tr> </table>		enumeration	Asteroid	A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.	enumeration	Callisto	A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system	enumeration	Comet	A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.	enumeration	Earth	The third planet from the sun in our solar system.	enumeration	Earth.Magnetosheath	The region between the bow shock and the magnetopause, characterized by very turbulent plasma.	enumeration	Earth.Magnetosphere	The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.	enumeration	Earth.Magnetosphere.Magnetotail	The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).	enumeration	Earth.Magnetosphere.Main	The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.	enumeration	Earth.Magnetosphere.Polar	The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.	enumeration	Earth.Magnetosphere.RadiationBelt	The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.	enumeration	Earth.NearSurface	The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.	enumeration	Earth.NearSurface.Atmosphere	The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.	enumeration	Earth.NearSurface.AuroralRegion	The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.	enumeration	Earth.NearSurface.EquatorialRegion	The region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.	enumeration	Earth.NearSurface.Ionosphere	The charged or ionized gases surrounding a body that are nominally bound to the body
enumeration	Asteroid	A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.																																													
enumeration	Callisto	A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system																																													
enumeration	Comet	A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.																																													
enumeration	Earth	The third planet from the sun in our solar system.																																													
enumeration	Earth.Magnetosheath	The region between the bow shock and the magnetopause, characterized by very turbulent plasma.																																													
enumeration	Earth.Magnetosphere	The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.																																													
enumeration	Earth.Magnetosphere.Magnetotail	The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).																																													
enumeration	Earth.Magnetosphere.Main	The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.																																													
enumeration	Earth.Magnetosphere.Polar	The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.																																													
enumeration	Earth.Magnetosphere.RadiationBelt	The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.																																													
enumeration	Earth.NearSurface	The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.																																													
enumeration	Earth.NearSurface.Atmosphere	The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.																																													
enumeration	Earth.NearSurface.AuroralRegion	The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.																																													
enumeration	Earth.NearSurface.EquatorialRegion	The region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.																																													
enumeration	Earth.NearSurface.Ionosphere	The charged or ionized gases surrounding a body that are nominally bound to the body																																													

		by virtue of the gravitational attraction.
enumeration	Earth.NearSurface.Ionosphere.E	The Region of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.
enumeration	Earth.NearSurface.Ionosphere.F	The Regionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.
enumeration	Earth.NearSurface.Ionosphere.F1	The Region contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.
enumeration	Earth.NearSurface.Ionosphere.F2	The Region at the upper most areas of the ionosphere.
enumeration	Earth.NearSurface.Mesosphere	The layer of the atmosphere that extends from the Stratosphere to a range of 80 km to 85 km, temperature decreasing with height.
enumeration	Earth.NearSurface.Plasmasphere	The region of the magnetosphere consisting of low energy (cool) plasma. It is located above the ionosphere. The outer boundary of the plasmasphere is known as the plasmapause, which is defined by an order of magnitude drop in plasma density.
enumeration	Earth.NearSurface.PolarCap	The areas of the globe surrounding the poles and consisting of the region north of 60 degrees north latitude an the region south of 60 degrees south latitude.
enumeration	Earth.NearSurface.SouthAtlanticAnomaly	The Region Earth's inner van Allen radiation belt makes its closest approach to the planet's surface. The result is that, for a given altitude, the radiation intensity is higher over this region than elsewhere.
enumeration	Earth.NearSurface.Stratosphere	The layer of the atmosphere that extends from the troposphere to about 30 km, temperature increases with height. The stratosphere contains the ozone layer.
enumeration	Earth.NearSurface.Thermosphere	The layer of the atmosphere that extends from the Mesosphere to 640+ km, temperature increasing with height.
enumeration	Earth.NearSurface.Troposphere	The lowest layer of the atmosphere which begins at the surface and extends to between 7 km (4.4 mi) at the poles and 17 km (10.6 mi) at the equator, with some variation due to weather factors.
enumeration	Earth.Surface	The outermost area of a solid object.
enumeration	Enceladus	One of the innermost moons of Saturn.
enumeration	Europa	The sixth-closest moon of the planet Jupiter
enumeration	Ganymede	The biggest moon of Jupiter planet in our solar system.
enumeration	Heliosphere	The solar atmosphere extending roughly from the outer corona to the edge of the solar plasma at the heliopause separating primarily solar plasma from interstellar plasma.
enumeration	Heliosphere.Heliosheath	The region extending radially outward from the heliospheric termination shock and in which the decelerated solar wind plasma is still significant.
enumeration	Heliosphere.Inner	The region of the heliosphere extending radially outward from the solar coronal base to just inside 1 AU.
enumeration	Heliosphere.NearEarth	The heliospheric region near the Earth which extends to and includes the area near the L1 and L2 Lagrange point.
enumeration	Heliosphere.Outer	The region of the heliosphere extending radially

		outward from just outside 1 AU to the heliospheric termination shock.
enumeration	Heliosphere.Remote1AU	A roughly toroidal region that includes the Earth's orbit, but exclusive of the region near the Earth.
enumeration	Interstellar	The region between stars outside of the star's heliopause.
enumeration	Io	The innermost of the four Galilean moons of the planet Jupiter
enumeration	Jupiter	The fifth planet from the sun in our solar system.
enumeration	Jupiter.Magnetosphere	The magnetosphere of the fifth planet from the sun in our solar system.
enumeration	Mars	The forth planet from the sun in our solar system.
enumeration	Mercury	The first planet from the sun in our solar system.
enumeration	Mercury.Magnetosphere	The magnetosphere of the first planet from the sun in our solar system.
enumeration	Neptune	The seventh planet from the sun in our solar system.
enumeration	Planet	There are eighth planets in the solar system.
enumeration	Planet.Magnetosphere	The magnetosphere of one of the planets in the solar system.
enumeration	Pluto	The ninth (sub)planet from the sun in our solar system.
enumeration	Rhea	The second-largest moon of Saturn and the ninth largest moon in the Solar System
enumeration	Saturn	The sixth planet from the sun in our solar system.
enumeration	Saturn.Magnetosphere	The magnetosphere of the sixth planet from the sun in our solar system.
enumeration	Sun	The star upon which our solar system is centered.
enumeration	Sun.Chromosphere	The region of the Sun's (or a star's) atmosphere above the temperature minimum and below the Transition Region. The solar chromosphere is approximately 400 km to 2100 km above the photosphere, and characterized by temperatures from 4500 - 28000 K.
enumeration	Sun.Corona	The outermost atmospheric region of the Sun or a star, characterized by ionization temperatures above 10^5 K. The solar corona starts at about 2100 km above the photosphere; there is no generally defined upper limit.
enumeration	Sun.Interior	The region inside the body which is not visible from outside the body.
enumeration	Sun.Photosphere	The atmospheric layer of the Sun or a star from which continuum radiation, especially optical, is emitted to space. For the Sun, the photosphere is about 500 km thick.
enumeration	Sun.TransitionRegion	A very narrow (<100 km) layer between the chromosphere and the corona where the temperature rises abruptly from about 8000 to about 500,000 K.
enumeration	Titan	The largest moon of Saturn
enumeration	Uranus	The eighth planet from the sun in our solar system.
enumeration	Venus	The second planet from the sun in our solar system.
Used by	Elements	ObservatoryRegion, ObservedRegion
Source	<pre> <xsd:simpleType name="enumRegion"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for areas of the physical world which may be occupied or observed.</xsd:documentation> </xsd:annotation> </pre>	

```

<xsd:restriction base="xsd:string">
  <xsd:enumeration value="Asteroid">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">A small extraterrestrial body consisting mostly of rock and metal that is in orbit around the sun.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Callisto">
    <xsd:annotation>
      <xsd:documentation>A moon of the planet Jupiter, the second largest after Ganymede and the third-largest in the solar system</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Comet">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">A relatively small extraterrestrial body consisting of a frozen mass that travels around the sun in a highly elliptical orbit.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The third planet from the sun in our solar system.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.Magnetosheath">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The region between the bow shock and the magnetopause, characterized by very turbulent plasma.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.Magnetosphere">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.Magnetosphere.Magnetotail">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re (X > -10Re).</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.Magnetosphere.Main">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.Magnetosphere.Polar">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.Magnetosphere.RadiationBelt">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.NearSurface">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.NearSurface.Atmosphere">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Earth.NearSurface.AuroralRegion">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>

```

```

        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.EquatorialRegion">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Ionosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The charged or ionized gases surrounding a body that are nominally bound to the body by virtue of the gravitational attraction.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Ionosphere.DRegion">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The layer of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Ionosphere.ERegion">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A layer of ionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Ionosphere.FRegion">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A layer that contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Ionosphere.Topside">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The region at the upper most areas of the ionosphere.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Mesosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the Stratosphere to a range of 80 km to 85 km, temperature decreasing with height.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Plasmasphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A region of the magnetosphere consisting of low energy (cool) plasma. It is located above the ionosphere. The outer boundary of the plasmasphere is known as the plasmapause, which is defined by an order of magnitude drop in plasma density.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.PolarCap">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The areas of the globe surrounding the poles and consisting of the region north of 60 degrees north latitude an the region south of 60 degrees south latitude.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.SouthAtlanticAnomalyRegion">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The region where the Earth's inner van Allen radiation belt makes its closest approach to the planet's surface. The result is that, for a given altitude, the radiation intensity is higher over this region than elsewhere.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Stratosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the troposphere to about 30 km, temperature increases with height. The stratosphere contains the ozone layer.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Earth.NearSurface.Thermosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the Mesosphere to 640+ km, temperature increasing with height.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>

```

```

<xsd:enumeration value="Earth.NearSurface.Troposphere">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The lowest layer of the atmosphere which begins at the surface and extends to between 7 km (4.4 mi) at the poles and 17 km (10.6 mi) at the equator, with some variation due to weather factors.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Earth.Surface">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The outermost area of a solid object.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Enceladus">
    <xsd:annotation>
        <xsd:documentation>One of the innermost moons of Saturn.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Europa">
    <xsd:annotation>
        <xsd:documentation>The sixth-closest moon of the planet Jupiter</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Ganymede">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The biggest moon of Jupiter planet in our solar system.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Heliosphere">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The solar atmosphere extending roughly from the outer corona to the edge of the solar plasma at the heliopause separating primarily solar plasma from interstellar plasma.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Heliosphere.Heliosheath">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The region extending radially outward from the heliospheric termination shock and in which the decelerated solar wind plasma is still significant.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Heliosphere.Inner">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The region of the heliosphere extending radially outward from the solar coronal base to just inside 1 AU.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Heliosphere.NearEarth">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The heliospheric region near the Earth which extends to and includes the area near the L1 and L2 Lagrange point.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Heliosphere.Outer">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The region of the heliosphere extending radially outward from just outside 1 AU to the heliospheric termination shock.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Heliosphere.Remote1AU">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">A roughly toroidal region that includes the Earth's orbit, but exclusive of the region near the Earth.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Interstellar">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The region between stars outside of the star's heliopause.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Io">
    <xsd:annotation>
        <xsd:documentation>The innermost of the four Galilean moons of the planet Jupiter.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Jupiter">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The fifth planet from the sun in our solar system.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>

```

```

    </xsd:enumeration>
    <xsd:enumeration value="Jupiter.Magnetosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The magnetosphere of the fifth planet from the sun in our
solar system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Mars">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The forth planet from the sun in our solar system.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Mercury">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The first planet from the sun in our solar system.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Mercury.Magnetosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The magnetosphere of the first planet from the sun in our
solar system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Neptune">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The seventh planet from the sun in our solar system.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Planet">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">There are eighth planets in the solar system.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Planet.Magnetosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The magnetosphere of one of the planets in the solar
system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Pluto">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The ninth (sub)planet from the sun in our solar system.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Rhea">
        <xsd:annotation>
            <xsd:documentation>The second-largest moon of Saturn and the ninth largest moon in the Solar
System</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Saturn">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The sixth planet from the sun in our solar system.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Saturn.Magnetosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The magnetosphere of the sixth planet from the sun in our
solar system.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Sun">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The star upon which our solar system is centered.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Sun.Chromosphere">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">The region of the Sun's (or a star's) atmosphere above
the temperature minimum and below the Transition Region. The solar chromosphere is approximately
400 km to 2100 km above the photosphere, and characterized by temperatures from 4500 - 28000 K.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Sun.Corona">
        <xsd:annotation>

```

```

<xsd:documentation xml:lang="en">The outermost atmospheric region of the Sun or a star, characterized by ionization temperatures above 10^5 K. The solar corona starts at about 2100 km above the photosphere; there is no generally defined upper limit.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Sun.Interior">
<xsd:annotation>
<xsd:documentation xml:lang="en">The region inside the body which is not visible from outside the body.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Sun.Photosphere">
<xsd:annotation>
<xsd:documentation xml:lang="en">The atmospheric layer of the Sun or a star from which continuum radiation, especially optical, is emitted to space. For the Sun, the photosphere is about 500 km thick.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Sun.TransitionRegion">
<xsd:annotation>
<xsd:documentation xml:lang="en">A very narrow (<100 km) layer between the chromosphere and the corona where the temperature rises abruptly from about 8000 to about 500,000 K.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Titan">
<xsd:annotation>
<xsd:documentation>The largest moon of Saturn</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Uranus">
<xsd:annotation>
<xsd:documentation xml:lang="en">The eighth planet from the sun in our solar system.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Venus">
<xsd:annotation>
<xsd:documentation xml:lang="en">The second planet from the sun in our solar system.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumDocumentType

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for the characterization of the content or purpose of a document.		
Diagram	<p>The diagram shows a UML class named "enumDocumentType" with a hollow diamond symbol indicating generalization. A line connects it to another class named "xsd:string". A callout bubble next to "enumDocumentType" contains the text: "Identifiers for the characterization of the content or purpose of a document.". Another callout bubble next to "xsd:string" contains the text: "Built-in primitive type. The string datatype represents character strings in XML.".</p>		
Type	restriction of xsd:string		
Facets	enumeration	Other	
	enumeration	Poster	A set of information arranged on a single page or sheet, typically in a large format.
	enumeration	Presentation	A set of information that is used when communicating to an audience.
	enumeration	Report	A document which describes the findings of some individual or group.
	enumeration	Specification	A detailed description of the requirements and other aspects of an object or component that may be used to develop an implementation.
	enumeration	TechnicalNote	A document summarizing the performance and other technical characteristics of a product, machine, component, subsystem or software in sufficient detail to be used by an engineer or researcher.
	enumeration	WhitePaper	An authoritative report giving information or proposals on an issue.
Used by	Element	DocumentType	

Source	<pre> <xsd:simpleType name="enumDocumentType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the characterization of the content or purpose of a document.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Other"> <xsd:annotation> <xsd:documentation xml:lang="en"> A set of information arranged on a single page or sheet, typically in a large format.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Poster"> <xsd:annotation> <xsd:documentation xml:lang="en">A set of information that is used when communicating to an audience.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Presentation"> <xsd:annotation> <xsd:documentation xml:lang="en">A set of information that is used when communicating to an audience.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Report"> <xsd:annotation> <xsd:documentation xml:lang="en">A document which describes the findings of some individual or group.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Specification"> <xsd:annotation> <xsd:documentation xml:lang="en">A detailed description of the requirements and other aspects of an object or component that may be used to develop an implementation.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="TechnicalNote"> <xsd:annotation> <xsd:documentation xml:lang="en">A document summarizing the performance and other technical characteristics of a product, machine, component, subsystem or software in sufficient detail to be used by an engineer or researcher.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="WhitePaper"> <xsd:annotation> <xsd:documentation xml:lang="en">An authoritative report giving information or proposals on an issue.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type enumSourceType

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for the characterization of the function or purpose of a source.		
Diagram	<p>The diagram shows a UML class named "enumSourceType" with a hollow diamond symbol indicating generalization. An arrow points from "enumSourceType" to a box labeled "xsd:string". Below the class is a note: "Identifiers for the characterization of the function or purpose of a source." To the right of the arrow is another note: "Built-in primitive type. The string datatype represents character strings in XML."</p>		
Type	restriction of xsd:string		
Facets	enumeration	Ancillary	A complementary item which can be subordinate, subsidiary, auxiliary, supplementary to the primary item.
	enumeration	Browse	A representation of an image which is suitable to reveal most or all of the details of the image.
	enumeration	Data	A collection of organized information, usually the results of experience, observation or experiment, or a set of premises. This may consist of numbers, words, or images, particularly as measurements or observations of a set of variables.

	enumeration	Layout	The structured arrangement of items in a collection.
	enumeration	Thumbnail	A small representation of an image which is suitable to infer what the full-sized imaged is like.
Used by	Element	SourceType	
Source			<pre> <xsd:simpleType name="enumSourceType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the characterization of the function or purpose of a source.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Ancillary"> <xsd:annotation> <xsd:documentation xml:lang="en">A complementary item which can be subordinate, subsidiary, auxiliary, supplementary to the primary item.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Browse"> <xsd:annotation> <xsd:documentation xml:lang="en">A representation of an image which is suitable to reveal most or all of the details of the image.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Data"> <xsd:annotation> <xsd:documentation xml:lang="en">A collection of organized information, usually the results of experience, observation or experiment, or a set of premises. This may consist of numbers, words, or images, particularly as measurements or observations of a set of variables.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Layout"> <xsd:annotation> <xsd:documentation xml:lang="en">The structured arrangement of items in a collection.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Thumbnail"> <xsd:annotation> <xsd:documentation xml:lang="en">A small representation of an image which is suitable to infer what the full-sized imaged is like.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>

Simple Type enumHashFunction

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for functions or algorithms that convert a digital data object into a hash value.		
Diagram	<p>Identifiers for functions or algorithms that convert a digital data object into a hash value.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>		
Type	restriction of xsd:string		
Facets	enumeration	MD5	Message Digest 5 (MD5) is a 128-bit message digest algorithm created in 1991 by Professor Ronald Rivest.
	enumeration	SHA1	Secure Hash Algorithm (SHA), a 160-bit message digest algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS) publication 180-1.
	enumeration	SHA256	Secure Hash Algorithm (SHA), a 256-bit message digest algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS) publication 180-1.
Used by	Element	HashFunction	
Source	<pre> <xsd:simpleType name="enumHashFunction"> <xsd:annotation></pre>		

```

<xsd:documentation xml:lang="en">Identifiers for functions or algorithms that convert a digital
data object into a hash value.</xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:string">
  <xsd:enumeration value="MD5">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Message Digest 5 (MD5) is a 128-bit message digest
algorithm created in 1991 by Professor Ronald Rivest.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="SHA1">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Secure Hash Algorithm (SHA), a 160-bit message digest
algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS)
publication 180-1.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="SHA256">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">Secure Hash Algorithm (SHA), a 256-bit message digest
algorithm developed by the NSA and described in Federal Information Processing Standard (FIPS)
publication 180-1.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumInstrumentType

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for the type of experiment the instrument performs. This is the technique of observation.		
Diagram	<p>The diagram shows a UML class named "enumInstrumentType" with a hollow diamond symbol indicating it is a generalization (superclass) of another class. This class is connected to another class named "xsd:string" via a line with a hollow diamond symbol at the end, also indicating a generalization relationship.</p>		
Type	restriction of xsd:string		
Facets	enumeration	Antenna	A sensor used to measure electric potential.
	enumeration	Channeltron	An instrument that detects electrons, ions, and UV-radiation, according to the principle of a secondary emission multiplier. It is typically used in electron spectroscopy and mass spectrometry.
	enumeration	Coronograph	An instrument which can image things very close to the Sun by using a disk to block the Sun's bright surface which reveals the faint solar corona and other celestial objects.
	enumeration	DoubleSphere	A dipole antenna of which the active (sensor) elements are small spheres located at the ends of two wires deployed in the equatorial plane, on opposite sides of a spinning spacecraft.
	enumeration	DustDetector	An instrument which determines the mass and speed of ambient dust particles.
	enumeration	ElectronDriftInstrument	An active experiment to measure the electron drift velocity based on sensing the displacement of a weak beam of electrons after one gyration in the ambient magnetic field.
	enumeration	ElectrostaticAnalyser	An instrument which uses charged plates to analyze the mass, charge and kinetic energies of charged particles which enter the instrument.
	enumeration	EnergeticParticleInstrument	An instrument that measures fluxes of charged particles as a function of time, direction of motion, mass, charge and/or species.
	enumeration	FaradayCup	An instrument consisting of an electrode from which electrical current is measured while a charged particle beam (electrons or ions) impinges on it. Used to determine energy spectrum and sometimes ion composition of the impinging particles.
	enumeration	FluxFeedback	A search coil whose bandwidth and signal/noise ratio are increased by the application of

		negative feedback at the sensor (flux) level by driving a collocated coil with a signal from the preamplifier.
enumeration	FourierTransformSpectrograph	An instrument that determines the spectra of a radiative source, using time-domain measurements and a Fourier transform.
enumeration	GeigerMuellerTube	An instrument which measures density of ionizing radiation based on interactions with a gas.
enumeration	Imager	An instrument which samples the radiation from an area at one or more spectral ranges emitted or reflected by an object.
enumeration	ImagingSpectrometer	An instrument which is a multispectral scanner with a very large number of channels (64-256 channels) with very narrow band widths.
enumeration	Interferometer	An instrument to study the properties of two or more waves from the pattern of interference created by their superposition.
enumeration	IonChamber	A device in which the collected electrical charge from ionization in a gas-filled cavity is taken to be the proportion to some parameter (e.g. dose or exposure) of radiation field
enumeration	IonDrift	A device which measures the current produced by the displacement of ambient ions on a grid, thereby allowing the determination of the ion trajectory and velocity.
enumeration	LangmuirProbe	A monopole antenna associated with an instrument. The instrument applies a potential to the antenna which is swept to determine the voltage/current characteristic. This provides information about the plasma surrounding the probe and spacecraft.
enumeration	LongWire	A dipole antenna whose active (sensor) elements are two wires deployed in the equatorial plane on opposite sides of a spinning spacecraft, and whose length is several times greater than the spacecraft diameter.
enumeration	Magnetometer	An instrument which measures the ambient magnetic field.
enumeration	MassSpectrometer	An instrument which distinguishes chemical species in terms of their different isotopic masses.
enumeration	MicrochannelPlate	An instrument used for the detection of elementary particles, ions, ultraviolet rays and soft X-rays constructed from very thin conductive glass capillaries.
enumeration	MultispectralImager	An instrument which captures images at multiple spectral ranges.
enumeration	NeutralAtomImager	An instrument which measures the quantity and properties of neutral particles over a range of angles. Measured properties can include mass and energy.
enumeration	NeutralParticleDetector	An instrument which measures the quantity and properties of neutral particles. Measured properties can include mass and plasma bulk densities.
enumeration	ParticleCorrelator	An instrument which correlates particle flux to help identify wave/particle interactions.
enumeration	ParticleDetector	An instrument which detects particle flux!!!
enumeration	Photometer	An instrument which measures the strength of electromagnetic radiation within a spectral band which can range from ultraviolet to infrared and includes the visible spectrum.
enumeration	Photopolarimeter	An instrument which measures the intensity and polarization of radiant energy. A photopolarimeter is a combination of a photometer and a polarimeter.
enumeration	Platform	A collection of components which can be positioned

		<p>and oriented as a single unit. A platform may contain other platforms. For example, a spacecraft is a platform which may have components that can be articulated and are also considered platforms.</p>
enumeration	ProportionalCounter	An instrument which measures energy of ionization radiation based on interactions with a gas.
enumeration	QuadrисphericalAnalyser	An instrument used for the 3-D detection of plasma, energetic electrons and ions, and for positive-ion composition measurements.
enumeration	Radar	An instrument that uses directional properties of returned power to infer spatial and/or other characteristics of a remote object.
enumeration	Radiometer	An instrument for detecting or measuring radiant energy. Radiometers are commonly limited to infrared radiation.
enumeration	ResonanceSounder	A combination of a radio receiver and a pulsed transmitter used to study the plasma surrounding a spacecraft by identifying resonances or cut-offs (of the wave dispersion relation), whose frequencies are related to the ambient plasma density and magnetic field. When the transmitter is off it is essentially a high frequency-resolution spectral power receiver.
enumeration	RetardingPotentialAnalyser	An instrument which measures ion temperatures and ion concentrations using a planar ion trap.
enumeration	Riometer	An instrument which measure the signal strength in various directions of the galactic radio signals. Variations in these signals are influenced by solar flare activity and geomagnetic storm and substorm processes.
enumeration	ScintillationDetector	An instrument which detects flourescences of a material which is excited by high energy (ionizing) electromagnetic or charged particle radiation.
enumeration	SearchCoil	An instrument which measures the time variation of the magnetic flux threading a loop by measurement of the electric potential difference induced between the ends of the wire.
enumeration	Sounder	An instrument which measures the radiances from an object. A sounder may measure radiances at multiple spectral ranges.
enumeration	SpacecraftPotentialControl	An instrument to control the electric potential of a spacecraft with respect to the ambient plasma by emitting a variable current of positive ions.
enumeration	SpectralPowerReceiver	A radio receiver which determines the power spectral density of the electric or magnetic field, or both, at one or more frequencies.
enumeration	Spectrometer	An instrument that measures the component wavelengths of light (or other electromagnetic radiation) by splitting the light up into its component wavelengths.
enumeration	TimeOfFlight	An instrument which measures the time it takes for a particle to travel between two detectors.
enumeration	Unspecified	A value which is not provided.
enumeration	WaveformReceiver	A radio receiver which outputs the value of one or more components of the electric and/or magnetic field as a function of time.
Used by	Element	InstrumentType
Source	<pre> <xsd:simpleType name="enumInstrumentType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the type of experiment the instrument performs. This is the technique of observation.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Antenna"> <xsd:annotation></pre>	

```

<xsd:documentation xml:lang="en">A sensor used to measure electric potential.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Channeltron">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument that detects electrons, ions, and UV-
radiation, according to the principle of a secondary emission multiplier. It is typically used in
electron spectroscopy and mass spectrometry.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Coronograph">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument which can image things very close to the Sun
by using a disk to block the Sun's bright surface which reveals the faint solar corona and other
celestial objects.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DoubleSphere">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A dipole antenna of which the active (sensor) elements are
small spheres located at the ends of two wires deployed in the equatorial plane, on opposite sides
of a spinning spacecraft.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="DustDetector">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument which determines the mass and speed of
ambient dust particles.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ElectronDriftInstrument">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An active experiment to measure the electron drift velocity
based on sensing the displacement of a weak beam of electrons after one gyration in the ambient
magnetic field.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ElectrostaticAnalyser">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument which uses charged plates to analyze
the mass, charge and kinetic energies of charged particles which enter the instrument.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="EnergeticParticleInstrument">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument that measures fluxes of charged particles as
a function of time, direction of motion, mass, charge and/or species.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FaradayCup">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument consisting of an electrode from which
electrical current is measured while a charged particle beam (electrons or ions) impinges on it.
Used to determine energy spectrum and sometimes ion composition of the impinging particles.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FluxFeedback">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A search coil whose bandwidth and signal/noise ratio
are increased by the application of negative feedback at the sensor (flux) level by driving a
collocated coil with a signal from the preamplifier.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FourierTransformSpectrograph">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument that determines the spectra of a radiative
source, using time-domain measurements and a Fourier transform.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="GeigerMuellerTube">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument which measures density of ionizing radiation
based on interactions with a gas.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Imager">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An instrument which samples the radiation from an area at
one or more spectral ranges emitted or reflected by an object.</xsd:documentation>
  </xsd:annotation>

```

```

    </xsd:enumeration>
    <xsd:enumeration value="ImagingSpectrometer">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which is a multispectral scanner with a very
large number of channels (64-256 channels) with very narrow band widths.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Interferometer">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument to study the properties of two or more waves
from the pattern of interference created by their superposition.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IonChamber">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A device in which the collected electrical charge from
ionization in a gas-filled cavity is taken to be the proportion to some parameter (e.g. dose or
exposure) of radiation field</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="IonDrift">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A device which measures the current produced by the
displacement of ambient ions on a grid, thereby allowing the determination of the ion trajectory
and velocity.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="LangmuirProbe">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A monopole antenna associated with an instrument. The
instrument applies a potential to the antenna which is swept to determine the voltage/current
characteristic. This provides information about the plasma surrounding the probe and spacecraft.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="LongWire">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A dipole antenna whose active (sensor) elements are two
wires deployed in the equatorial plane on opposite sides of a spinning spacecraft, and whose length
is several times greater than the spacecraft diameter.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Magnetometer">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which measures the ambient magnetic field.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MassSpectrometer">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which distinguishes chemical species in terms
of their different isotopic masses.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MicrochannelPlate">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument used for the detection of elementary
particles, ions, ultraviolet rays and soft X-rays constructed from very thin conductive glass
capillaries.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="MultispectralImager">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which captures images at multiple spectral
ranges.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NeutralAtomImager">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which measures the quantity and properties
of neutral particles over a range of angles. Measured properties can include mass and energy.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="NeutralParticleDetector">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which measures the quantity and properties
of neutral particles. Measured properties can include mass and plasma bulk densities.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="ParticleCorrelator">
        <xsd:annotation>

```

```

<xsd:documentation xml:lang="en">An instrument which correlates particle flux to help
identify wave/particle interactions.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ParticleDetector">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument which detects particle flux!!!</
xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Photometer">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument which measures the strength of
electromagnetic radiation within a spectral band which can range from ultraviolet to infrared and
includes the visible spectrum.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Photopolarimeter">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument which measures the intensity and polarization
or radiant energy. A photopolarimeter is a combination of a photometer and a polarimeter.</
xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Platform">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">A collection of components which can be positioned and
oriented as a single unit. A platform may contain other platforms. For example, a spacecraft is
a platform which may have components that can be articulated and are also considered platforms.</
xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ProportionalCounter">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument which measures energy of ionization radiation
based on interactions with a gas.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="QuadrisphereAnalyser">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument used for the 3-D detection of plasma,
energetic electrons and ions, and for positive-ion composition measurements.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Radar">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument that uses directional properties of returned
power to infer spatial and/or other characteristics of a remote object.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Radiometer">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument for detecting or measuring radiant energy.
Radiometers are commonly limited to infrared radiation.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ResonanceSounder">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">A combination of a radio receiver and a pulsed transmitter
used to study the plasma surrounding a spacecraft by identifying resonances or cut-offs (of the
wave dispersion relation), whose frequencies are related to the ambient plasma density and magnetic
field. When the transmitter is off it is essentially a high frequency-resolution spectral power
receiver.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="RetardingPotentialAnalyser">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument which measures ion temperatures and ion
concentrations using a planar ion trap.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Riometer">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument which measure the signal strength in various
directions of the galactic radio signals. Variations in these signals are influenced by solar flare
activity and geomagnetic storm and substorm processes.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ScintillationDetector">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">An instrument which detects flourescences of a material
which is excited by high energy (ionizing) electromagnetic or charged particle radiation.</
xsd:documentation>

```

```

        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="SearchCoil">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which measures the time variation of the magnetic flux threading a loop by measurement of the electric potential difference induced between the ends of the wire.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Sounder">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which measures the radiances from an object. A sounder may measure radiances at multiple spectral ranges.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="SpacecraftPotentialControl">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument to control the electric potential of a spacecraft with respect to the ambient plasma by emitting a variable current of positive ions.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="SpectralPowerReceiver">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A radio receiver which determines the power spectral density of the electric or magnetic field, or both, at one or more frequencies.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Spectrometer">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument that measures the component wavelengths of light (or other electromagnetic radiation) by splitting the light up into its component wavelengths.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="TimeOfFlight">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">An instrument which measures the time it takes for a particle to travel between two detectors.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Unspecified">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A value which is not provided.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="WaveformReceiver">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">A radio receiver which outputs the value of one or more components of the electric and/or magnetic field as a function of time.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumAnnotationType

Namespace	http://impex-fp7.oeaw.ac.at											
Annotations	Identifiers for an classification of an annotation.											
Diagram	<p>The diagram shows a UML class named "enumAnnotationType" with a hollow diamond symbol above it, indicating it is a generalization base. A solid line with an arrowhead points from "enumAnnotationType" to a class named "xsd:string".</p> <p>Identifiers for an classification of an annotation.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>											
Type	restriction of xsd:string											
Facets	<table border="1"> <tbody> <tr> <td>enumeration</td> <td>Anomaly</td> <td>An interval where measurements or observations may be adversely affected.</td> </tr> <tr> <td>enumeration</td> <td>Event</td> <td>An action or observation which occurs at a point in time.</td> </tr> <tr> <td>enumeration</td> <td>Feature</td> <td>A prominent or distinctive characteristic that occurs at a location or persists over a period of time.</td> </tr> </tbody> </table>			enumeration	Anomaly	An interval where measurements or observations may be adversely affected.	enumeration	Event	An action or observation which occurs at a point in time.	enumeration	Feature	A prominent or distinctive characteristic that occurs at a location or persists over a period of time.
enumeration	Anomaly	An interval where measurements or observations may be adversely affected.										
enumeration	Event	An action or observation which occurs at a point in time.										
enumeration	Feature	A prominent or distinctive characteristic that occurs at a location or persists over a period of time.										
Used by	Element	AnnotationType										
Source	<pre> <xsd:simpleType name="enumAnnotationType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for an classification of an annotation.</xsd:documentation> </xsd:annotation> </pre>											

```

</xsd:annotation>
<xsd:restriction base="xsd:string">
  <xsd:enumeration value="Anomaly">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">An interval where measurements or observations may be adversely affected.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Event">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">An action or observation which occurs at a point in time.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
  <xsd:enumeration value="Feature">
    <xsd:annotation>
      <xsd:documentation xml:lang="en">A prominent or distinctive characteristic that occurs at a location or persists over a period of time.</xsd:documentation>
    </xsd:annotation>
  </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumClassificationMethod

Namespace	http://impexfp7.oeaw.ac.at		
Annotations	Identifiers for the technique used to determine the characteristics of an object.		
Diagram	<p>The diagram shows a class named 'enumClassificationMethod' with a multiplicity of 0..1. It has a directed association labeled with a hollow circle to another class named 'xsd:string' with a multiplicity of 1..1. A note below the association states: 'Identifiers for the technique used to determine the characteristics of an object.' Another note to the right states: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>		
Type	restriction of xsd:string		
Facets	enumeration	Automatic	Determined by the analysis or assessment performed by a program or server.
	enumeration	Inferred	Determined by the analysis of other information or resources.
	enumeration	Inspection	Determined by the analysis or assessment performed by a person.
Used by	Element	ClassificationMethod	
Source	<pre> <xsd:simpleType name="enumClassificationMethod"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the technique used to determine the characteristics of an object.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Automatic"> <xsd:annotation> <xsd:documentation xml:lang="en">Determined by the analysis or assessment performed by a program or server.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Inferred"> <xsd:annotation> <xsd:documentation xml:lang="en">Determined by the analysis of other information or resources.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Inspection"> <xsd:annotation> <xsd:documentation xml:lang="en">Determined by the analysis or assessment performed by a person.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>		

Simple Type enumConfidenceRating

Namespace	http://impexfp7.oeaw.ac.at
Annotations	Identifiers for the classification of the certainty of an assertion.

Diagram	<p>Identifiers for the classification of the certainty of an assertion.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	restriction of xsd:string	
Facets	enumeration	Probable Likely given the available evidence. Considered in the range of 4-7 on a scale of 0-10.
	enumeration	Strong Highly likely given the available evidence. Considered in the range of 7-10 on a scale of 0-10.
	enumeration	Unlikely Not likely given the available evidence. Considered in the range of 0 on a scale of 0-10.
	enumeration	Weak Slightly likely given the available evidence. Considered in the range of 1-4 on a scale of 0-10.
Used by	Elements	ConfidenceRating, LikelihoodRating
Source	<pre><xsd:simpleType name="enumConfidenceRating"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the classification of the certainty of an assertion.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Probable"> <xsd:annotation> <xsd:documentation xml:lang="en">Likely given the available evidence. Considered in the range of 4-7 on a scale of 0-10.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Strong"> <xsd:annotation> <xsd:documentation xml:lang="en">Highly likely given the available evidence. Considered in the range of 7-10 on a scale of 0-10.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Unlikely"> <xsd:annotation> <xsd:documentation xml:lang="en">Not likely given the available evidence. Considered in the range of 0 on a scale of 0-10.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Weak"> <xsd:annotation> <xsd:documentation xml:lang="en">Slightly likely given the available evidence. Considered in the range of 1-4 on a scale of 0-10.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type BandName

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	A common or provider assigned name for a range of values.
Diagram	<p>A common or provider assigned name for a range of values.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Source	<pre><xsd:simpleType name="BandName"> <xsd:annotation> <xsd:documentation xml:lang="en">A common or provider assigned name for a range of values.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"/> </xsd:simpleType></pre>

Simple Type enumParticleQuantity

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Annotations	Identifiers for the characterization of the physical properties of the particle.	
Diagram	 <p>Identifiers for the characterization of the physical properties of the particle.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	restriction of xsd:string	
Facets	enumeration	ArrivalDirection
		An angular measure of the direction from which an energetic particle or photon was incident on a detector. The angles may be measured in any coordinate system.
	enumeration	AtomicNumberDetected
		The number of protons in the nucleus of an atom as determined by a detector.
	enumeration	AverageChargeState
		A measure of the composite deficit (positive) or excess (negative) of electrons with respect to protons.
	enumeration	ChargeState
		Charge of a fully or partially stripped ion, in units of the charge of a proton. Charge state of a bare proton = 1.
	enumeration	CountRate
		The number of events per unit time.
	enumeration	Counts
		The number of detection events occurring in a detector over the detector accumulation time.
	enumeration	Energy
		The capacity for doing work as measured by the capability of doing work (potential energy) or the conversion of this capability to motion (kinetic energy)
	enumeration	EnergyDensity
		The amount of energy per unit volume.
	enumeration	EnergyFlux
		The amount of energy passing through a unit area in a unit time.
	enumeration	FlowSpeed
		The rate at which particles or energy is passing through a unit area in a unit time.
	enumeration	FlowVelocity
		The volume of matter passing through a unit area perpendicular to the direction of flow in a unit of time.
	enumeration	Fluence
		The time integral of a flux. A fluence does not have any "per unit time" in its units.
	enumeration	Gyrofrequency
		The number of gyrations around a magnetic guiding center (field line) a charged particle makes per unit time due to the Lorentz force.
	enumeration	HeatFlux
		Flow of thermal energy through a gas or plasma; typically computed as third moment of a distribution function.
	enumeration	Mass
		The measure of inertia (mass) of individual objects (e.g., aerosols).
	enumeration	MassDensity
		The mass of particles per unit volume.
	enumeration	MassNumber
		The total number of protons and neutrons (together known as nucleons) in an atomic nucleus.
	enumeration	NumberDensity
		The number of particles per unit volume.
	enumeration	NumberFlux
		The number of particles passing a unit area in unit time, possibly also per unit energy (or equivalent) and/or per unit look direction.
	enumeration	ParticleRadius
		The mean radius for a Gaussian distribution of particles with an axial ratio of 2 and a distribution width that varies as 0.5 radius. A value of zero means no cloud was detected.
	enumeration	PhaseSpaceDensity
		The number of particles per unit volume in the six-dimensional space of position and velocity.
	enumeration	PlasmaFrequency
		A number-density-dependent characteristic frequency of a plasma.
	enumeration	Pressure
		The force per unit area exerted by a particle distribution or field.
	enumeration	SonicMachNumber
		The ratio of the bulk flow speed to the speed

		of sound in the medium.
enumeration	SoundSpeed	The speed at which sound travels through a medium.
enumeration	Temperature	A measure of the kinetic energy of random motion with respect to the average. Temperature is properly defined only for an equilibrium particle distribution (Maxwellian distribution).
enumeration	ThermalSpeed	For a Maxwellian distribution, the difference between the mean speed and the speed within which ~69% (one sigma) of all the members of the speed distribution occur.
enumeration	Velocity	Rate of change of position. Also used for the average velocity of a collection of particles, also referred to as "bulk velocity".
Used by	Element	ParticleQuantity
Source	<pre> <xsd:simpleType name="enumParticleQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the characterization of the physical properties of the particle.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ArrivalDirection"> <xsd:annotation> <xsd:documentation xml:lang="en">An angular measure of the direction from which an energetic particle or photon was incident on a detector. The angles may be measured in any coordinate system.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="AtomicNumberDetected"> <xsd:annotation> <xsd:documentation xml:lang="en">The number of protons in the nucleus of an atom as determined by a detector.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="AverageChargeState"> <xsd:annotation> <xsd:documentation xml:lang="en">A measure of the composite deficit (positive) or excess (negative) of electrons with respect to protons.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ChargeState"> <xsd:annotation> <xsd:documentation xml:lang="en">Charge of a fully or partially stripped ion, in units of the charge of a proton. Charge state of a bare proton = 1.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CountRate"> <xsd:annotation> <xsd:documentation xml:lang="en">The number of events per unit time.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Counts"> <xsd:annotation> <xsd:documentation xml:lang="en">The number of detection events occurring in a detector over the detector accumulation time.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Energy"> <xsd:annotation> <xsd:documentation xml:lang="en">The capacity for doing work as measured by the capability of doing work (potential energy) or the conversion of this capability to motion (kinetic energy)</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="EnergyDensity"> <xsd:annotation> <xsd:documentation xml:lang="en">The amount of energy per unit volume.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="EnergyFlux"> <xsd:annotation> <xsd:documentation xml:lang="en">The amount of energy passing through a unit area in a unit time.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="FlowSpeed"> <xsd:annotation> </pre>	

```

<xsd:documentation xml:lang="en">The rate at which particles or energy is passing through a
unit area in a unit time.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="FlowVelocity">
<xsd:annotation>
<xsd:documentation xml:lang="en">The volume of matter passing through a unit area
perpendicular to the direction of flow in a unit of time.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Fluence">
<xsd:annotation>
<xsd:documentation xml:lang="en">The time integral of a flux. A fluence does not have any
"per unit time" in its units.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Gyrofrequency">
<xsd:annotation>
<xsd:documentation xml:lang="en">The number of gyrations around a magnetic guiding center
(field line) a charged particle makes per unit time due to the Lorentz force.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="HeatFlux">
<xsd:annotation>
<xsd:documentation xml:lang="en">Flow of thermal energy through a gas or plasma; typically
computed as third moment of a distribution function.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Mass">
<xsd:annotation>
<xsd:documentation xml:lang="en">The measure of inertia (mass) of individual objects (e.g.,
aerosols).</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MassDensity">
<xsd:annotation>
<xsd:documentation xml:lang="en">The mass of particles per unit volume.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="MassNumber">
<xsd:annotation>
<xsd:documentation xml:lang="en">The total number of protons and neutrons (together known as
nucleons) in an atomic nucleus.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NumberDensity">
<xsd:annotation>
<xsd:documentation xml:lang="en">The number of particles per unit volume.</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NumberFlux">
<xsd:annotation>
<xsd:documentation xml:lang="en">The number of particles passing a unit area in unit time,
possibly also per unit energy (or equivalent) and/or per unit look direction.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ParticleRadius">
<xsd:annotation>
<xsd:documentation xml:lang="en">The mean radius for a Gaussian distribution of particles
with an axial ratio of 2 and a distribution width that varies as 0.5 radius. A value of zero means
no cloud was detected.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PhaseSpaceDensity">
<xsd:annotation>
<xsd:documentation xml:lang="en">The number of particles per unit volume in the six-
dimensional space of position and velocity.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PlasmaFrequency">
<xsd:annotation>
<xsd:documentation xml:lang="en">A number-density-dependent characteristic frequency of a
plasma.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Pressure">
<xsd:annotation>
<xsd:documentation xml:lang="en">The force per unit area exerted by a particle distribution
or field.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SonicMachNumber">

```

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">The ratio of the bulk flow speed to the speed of sound in
the medium.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SoundSpeed">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The speed at which sound travels through a medium.</
xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Temperature">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A measure of the kinetic energy of random motion
with respect to the average. Temperature is properly defined only for an equilibrium particle
distribution (Maxwellian distribution).</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="ThermalSpeed">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">For a Maxwellian distribution, the difference between the
mean speed and the speed within which ~69% (one sigma) of all the members of the speed distribution
occur.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Velocity">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">Rate of change of position. Also used for the average
velocity of a collection of particles, also referred to as "bulk velocity".</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumComponent

Namespace	http://impex-fp7.oewa.ac.at		
Annotations	Identifiers for the axis of coordinate systems.		
Diagram	<p>The diagram shows a UML class named 'enumComponent' with a hollow diamond symbol indicating inheritance, connected to a class named 'xsd:string'. A callout box below 'enumComponent' states 'Identifiers for the axis of coordinate systems.' A callout box below 'xsd:string' states 'Built-in primitive type. The string datatype represents character strings in XML.'</p>		
Type	restriction of xsd:string		
Facets	enumeration	I	Projection of a vector along the first named axis of a coordinate system. Typically the X axis, but could be the R axis for an RTN coordinate system.
	enumeration	J	Projection of a vector along the second named axis of a coordinate system. Typically the Y axis, but could be the T axis for an RTN coordinate system.
	enumeration	K	Projection of a vector along the third named axis of a coordinate system. Typically the Z axis, but could be the N axis for an RTN coordinate system.
Source	<pre> <xsd:simpleType name="enumComponent"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the axis of coordinate systems.</ xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="I"> <xsd:annotation> <xsd:documentation xml:lang="en">Projection of a vector along the first named axis of a coordinate system. Typically the X axis, but could be the R axis for an RTN coordinate system.</ xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="J"> <xsd:annotation> <xsd:documentation xml:lang="en">Projection of a vector along the second named axis of a coordinate system. Typically the Y axis, but could be the T axis for an RTN coordinate system.</ xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="K"> <xsd:annotation> </pre>		

```

<xsd:documentation xml:lang="en">Projection of a vector along the third named axis of a
coordinate system. Typically the Z axis, but could be the N axis for an RTN coordinate system.</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumDirectionAngle

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for the angle between a vector and a base axis.		
Diagram	<p>The diagram shows a UML class named "enumDirectionAngle" with a hollow diamond symbol indicating inheritance, followed by a solid diamond symbol indicating composition or aggregation, and then the class "xsd:string". A callout box below "enumDirectionAngle" states "Identifiers for the angle between a vector and a base axis." A callout box below "xsd:string" states "Built-in primitive type. The string datatype represents character strings in XML."</p>		
Type	restriction of xsd:string		
Facets	enumeration	AzimuthAngle	The angle between the projection into the i-j plane of a position or measured vector and the i-axis of the coordinate system. Mathematically defined as $\arctan(j/i)$.
	enumeration	ElevationAngle	The angle between the position or measured vector and the i-j plane of the coordinate system. Mathematically defined as $\arctan(k/\sqrt{i^2+j^2})$.
	enumeration	PolarAngle	The angle between the position or measured vector and the k-axis of the coordinate system. Mathematically defined as $\arctan([\sqrt{i^2+j^2}]/k)$.
Source	<pre> <xsd:simpleType name="enumDirectionAngle"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the angle between a vector and a base axis.</ xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="AzimuthAngle"> <xsd:annotation> <xsd:documentation xml:lang="en">The angle between the projection into the i-j plane of a position or measured vector and the i-axis of the coordinate system. Mathematically defined as $\arctan(j/i)$.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ElevationAngle"> <xsd:annotation> <xsd:documentation xml:lang="en">The angle between the position or measured vector and the i-j plane of the coordinate system. Mathematically defined as $\arctan(k/\sqrt{i^2+j^2})$.</ xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="PolarAngle"> <xsd:annotation> <xsd:documentation xml:lang="en">The angle between the position or measured vector and the k-axis of the coordinate system. Mathematically defined as $\arctan([\sqrt{i^2+j^2}]/k)$.</ xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>		

Simple Type enumEarth

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for the regions surrounding the Earth.		
Diagram	<p>The diagram shows a UML class named "enumEarth" with a hollow diamond symbol indicating inheritance, followed by a solid diamond symbol indicating composition or aggregation, and then the class "xsd:string". A callout box below "enumEarth" states "Identifiers for the regions surrounding the Earth." A callout box below "xsd:string" states "Built-in primitive type. The string datatype represents character strings in XML."</p>		
Type	restriction of xsd:string		
Facets	enumeration	Magnetosheath	The region between the bow shock and the magnetopause,

		characterized by very turbulent plasma.
enumeration	Magnetosphere	The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.
enumeration	Magnetosphere.Magnetotail	The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).
enumeration	Magnetosphere.Main	The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.
enumeration	Magnetosphere.Polar	The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.
enumeration	Magnetosphere.RadiationBelt	The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.
enumeration	NearSurface	The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.
enumeration	NearSurface.Atmosphere	The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.
enumeration	NearSurface.AuroralRegion	The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.
enumeration	NearSurface.EquatorialRegion	A region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.
enumeration	NearSurface.Ionosphere	The charged or ionized gases surrounding a body that are nominally bound to the body by virtue of the gravitational attraction.
enumeration	NearSurface.Ionosphere.DRegion	The layer of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.
enumeration	NearSurface.Ionosphere.ERegion	A layer of ionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.
enumeration	NearSurface.Ionosphere.FRegion	A layer that contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.
enumeration	NearSurface.Ionosphere.Topside	The region at the upper most areas of the ionosphere.
enumeration	NearSurface.Mesosphere	The layer of the atmosphere that extends from the Stratosphere to a range of 80 km to 85 km, temperature decreasing with height.
enumeration	NearSurface.Plasmasphere	A region of the magnetosphere consisting of low energy (cool) plasma. It is located above the ionosphere. The outer boundary of the plasmasphere is known as the plasmapause, which is defined by an order of magnitude drop in plasma density.
enumeration	NearSurface.PolarCap	The areas of the globe surrounding the poles and consisting of the region north of 60 degrees north latitude and the region south of 60 degrees south latitude.

	enumeration	NearSurface.SouthAtlanticAnomalyRegion	The South Atlantic Anomaly Region where the Earth's inner van Allen radiation belt makes its closest approach to the planet's surface. The result is that, for a given altitude, the radiation intensity is higher over this region than elsewhere.
	enumeration	NearSurface.Stratosphere	The layer of the atmosphere that extends from the troposphere to about 30 km, temperature increases with height. The stratosphere contains the ozone layer.
	enumeration	NearSurface.Thermosphere	The layer of the atmosphere that extends from the Mesosphere to 640+ km, temperature increasing with height.
	enumeration	NearSurface.Troposphere	The lowest layer of the atmosphere which begins at the surface and extends to between 7 km (4.4 mi) at the poles and 17 km (10.6 mi) at the equator, with some variation due to weather factors.
	enumeration	Surface	The outermost area of a solid object.
Source	<pre> <xsd:simpleType name="enumEarth"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the regions surrounding the Earth.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Magnetosheath"> <xsd:annotation> <xsd:documentation xml:lang="en">The region between the bow shock and the magnetopause, characterized by very turbulent plasma.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Magnetosphere"> <xsd:annotation> <xsd:documentation xml:lang="en">The region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of the planet's magnetic field.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Magnetosphere.Magnetotail"> <xsd:annotation> <xsd:documentation xml:lang="en">The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re (X > -10Re).</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Magnetosphere.Main"> <xsd:annotation> <xsd:documentation xml:lang="en">The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Magnetosphere.Polar"> <xsd:annotation> <xsd:documentation xml:lang="en">The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Magnetosphere.RadiationBelt"> <xsd:annotation> <xsd:documentation xml:lang="en">The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="NearSurface"> <xsd:annotation> <xsd:documentation xml:lang="en">The gaseous and possibly ionized environment of a body extending from the surface to some specified altitude. For the Earth, this altitude is 2000 km.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="NearSurface.Atmosphere"> <xsd:annotation> <xsd:documentation xml:lang="en">The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="NearSurface.AuroralRegion"> <xsd:annotation> </pre>		

```

<xsd:documentation xml:lang="en">The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.EquatorialRegion">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Ionosphere">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The charged or ionized gases surrounding a body that are nominally bound to the body by virtue of the gravitational attraction.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Ionosphere.DRegion">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The layer of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Ionosphere.ERegion">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A layer of ionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Ionosphere.FRegion">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A layer that contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Ionosphere.Topside">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The region at the upper most areas of the ionosphere.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Mesosphere">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the Stratosphere to a range of 80 km to 85 km, temperature decreasing with height.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Plasmasphere">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A region of the magnetosphere consisting of low energy (cool) plasma. It is located above the ionosphere. The outer boundary of the plasmasphere is known as the plasmapause, which is defined by an order of magnitude drop in plasma density.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.PolarCap">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The areas of the globe surrounding the poles and consisting of the region north of 60 degrees north latitude an the region south of 60 degrees south latitude.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.SouthAtlanticAnomalyRegion">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The region where the Earth's inner van Allen radiation belt makes its closest approach to the planet's surface. The result is that, for a given altitude, the radiation intensity is higher over this region than elsewhere.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Stratosphere">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the troposphere to about 30 km, temperature increases with height. The stratosphere contains the ozone layer.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Thermosphere">
  <xsd:annotation>

```

```

<xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the Mesosphere to 640+ km, temperature increasing with height.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearSurface.Troposphere">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The lowest layer of the atmosphere which begins at the surface and extends to between 7 km (4.4 mi) at the poles and 17 km (10.6 mi) at the equator, with some variation due to weather factors.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Surface">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The outermost area of a solid object.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumHardcopy

Namespace	http://impexfp7.oeaw.ac.at																				
Annotations	Identifiers for permanent reproductions, or copy in the form of a physical object, of any media suitable for direct use by a person.																				
Diagram	 <p>Identifiers for permanent reproductions, or copy in the form of a physical object, of any media suitable for direct use...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>																				
Type	restriction of xsd:string																				
Facets	<table> <tr> <td>enumeration</td> <td>Film</td> <td>An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.</td> </tr> <tr> <td>enumeration</td> <td>Microfiche</td> <td>A sheet of microfilm on which many pages of material have been photographed; a magnification system is used to read the material.</td> </tr> <tr> <td>enumeration</td> <td>Microfilm</td> <td>Film rolls on which materials are photographed at greatly reduced size; a magnification system is used to read the material.</td> </tr> <tr> <td>enumeration</td> <td>Photograph</td> <td>An image (positive or negative) registered on a piece of photo-sensitive paper</td> </tr> <tr> <td>enumeration</td> <td>PhotographicPlate</td> <td>A rigid (typically glass) medium that functions like film. Its rigidity is for guarding against image distortion due to medium deformation (caused by heat and humidity). Photographic plates are often used for astronomical photography.</td> </tr> <tr> <td>enumeration</td> <td>Print</td> <td>A sheet of any written or printed material which may include notes or graphics. Multiple printed pages may be bound into a manuscript or book.</td> </tr> </table>			enumeration	Film	An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.	enumeration	Microfiche	A sheet of microfilm on which many pages of material have been photographed; a magnification system is used to read the material.	enumeration	Microfilm	Film rolls on which materials are photographed at greatly reduced size; a magnification system is used to read the material.	enumeration	Photograph	An image (positive or negative) registered on a piece of photo-sensitive paper	enumeration	PhotographicPlate	A rigid (typically glass) medium that functions like film. Its rigidity is for guarding against image distortion due to medium deformation (caused by heat and humidity). Photographic plates are often used for astronomical photography.	enumeration	Print	A sheet of any written or printed material which may include notes or graphics. Multiple printed pages may be bound into a manuscript or book.
enumeration	Film	An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.																			
enumeration	Microfiche	A sheet of microfilm on which many pages of material have been photographed; a magnification system is used to read the material.																			
enumeration	Microfilm	Film rolls on which materials are photographed at greatly reduced size; a magnification system is used to read the material.																			
enumeration	Photograph	An image (positive or negative) registered on a piece of photo-sensitive paper																			
enumeration	PhotographicPlate	A rigid (typically glass) medium that functions like film. Its rigidity is for guarding against image distortion due to medium deformation (caused by heat and humidity). Photographic plates are often used for astronomical photography.																			
enumeration	Print	A sheet of any written or printed material which may include notes or graphics. Multiple printed pages may be bound into a manuscript or book.																			
Source	<pre> <xsd:simpleType name="enumHardcopy"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for permanent reproductions, or copy in the form of a physical object, of any media suitable for direct use by a person.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Film"> <xsd:annotation> <xsd:documentation xml:lang="en">An image recording medium on which usually a "negative" analog image is registered. A "positive" image can be recovered or reproduced from film, which is usually made of flexible materials for ease of storage and transportation.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Microfiche"> <xsd:annotation> <xsd:documentation xml:lang="en">A sheet of microfilm on which many pages of material have been photographed; a magnification system is used to read the material.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Microfilm"> </pre>																				

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">Film rolls on which materials are photographed at greatly reduced size; a magnification system is used to read the material.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Photograph">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">An image (positive or negative) registered on a piece of photo-sensitive paper</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PhotographicPlate">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A rigid (typically glass) medium that functions like film. Its rigidity is for guarding against image distortion due to medium deformation (caused by heat and humidity). Photographic plates are often used for astronomical photography.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Print">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A sheet of any written or printed material which may include notes or graphics. Multiple printed pages may be bound into a manuscript or book.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumHeliosphere

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for regions of the solar atmosphere which extends roughly from the inner corona to the edge of the solar plasma at the heliopause separating primarily solar plasma from interstellar plasma.		
Diagram	<p>Identifiers for regions of the solar atmosphere which extends roughly from the inner corona to the edge of the solar...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>		
Type	restriction of xsd:string		
Facets	enumeration	Heliosheath	The region extending radially outward from the heliospheric termination shock and in which the decelerated solar wind plasma is still significant.
	enumeration	Inner	The region of the heliosphere extending radially outward from the solar coronal base to just inside 1 AU.
	enumeration	NearEarth	The heliospheric region near the Earth which extends to and includes the area near the L1 and L2 Lagrange point.
	enumeration	Outer	The region of the heliosphere extending radially outward from just outside 1 AU to the heliospheric termination shock.
	enumeration	Remote1AU	A roughly toroidal region that includes the Earth's orbit, but exclusive of the region near the Earth.
Source	<pre> <xsd:simpleType name="enumHeliosphere"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for regions of the solar atmosphere which extends roughly from the inner corona to the edge of the solar plasma at the heliopause separating primarily solar plasma from interstellar plasma.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Heliosheath"> <xsd:annotation> <xsd:documentation xml:lang="en">The region extending radially outward from the heliospheric termination shock and in which the decelerated solar wind plasma is still significant.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Inner"> <xsd:annotation> </pre>		

```

<xsd:documentation xml:lang="en">The region of the heliosphere extending radially outward from the solar coronal base to just inside 1 AU.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="NearEarth">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The heliospheric region near the Earth which extends to and includes the area near the L1 and L2 Lagrange point.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Outer">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">The region of the heliosphere extending radially outward from just outside 1 AU to the heliospheric termination shock.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Remote1AU">
  <xsd:annotation>
    <xsd:documentation xml:lang="en">A roughly toroidal region that includes the Earth's orbit, but exclusive of the region near the Earth.</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumIntegral

Namespace	http://impexfp7.oeaw.ac.at		
Annotations	Identifiers for values above a given threshold and over area or solid-angle range.		
Diagram	<p>Identifiers for values above a given threshold and over area or solid-angle range.</p>		
Type	restriction of xsd:string		
Facets	enumeration	Area	Integration over the extent of a planar region, or of the surface of a solid.
	enumeration	Bandwidth	Integration over the width a frequency band.
	enumeration	SolidAngle	Integration over the angle in three-dimensional space that an object subtends at a point.
Source	<pre> <xsd:simpleType name="enumIntegral"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for values above a given threshold and over area or solid-angle range.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Area"> <xsd:annotation> <xsd:documentation xml:lang="en">Integration over the extent of a planar region, or of the surface of a solid.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Bandwidth"> <xsd:annotation> <xsd:documentation xml:lang="en">Integration over the width a frequency band.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="SolidAngle"> <xsd:annotation> <xsd:documentation xml:lang="en">Integration over the angle in three-dimensional space that an object subtends at a point.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>		

Simple Type enumIonosphere

Namespace	http://impexfp7.oeaw.ac.at	
Annotations	Identifiers for ionospheric regions.	

Diagram	<p>Identifiers for ionospheric regions.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>	
Type	restriction of xsd:string	
Facets	enumeration	DRegion The layer of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.
	enumeration	ERegion A layer of ionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.
	enumeration	FRegion A layer that contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.
	enumeration	Topside The region at the upper most areas of the ionosphere.
Source	<pre><xsd:simpleType name="enumIonosphere"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for ionospheric regions.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="DRegion"> <xsd:annotation> <xsd:documentation xml:lang="en">The layer of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ERegion"> <xsd:annotation> <xsd:documentation xml:lang="en">A layer of ionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="FRegion"> <xsd:annotation> <xsd:documentation xml:lang="en">A layer that contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Topside"> <xsd:annotation> <xsd:documentation xml:lang="en">The region at the upper most areas of the ionosphere.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type enumMagnetosphere

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Identifiers for the region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of planet's magnetic field.
Diagram	<p>Identifiers for the region of space above the atmosphere or surface of the planet, and bounded by the magnetopause....</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>

Type	restriction of xsd:string		
Facets	enumeration	Magnetotail	The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).
	enumeration	Main	The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.
	enumeration	Polar	The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.
	enumeration	RadiationBelt	The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.
Source	<pre> <xsd:simpleType name="enumMagnetosphere"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the region of space above the atmosphere or surface of the planet, and bounded by the magnetopause, that is under the direct influence of planet's magnetic field.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Magnetotail"> <xsd:annotation> <xsd:documentation xml:lang="en">The region on the night side of the body where the magnetic field is stretched backwards by the force of the solar wind. For Earth, the magnetotail begins at a night-side radial distance of 10 Re ($X > -10Re$).</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Main"> <xsd:annotation> <xsd:documentation xml:lang="en">The region of the magnetosphere where the magnetic field lines are closed, but does not include the gaseous region gravitationally bound to the body.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Polar"> <xsd:annotation> <xsd:documentation xml:lang="en">The region near the pole of a body. For a magnetosphere the polar region is the area where magnetic field lines are open and includes the auroral zone.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="RadiationBelt"> <xsd:annotation> <xsd:documentation xml:lang="en">The region within a magnetosphere where high-energy particles could potentially be trapped in a magnetic field.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>		

Simple Type enumNearSurface

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for regions of the gaseous and possibly ionized environment of a body extending from the surface to some specified altitude.		
Diagram	<p>Identifiers for regions of the gaseous and possibly ionized environment of a body extending from the surface to some...</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>		
Type	restriction of xsd:string		
Facets	enumeration	Atmosphere	The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.
	enumeration	AuroralRegion	The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic

		field produce an optical phenomenon.
enumeration	EquatorialRegion	A region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.
enumeration	Ionosphere	The charged or ionized gases surrounding a body that are nominally bound to the body by virtue of the gravitational attraction.
enumeration	Ionosphere.DRegion	The layer of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.
enumeration	Ionosphere.ERegion	A layer of ionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.
enumeration	Ionosphere.FRegion	A layer that contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.
enumeration	Ionosphere.Topside	The region at the upper most areas of the ionosphere.
enumeration	Mesosphere	The layer of the atmosphere that extends from the Stratosphere to a range of 80 km to 85 km, temperature decreasing with height.
enumeration	Plasmasphere	A region of the magnetosphere consisting of low energy (cool) plasma. It is located above the ionosphere. The outer boundary of the plasmasphere is known as the plasmapause, which is defined by an order of magnitude drop in plasma density.
enumeration	PolarCap	The areas of the globe surrounding the poles and consisting of the region north of 60 degrees north latitude an the region south of 60 degrees south latitude.
enumeration	SouthAtlanticAnomalyRegion	The region where the Earth's inner van Allen radiation belt makes its closest approach to the planet's surface. The result is that, for a given altitude, the radiation intensity is higher over this region than elsewhere.
enumeration	Stratosphere	The layer of the atmosphere that extends from the troposphere to about 30 km, temperature increases with height. The stratosphere contains the ozone layer.
enumeration	Thermosphere	The layer of the atmosphere that extends from the Mesosphere to 640+ km, temperature increasing with height.
enumeration	Troposphere	The lowest layer of the atmosphere which begins at the surface and extends to between 7 km (4.4 mi) at the poles and 17 km (10.6 mi) at the equator, with some variation due to weather factors.
Source	<pre> <xsd:simpleType name="enumNearSurface"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for regions of the gaseous and possibly ionized environment of a body extending from the surface to some specified altitude.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Atmosphere"> <xsd:annotation> <xsd:documentation xml:lang="en">The neutral gases surrounding a body that extends from the surface and is bound to the body by virtue of the gravitational attraction.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="AuroralRegion"> <xsd:annotation> <xsd:documentation xml:lang="en">The region in the atmospheric where electrically-charged particles bombarding the upper atmosphere of a planet in the presence of a magnetic field produce an optical phenomenon.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>	

```

</xsd:enumeration>
<xsd:enumeration value="EquatorialRegion">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">A region centered on the equator and limited in latitude by approximately 23 degrees north and south of the equator.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Ionosphere">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The charged or ionized gases surrounding a body that are nominally bound to the body by virtue of the gravitational attraction.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Ionosphere.DRegion">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The layer of the ionosphere that exists approximately 50 to 95 km above the surface of the Earth. One of several layers in the ionosphere.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Ionosphere.ERegion">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">A layer of ionised gas occurring at 90-150km above the ground. One of several layers in the ionosphere. Also called the The Kennelly-Heaviside layer.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Ionosphere.FRegion">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">A layer that contains ionized gases at a height of around 150-800 km above sea level, placing it in the thermosphere. the F region has the highest concentration of free electrons and ions anywhere in the atmosphere. It may be thought of as comprising two layers, the F1-and F2-layers. One of several layers in the ionosphere. Also known as the Appleton layer.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Ionosphere.Topside">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The region at the upper most areas of the ionosphere.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Mesosphere">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the Stratosphere to a range of 80 km to 85 km, temperature decreasing with height.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Plasmasphere">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">A region of the magnetosphere consisting of low energy (cool) plasma. It is located above the ionosphere. The outer boundary of the plasmasphere is known as the plasmapause, which is defined by an order of magnitude drop in plasma density.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="PolarCap">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The areas of the globe surrounding the poles and consisting of the region north of 60 degrees north latitude an the region south of 60 degrees south latitude.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SouthAtlanticAnomalyRegion">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The region where the Earth's inner van Allen radiation belt makes its closest approach to the planet's surface. The result is that, for a given altitude, the radiation intensity is higher over this region than elsewhere.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Stratosphere">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the troposphere to about 30 km, temperature increases with height. The stratosphere contains the ozone layer.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Thermosphere">
    <xsd:annotation>
        <xsd:documentation xml:lang="en">The layer of the atmosphere that extends from the Mesosphere to 640+ km, temperature increasing with height.</xsd:documentation>
    </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Troposphere">

```

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">The lowest layer of the atmosphere which begins at the
surface and extends to between 7 km (4.4 mi) at the poles and 17 km (10.6 mi) at the equator, with
some variation due to weather factors.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumProjection

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers to projections into a coordinate system.		
Diagram	<p>Identifiers to projections into a coordinate system.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>		
Type	restriction of xsd:string		
Facets	enumeration	IJ	A measure of the length of a position or measured vector projected into the i-j (typically X-Y) plane of the coordinate system.
	enumeration	IK	A measure of the length of a position or measured vector projected into the i-k (typically X-Z) plane of the coordinate system.
	enumeration	JK	A measure of the length of a position or measured vector projected into the j-k (typically Y-Z) plane of the coordinate system.
Source	<pre> <xsd:simpleType name="enumProjection"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers to projections into a coordinate system.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="IJ"> <xsd:annotation> <xsd:documentation xml:lang="en">A measure of the length of a position or measured vector projected into the i-j (typically X-Y) plane of the coordinate system.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="IK"> <xsd:annotation> <xsd:documentation xml:lang="en">A measure of the length of a position or measured vector projected into the i-k (typically X-Z) plane of the coordinate system.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="JK"> <xsd:annotation> <xsd:documentation xml:lang="en">A measure of the length of a position or measured vector projected into the j-k (typically Y-Z) plane of the coordinate system.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>		

Simple Type enumImpexSpecialRegion

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Special Region keyword related to areas in the simulation "world"		
Diagram	<p>Special Region keyword related to areas in the simulation "world".</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>		
Type	restriction of xsd:string		
Facets	enumeration	Incident	Direction-dependent property.
Source	<pre> <xsd:simpleType name="enumImpexSpecialRegion"> <xsd:annotation> <xsd:documentation xml:lang="en">Special Region keyword related to areas in the simulation "world".</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Incident"> </pre>		

```

<xsd:annotation>
  <xsd:documentation xml:lang="en">Direction-dependent property.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumSun

Namespace	http://impex-fp7.oeaw.ac.at		
Annotations	Identifiers for regions of the star upon which our solar system is centered.		
Diagram	<pre> classDiagram enumSun < -- xsd:string </pre> <p>Identifiers for regions of the star upon which our solar system is centered.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>		
Type	restriction of xsd:string		
Facets	enumeration	Chromosphere	The region of the Sun's (or a star's) atmosphere above the temperature minimum and below the Transition Region. The solar chromosphere is approximately 400 km to 2100 km above the photosphere, and characterized by temperatures from 4500 - 28000 K.
	enumeration	Corona	The outermost atmospheric region of the Sun or a star, characterized by ionization temperatures above 10^5 K. The solar corona starts at about 2100 km above the photosphere; there is no generally defined upper limit.
	enumeration	Interior	The region inside the body which is not visible from outside the body.
	enumeration	Photosphere	The atmospheric layer of the Sun or a star from which continuum radiation, especially optical, is emitted to space. For the Sun, the photosphere is about 500 km thick.
	enumeration	TransitionRegion	A very narrow (<100 km) layer between the chromosphere and the corona where the temperature rises abruptly from about 8000 to about 500,000 K.
Source	<pre> <xsd:simpleType name="enumSun"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for regions of the star upon which our solar system is centered.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Chromosphere"> <xsd:annotation> <xsd:documentation xml:lang="en">The region of the Sun's (or a star's) atmosphere above the temperature minimum and below the Transition Region. The solar chromosphere is approximately 400 km to 2100 km above the photosphere, and characterized by temperatures from 4500 - 28000 K.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Corona"> <xsd:annotation> <xsd:documentation xml:lang="en">The outermost atmospheric region of the Sun or a star, characterized by ionization temperatures above 10^5 K. The solar corona starts at about 2100 km above the photosphere; there is no generally defined upper limit.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Interior"> <xsd:annotation> <xsd:documentation xml:lang="en">The region inside the body which is not visible from outside the body.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Photosphere"> <xsd:annotation> <xsd:documentation xml:lang="en">The atmospheric layer of the Sun or a star from which continuum radiation, especially optical, is emitted to space. For the Sun, the photosphere is about 500 km thick.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="TransitionRegion"> <xsd:annotation> </pre>		

```

<xsd:documentation xml:lang="en">A very narrow (<100 km) layer between the chromosphere and the corona where the temperature rises abruptly from about 8000 to about 500,000 K.</
xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumText

Namespace	http://impexfp7.oeaw.ac.at		
Annotations	Identifiers for the encoding of sequences of characters.		
Diagram	<pre> classDiagram enumText < -- xsd:string </pre> <p>The diagram shows a UML class named 'enumText' with a generalization arrow pointing to the 'xsd:string' class. A callout box next to 'enumText' states 'Identifiers for the encoding of sequences of characters.' A callout box next to 'xsd:string' states 'Built-in primitive type. The string datatype represents character strings in XML.'</p>		
Type	restriction of xsd:string		
Facets	enumeration	ASCII	A sequence of characters that adheres to American Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.
	enumeration	Unicode	Text in multi-byte Unicode format.
Source	<pre> <xsd:simpleType name="enumText"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the encoding of sequences of characters.</ xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ASCII"> <xsd:annotation> <xsd:documentation xml:lang="en">A sequence of characters that adheres to American Standard Code for Information Interchange (ASCII) which is an 7-bit character-coding scheme.</ xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Unicode"> <xsd:annotation> <xsd:documentation xml:lang="en">Text in multi-byte Unicode format.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>		

Simple Type enumWaves

Namespace	http://impexfp7.oeaw.ac.at		
Annotations	Identifiers for experimental and natural wave phenomena.		
Diagram	<pre> classDiagram enumWaves < -- xsd:string </pre> <p>The diagram shows a UML class named 'enumWaves' with a generalization arrow pointing to the 'xsd:string' class. A callout box next to 'enumWaves' states 'Identifiers for experimental and natural wave phenomena.' A callout box next to 'xsd:string' states 'Built-in primitive type. The string datatype represents character strings in XML.'</p>		
Type	restriction of xsd:string		
Facets	enumeration	Active	Exerting an influence or producing a change or effect. An active measurement is one which produces a transmission or excitation as a part of the measurement cycle.
	enumeration	Passive	Movement or effect produced by outside influence. A passive measurement is one which does not produce a transmission or excitation as a part of the measurement cycle.
Source	<pre> <xsd:simpleType name="enumWaves"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for experimental and natural wave phenomena.</ xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Active"> <xsd:annotation> </pre>		

```

<xsd:documentation xml:lang="en">Exerting an influence or producing a change or effect. An active measurement is one which produces a transmission or excitation as a part of the measurement cycle.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="Passive">
<xsd:annotation>
<xsd:documentation xml:lang="en">Movement or effect produced by outside influence. A passive measurement is one which does not produce a transmission or excitation as a part of the measurement cycle.</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type FloatSequence

Namespace	http://impexfp7.oeaw.ac.at				
Annotations	A list of real values.				
Diagram	<p>A list of real values.</p> <p>Built-in primitive type. Corresponds to the IEEE single-precision 32-bit floating point type [IEEE 754-1985].</p>				
Type	list of xsd:float				
Used by	<table> <tr> <td>Elements</td> <td>GridCellSize, RegionBegin, RegionEnd</td> </tr> <tr> <td>Simple Types</td> <td>PlaneNormalVector, PlanePoint</td> </tr> </table>	Elements	GridCellSize, RegionBegin, RegionEnd	Simple Types	PlaneNormalVector, PlanePoint
Elements	GridCellSize, RegionBegin, RegionEnd				
Simple Types	PlaneNormalVector, PlanePoint				
Source	<pre> <xsd:simpleType name="FloatSequence"> <xsd:annotation> <xsd:documentation xml:lang="en">A list of real values.</xsd:documentation> </xsd:annotation> <xsd:list itemType="xsd:float" /> </xsd:simpleType> </pre>				

Simple Type PlaneNormalVector

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A string list of the component in each dimension of the vector normal to a plane.
Diagram	<p>A string list of the component in each dimension of the vector normal to a plane.</p> <p>A list of real values.</p>
Type	FloatSequence
Type hierarchy	<ul style="list-style-type: none"> xsd:float FloatSequence PlaneNormalVector
Used by	Element PlaneNormalVector
Source	<pre> <xsd:simpleType name="PlaneNormalVector"> <xsd:annotation> <xsd:documentation>A string list of the component in each dimension of the vector normal to a plane.</xsd:documentation> </xsd:annotation> <xsd:restriction base="FloatSequence" /> </xsd:simpleType> </pre>

Simple Type PlanePoint

Namespace	http://impexfp7.oeaw.ac.at
Annotations	A string list of the coordinate of a point in the plane.
Diagram	<p>A string list of the coordinate of a point in the plane.</p> <p>A list of real values.</p>
Type	FloatSequence

Type hierarchy	<ul style="list-style-type: none"> xsd:float <ul style="list-style-type: none"> FloatSequence PlanePoint
Used by	Element PlanePoint
Source	<pre><xsd:simpleType name="PlanePoint"> <xsd:annotation> <xsd:documentation>A string list of the coordinate of a point in the plane.</xsd:documentation> </xsd:annotation> <xsd:restriction base="FloatSequence"/> </xsd:simpleType></pre>

Simple Type enumImpexRegion


Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Same as Spase's enum Region: identifiers for areas of the physical world which may be occupied or observed + some IMPEX Special Region keyword related to areas in the simulation "world"
Diagram	<pre> classDiagram enumRegion enumImpexRegion < -- enumRegion enumImpexSpecialRegion < -- enumRegion enumImpexSpecialRegion </pre> <p>The diagram illustrates the inheritance relationship between the three types. <code>enumRegion</code> is shown as a general class at the top. Two arrows point from <code>enumImpexRegion</code> and <code>enumImpexSpecialRegion</code> to <code>enumRegion</code>, indicating they inherit from it. Below each class, a callout box provides a detailed description of its purpose.</p>
Type	union of(enumRegion, enumImpexSpecialRegion)
Used by	Element SimulatedRegion
Source	<pre><xsd:simpleType name="enumImpexRegion"> <xsd:annotation> <xsd:documentation>Same as Spase's enum Region: identifiers for areas of the physical world which may be occupied or observed + some IMPEX Special Region keyword related to areas in the simulation "world".</xsd:documentation> </xsd:annotation> <xsd:union memberTypes="enumRegion enumImpexSpecialRegion"/> </xsd:simpleType></pre>

Simple Type enumProduct

Namespace	http://impex-fp7.oeaw.ac.at												
Annotations	Product type of the simulation results												
Diagram	<pre> enumProduct enumProduct --> xsd:string </pre> <p>The diagram shows <code>enumProduct</code> as a specialized type of <code>xsd:string</code>. A callout box below <code>enumProduct</code> describes it as the product type of simulation results, while another box below <code>xsd:string</code> explains it is a built-in primitive type representing character strings in XML.</p>												
Type	restriction of xsd:string												
Facets	<table border="0"> <tr> <td>enumeration</td> <td>3DCubes</td> </tr> <tr> <td>enumeration</td> <td>2DCuts</td> </tr> <tr> <td>enumeration</td> <td>TimeSeries</td> </tr> <tr> <td>enumeration</td> <td>SpatialSeries</td> </tr> <tr> <td>enumeration</td> <td>Lines</td> </tr> <tr> <td>enumeration</td> <td>Spectra</td> </tr> </table>	enumeration	3DCubes	enumeration	2DCuts	enumeration	TimeSeries	enumeration	SpatialSeries	enumeration	Lines	enumeration	Spectra
enumeration	3DCubes												
enumeration	2DCuts												
enumeration	TimeSeries												
enumeration	SpatialSeries												
enumeration	Lines												
enumeration	Spectra												
Used by	Element SimulationProduct												
Source	<pre><xsd:simpleType name="enumProduct"> <xsd:annotation> <xsd:documentation xml:lang="en">Product type of the simulation results</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="3DCubes"/> <xsd:enumeration value="2DCuts"/> <xsd:enumeration value="TimeSeries"/> <xsd:enumeration value="SpatialSeries"/> <xsd:enumeration value="Lines"/> <xsd:enumeration value="Spectra"/> </xsd:restriction> </xsd:simpleType></pre>												

<pre></xsd:simpleType></pre>

Simple Type enumSimulationType

Namespace	http://impex-fp7.oeaw.ac.at																		
Annotations	Identifiers for the characterization of the numerical scheme used in the simulation.																		
Diagram	 <p>Identifiers for the characterization of the numerical scheme used in the simulation.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>																		
Type	restriction of xsd:string																		
Facets	<table border="1"> <tr> <td>enumeration</td> <td>Analytic</td> </tr> <tr> <td>enumeration</td> <td>Hybrid</td> <td>A numerical scheme simulating ions as particles and electrons as a fluid.</td> </tr> <tr> <td>enumeration</td> <td>MHD</td> <td>A numerical scheme simulating the plasma as a fluid.</td> </tr> <tr> <td>enumeration</td> <td>PIC</td> <td>A numerical scheme simulating ions and electrons as macroparticles.</td> </tr> <tr> <td>enumeration</td> <td>Test_Particle</td> <td>A numerical scheme simulating the motion of charged particles in a prescribed field.</td> </tr> <tr> <td>enumeration</td> <td>Paraboloid</td> <td></td> </tr> </table>		enumeration	Analytic	enumeration	Hybrid	A numerical scheme simulating ions as particles and electrons as a fluid.	enumeration	MHD	A numerical scheme simulating the plasma as a fluid.	enumeration	PIC	A numerical scheme simulating ions and electrons as macroparticles.	enumeration	Test_Particle	A numerical scheme simulating the motion of charged particles in a prescribed field.	enumeration	Paraboloid	
enumeration	Analytic																		
enumeration	Hybrid	A numerical scheme simulating ions as particles and electrons as a fluid.																	
enumeration	MHD	A numerical scheme simulating the plasma as a fluid.																	
enumeration	PIC	A numerical scheme simulating ions and electrons as macroparticles.																	
enumeration	Test_Particle	A numerical scheme simulating the motion of charged particles in a prescribed field.																	
enumeration	Paraboloid																		
Used by	Element	SimulationType																	
Source	<pre><xsd:simpleType name="enumSimulationType"> <xsd:annotation> <xsd:documentation xml:lang="en">Identifiers for the characterization of the numerical scheme used in the simulation.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Analytic"> <xsd:annotation> <xsd:documentation xml:lang="en">A numerical scheme simulating ions as particles and electrons as a fluid.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Hybrid"> <xsd:annotation> <xsd:documentation xml:lang="en">A numerical scheme simulating the plasma as a fluid.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="MHD"> <xsd:annotation> <xsd:documentation xml:lang="en">A numerical scheme simulating ions and electrons as macroparticles.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="PIC"> <xsd:annotation> <xsd:documentation xml:lang="en">A numerical scheme simulating the motion of charged particles in a prescribed field.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Test_Particle"> <xsd:annotation> <xsd:documentation xml:lang="en">A numerical scheme simulating the motion of charged particles in a prescribed field.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Paraboloid"> <xsd:annotation> <xsd:documentation xml:lang="en"></xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>																		

Simple Type enumYN

Namespace	http://impex-fp7.oeaw.ac.at
-----------	-----------------------------

Annotations	Either Yes or No	
Diagram		
Type	restriction of xsd:string	
Facets	enumeration	Yes
	enumeration	No
Used by	Element	TemporalDependence
Source	<pre><xsd:simpleType name="enumYN"> <xsd:annotation> <xsd:documentation xml:lang="en">Either Yes or No</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Yes"/> <xsd:enumeration value="No"/> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type ImpexSavedQuantities

Namespace	http://impex-fp7.oeaw.ac.at	
Diagram		
Type	union(enumFieldQuantity, enumParticleQuantity, enumMixedQuantity, enumWaveQuantity, enumProduct)	
Used by	Element SavedQuantity	
Source	<pre><xsd:simpleType name="ImpexSavedQuantities"> <xsd:union memberTypes="enumFieldQuantity enumParticleQuantity enumMixedQuantity enumWaveQuantity enumProduct"/> </xsd:simpleType></pre>	

Simple Type enumSymmetry

Namespace	http://impex-fp7.oeaw.ac.at	
Annotations	List of possible spatial symmetries	
Diagram		
Type	restriction of xsd:string	
Facets	enumeration	None No Symmetry.
	enumeration	Axial Axial symmetry.
	enumeration	Plane Symmetry across a plane.
	enumeration	Central Central Symmetry.
Used by	Element	Symmetry

Source	<pre> <xsd:simpleType name="enumSymmetry"> <xsd:annotation> <xsd:documentation xml:lang="en">List of possible spatial symmetries</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="None"> <xsd:annotation> <xsd:documentation xml:lang="en">No Symmetry.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Axial"> <xsd:annotation> <xsd:documentation xml:lang="en">Axial symmetry.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Plane"> <xsd:annotation> <xsd:documentation xml:lang="en">Symmetry across a plane.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Central"> <xsd:annotation> <xsd:documentation xml:lang="en">Central Symmetry.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type ChemicalFormula

Namespace	http://impexfp7.oeaw.ac.at
Annotations	<p>Chemical formula representing a population of particle. Should only contain Chemical Symbols of the elements, numbers and Parenthesis: exemple O, O2, CO2,... Charge should be specified elsewhere.</p> <p>Note: use small case x, for undefined number of a given atom in a molecule (e.g. NOx), and W for water group if needed (H2O, OH, H3O,...).</p>
Diagram	
Type	xsd:string
Used by	Element ChemicalFormula
Source	<pre> <xsd:simpleType name="ChemicalFormula"> <xsd:annotation> <xsd:documentation>Chemical formula representing a population of particle. Should only contain Chemical Symbols of the elements, numbers and Parenthesis: exemple O, O2, CO2,... Charge should be specified elsewhere. Note: use small case x, for undefined number of a given atom in a molecule (e.g. NOx), and W for water group if needed (H2O, OH, H3O,...).</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"/> </xsd:simpleType> </pre>

Simple Type enumProcessType

Namespace	http://impexfp7.oeaw.ac.at									
Annotations	Type of Chemical Process									
Diagram										
Type	restriction of xsd:string									
Facets	<table border="1"> <tr> <td>enumeration</td> <td>ChargeExchange</td> <td>Chemical process involving a charge transfer from an ion (which becomes neutral) to a neutral (which becomes ionized).</td> </tr> <tr> <td>enumeration</td> <td>ElectronImpact</td> <td>Chemical process by which a neutral is ionized thanks to the energy from the impact of an electron.</td> </tr> <tr> <td>enumeration</td> <td>PhotoIonization</td> <td>Chemical process by which a neutral is ionized thanks to the energy from a photon.</td> </tr> </table>	enumeration	ChargeExchange	Chemical process involving a charge transfer from an ion (which becomes neutral) to a neutral (which becomes ionized).	enumeration	ElectronImpact	Chemical process by which a neutral is ionized thanks to the energy from the impact of an electron.	enumeration	PhotoIonization	Chemical process by which a neutral is ionized thanks to the energy from a photon.
enumeration	ChargeExchange	Chemical process involving a charge transfer from an ion (which becomes neutral) to a neutral (which becomes ionized).								
enumeration	ElectronImpact	Chemical process by which a neutral is ionized thanks to the energy from the impact of an electron.								
enumeration	PhotoIonization	Chemical process by which a neutral is ionized thanks to the energy from a photon.								

	enumeration	DissociativeRecombination	Chemical process by which an ion is neutralized by capturing an electron, and splits in two new neutral species.
Used by	Element	ProcessType	
Source	<pre> <xsd:simpleType name="enumProcessType"> <xsd:annotation> <xsd:documentation xml:lang="en">Type of Chemical Process</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="ChargeExchange"> <xsd:annotation> <xsd:documentation xml:lang="en">Chemical process involving a charge transfer from an ion (which becomes neutral) to a neutral (which becomes ionized).</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ElectronImpact"> <xsd:annotation> <xsd:documentation xml:lang="en">Chemical process by which a neutral is ionized thanks to the energy from the impact of an electron.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="PhotoIonization"> <xsd:annotation> <xsd:documentation xml:lang="en">Chemical process by which a neutral is ionized thanks to the energy from a photon.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="DissociativeRecombination"> <xsd:annotation> <xsd:documentation xml:lang="en">Chemical process by which an ion is neutralized by capturing an electron, and splits in two new neutral species.</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType></pre>		

Simple Type enumProcCoefType

Namespace	http://impex-fp7.oeaw.ac.at														
Annotations	Designation of the Process Coefficient type.														
Diagram	<pre> classDiagram enumProcCoefType < -- xsd:string </pre> <p>Designation of the Process Coefficient type.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>														
Type	restriction of xsd:string														
Facets	<table border="1"> <tr> <td>enumeration</td> <td>CrossSection</td> <td>Cross section of the reaction, when the reaction implies the collision of two particles.</td> </tr> <tr> <td>enumeration</td> <td>Frequency</td> <td>Reaction frequency: number of reaction per unit of time.</td> </tr> <tr> <td>enumeration</td> <td>Rate</td> <td>Reaction rate: reaction production per unit of time.</td> </tr> <tr> <td>enumeration</td> <td>Other</td> <td>Anything else.</td> </tr> </table>			enumeration	CrossSection	Cross section of the reaction, when the reaction implies the collision of two particles.	enumeration	Frequency	Reaction frequency: number of reaction per unit of time.	enumeration	Rate	Reaction rate: reaction production per unit of time.	enumeration	Other	Anything else.
enumeration	CrossSection	Cross section of the reaction, when the reaction implies the collision of two particles.													
enumeration	Frequency	Reaction frequency: number of reaction per unit of time.													
enumeration	Rate	Reaction rate: reaction production per unit of time.													
enumeration	Other	Anything else.													
Used by	Element	ProcessCoeffType													
Source	<pre> <xsd:simpleType name="enumProcCoefType"> <xsd:annotation> <xsd:documentation xml:lang="en">Designation of the Process Coefficient type.</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="CrossSection"> <xsd:annotation> <xsd:documentation xml:lang="en">Cross section of the reaction, when the reaction implies the collision of two particles.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Frequency"> <xsd:annotation> <xsd:documentation xml:lang="en">Reaction frequency: number of reaction per unit of time.</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="Rate"> <xsd:annotation> </pre>														

```

        <xsd:documentation xml:lang="en">Reaction rate: reaction production per unit of time.</
xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="Other">
        <xsd:annotation>
            <xsd:documentation xml:lang="en">Anything else.</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>

```

Simple Type enumImpexQuantity

Namespace	http://impex-fp7.oeaw.ac.at				
Annotations	Quantities for the description of IMPEX elements.				
Diagram	<p>Quantities for the description of IMPEX elements.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>				
Type	restriction of xsd:string				
Facets	<table border="1"> <tr> <td>enumeration</td> <td>SolarUVFlux</td> </tr> <tr> <td>enumeration</td> <td>IMFClockAngle</td> </tr> </table>	enumeration	SolarUVFlux	enumeration	IMFClockAngle
enumeration	SolarUVFlux				
enumeration	IMFClockAngle				
Source	<pre> <xsd:simpleType name="enumImpexQuantity"> <xsd:annotation> <xsd:documentation xml:lang="en">Quantities for the description of IMPEX elements.</ xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:enumeration value="SolarUVFlux"/> <xsd:enumeration value="IMFClockAngle"/> </xsd:restriction> </xsd:simpleType> </pre>				

Simple Type PopulationID

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Unique Name of a particle population, for references.
Diagram	<p>Unique Name of a particle population, for references.</p> <p>Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xsd:string
Used by	Elements Particle/PopulationID, PopulationID
Source	<pre> <xsd:simpleType name="PopulationID"> <xsd:annotation> <xsd:documentation xml:lang="en">Unique Name of a particle population, for references.</ xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"/> </xsd:simpleType> </pre>

Element Group(s)

Element Group CutsDescription

Namespace	http://impex-fp7.oeaw.ac.at
Annotations	Substitution group to use with 3D simulation products
Diagram	<p>Substitution group to use with 3D simulation products</p> <p>PlaneNormalVector Type PlaneNormalVector</p> <p>A string list of the component in each dimension of the vector normal to a plane.</p> <p>PlanePoint Type PlanePoint</p>

Used by	Complex Type	SpatialDescription
Model	PlaneNormalVector , PlanePoint	
Children	PlaneNormalVector, PlanePoint	
Source	<pre><xsd:group name="CutsDescription"> <xsd:annotation> <xsd:documentation>Substitution group to use with 3D simulation products</xsd:documentation> </xsd:annotation> <xsd:sequence> <xsd:element ref="PlaneNormalVector" minOccurs="1" maxOccurs="1"/> <xsd:element ref="PlanePoint"/> </xsd:sequence> </xsd:group></pre>	

Element Group CubesDescription

Namespace	http://impex-fp7.oeaw.ac.at	
Diagram	<pre> classDiagram class CubesDescription class RegionBegin { <<RegionBegin>> <<Type>> FloatSequence } class RegionEnd { <<RegionEnd>> <<Type>> FloatSequence } CubesDescription --> RegionBegin CubesDescription --> RegionEnd </pre>	
Used by	Complex Type SpatialDescription	
Model	RegionBegin , RegionEnd	
Children	RegionBegin, RegionEnd	
Source	<pre><xsd:group name="CubesDescription"> <xsd:sequence> <xsd:element ref="RegionBegin" minOccurs="1" maxOccurs="1"/> <xsd:element ref="RegionEnd" minOccurs="1" maxOccurs="1"/> </xsd:sequence> </xsd:group></pre>	

Namespace: ""

Attribute(s)

Attribute Spase / @lang

Namespace	No namespace	
Type	xsd:string	
Properties	default: en	
Used by	Complex Type Spase	
Source	<pre><xsd:attribute name="lang" type="xsd:string" default="en"/></pre>	

Attribute DiagnosisTimeStep / @TimeStart

Namespace	No namespace	
Type	xsd:time	
Properties	content: simple	
Used by	Complex Type DiagnosisTimeStep	
Source	<pre><xsd:attribute name="TimeStart" type="xsd:time"/></pre>	

Attribute DiagnosisTimeStep / @Duration

Namespace	No namespace	
Type	xsd:duration	
Properties	content: simple	
Used by	Complex Type DiagnosisTimeStep	
Source	<pre><xsd:attribute name="Duration" type="xsd:duration"/></pre>	

Attribute InputValue / @Units

Namespace	No namespace	
Annotations	<p>A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see http://www.bipm.fr/) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	InputValue
Source	<pre> <xsd:attribute name="Units" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">A description of the standardized measurement increments in which a value is specified. The description is represented as a mathematical phrase. Units should be represented by widely accepted representation. For example, units should conform to the International System of Units (SI) which is maintained by BIPM (Bureau International des Poids et Mesures (see http://www.bipm.fr/) when appropriate or use tokens like "Re" to represent units of the Radius of the Earth. Within a phrase the circumflex (^) is used to indicate a power, a star (*) is used to indicate multiplication and a slash (/) division. When symbols are not separated by a mathematical operator, multiplication is assumed. Symbols for base units can be found at: <http://www.bipm.fr/en/si/si_brochure/chapter2/2-1/#symbols> and those for common derived units can be found at: <http://www.bipm.fr/en/si/derived_units/2-2-2.html></xsd:documentation> </xsd:annotation> </xsd:attribute> </pre>	

Attribute InputValue / @UnitsConversion

Namespace	No namespace	
Annotations	<p>The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, presumably nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</p>	
Type	xsd:string	
Properties	content: simple	
Used by	Complex Type	InputValue
Source	<pre> <xsd:attribute name="UnitsConversion" type="xsd:string"> <xsd:annotation> <xsd:documentation xml:lang="en">The multiplicative factor for converting a unit into International System of Units (SI) units. The factor is expressed in the form "number > x", where "number" is a numerical value and "x" is the appropriate SI units. The basic SI units are Enumerated: m (meter), N (newton), kg (kilogram), Pa (pascal), s (second), Hz (hertz), A (ampere), V (volt), K (kelvin), W (watt), rad (radian), J (joule), sr (steradian), C (coulomb), T (tesla), ohm (ohm), mho (mho or seimens), H (henry), and F (farad). Two useful units which are not SI units are: degree (angle), and unitless (no units). An example is: "1.0E-5>T" which converts the units, </pre>	

<pre>presumable nT, to tesla. Another example is: "1.0e+3>m/s" which converts a velocity expressed in kilometers per second to meters per second.</xsd:documentation> </xsd:annotation> </xsd:attribute></pre>
